

Safety Data Sheet

SDS # : A-10039

Toner - Black

Issuing Date 2013-06-27

Revision Date 2014-08-05

Version 1

1. Product and Company Identification

Trade Name: Toner for WorkCentre 5945, WorkCentre 5955

Part No. 006R01604, 006R01605, 006R01606

Pure substance/preparation Preparation

Identified uses Xerographic printing

Emergency telephone Safety Information US: (800) 275-9376
Chemical Emergency only (Chemtrec) (800) 424-9300
(703) 527-3887 (collect outside the US or Canada)

2. Hazards Identification

Emergency Overview

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.

Color
No information available

Appearance
Powder

Physical state
Solid

Odor
Faint

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

Label elements

Signal Word None

Hazard Statements None required

Precautionary Statements None required

Potential Health Effects

| | |
|--------------------------------------|---|
| Principle Routes of Exposure | Inhalation |
| Acute toxicity | |
| Eyes | No known effect |
| Skin | No known effect |
| Inhalation | No known effect |
| Ingestion | No known effect |
| Chronic effects | |
| Main symptoms | Overexposure may cause: mild respiratory irritation similar to nuisance dust |
| Aggravated medical conditions | None under normal use conditions |
| Environmental hazard | The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects. |

3. Composition/Information on Ingredients

| Chemical Name | CAS-No | Weight % |
|------------------|-------------|----------|
| Polymer | 292629-36-8 | >80 |
| Paraffin Wax | 8002-74-2 | >5 |
| Carbon Black | 1333-86-4 | >1 |
| Titanium dioxide | 13463-67-7 | <1 |

4. First Aid Measures

| | |
|-----------------------------------|--|
| General advice | For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes |
| Skin contact | Wash skin with soap and water |
| Inhalation | Move to fresh air |
| Ingestion | Rinse mouth with water and afterwards drink plenty of water or milk |
| Notes to physician | Treat symptomatically |
| Protection of first-aiders | No special protective equipment required. |

5. Fire-Fighting Measures

| | |
|---------------------------------------|---|
| Flammable properties | Not flammable. Will not readily ignite |
| Flash point | Not applicable |
| Suitable extinguishing media | Use water spray or fog; do not use straight streams. Foam. |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire |

Specific hazards arising from the chemical

| | |
|---|---|
| Hazardous combustion products | Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx) |
| Explosion Data | |
| Sensitivity to Mechanical Impact | Not impact sensitive |

Sensitivity to Static Discharge

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flammable resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. Accidental Release Measures

| | |
|----------------------------------|---|
| Personal Precautions | Avoid breathing dust. |
| Environmental Precautions | No special environmental precautions required |
| Methods for containment | Prevent dust cloud |
| Methods for cleaning up | Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use non-sparking tools and equipment. |
| Other Information | The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects. |

7. Handling and Storage

| | |
|--|---|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid dust accumulation in enclosed space. Prevent dust cloud. |
| Technical measures/Storage conditions | Keep container tightly closed in a dry and well-ventilated place Store at room temperature |
| Hygiene measures | None under normal use conditions |

8. Exposure Controls/Personal Protection
Exposure guidelines
Product information

| | |
|-----------------------------|--|
| ACGIH TLV TWA | 10 mg/m ³ (inhalable particles) |
| ACGIH TLV TWA | 3 mg/m ³ (respirable dust) |
| OSHA PEL TWA | 15 mg/m ³ (total dust) |
| OSHA PEL TWA | 5 mg/m ³ (respirable dust) |
| Xerox Exposure Limit | 2.5 mg/m ³ (total dust) |
| Xerox Exposure Limit | 0.4 mg/m ³ (respirable dust) |

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". The classification is based on studies in rats using pure, unbound TiO₂. Based on the review of available study results, when this product is used as intended, Xerox has concluded that the presence of titanium dioxide in this mixture does not present an increased risk of lung cancer or chronic respiratory disease.

Biological standards

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Occupational Exposure Controls

Engineering measures None under normal use conditions.

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

| | |
|---------------------------------|---|
| Respiratory protection | No special protective equipment required. |
| Eye/Face protection | No special protective equipment required |
| Skin and body protection | No special protective equipment required |
| Hand protection | No special protective equipment required |

9. Physical and Chemical Properties

| | | | |
|------------------------|---------------------------|---------------------------------|--------------------------|
| Appearance | Powder | Odor | Faint |
| Odor threshold | Not applicable | Physical state | Solid |
| pH | Not applicable | Color | No information available |
| Flash point | Not applicable | Boiling point/range | Not applicable |
| Softening point | 49 - 60 °C / 120 - 140 °F | Autoignition temperature | Not applicable |

Flammability Limits in Air Not applicable

Explosive properties

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

| | |
|----------------------------------|----------------|
| Vapor pressure | Not applicable |
| Vapor density | Not applicable |
| Water solubility | Negligible |
| Viscosity | Not applicable |
| Partition coefficient | Not applicable |
| Evaporation rate | Not applicable |
| Melting point/range | Not determined |
| Freezing point | Not applicable |
| Decomposition temperature | Not determined |
| Specific gravity | ~ 1 |

10. Stability and Reactivity

Reactivity No dangerous reaction known under conditions of normal use

Stability Stable under normal conditions

Incompatible products None

Conditions to Avoid Prevent dust cloud Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous Decomposition Products None under normal use

Hazardous polymerization Hazardous polymerization does not occur

Hazardous reactions None under normal processing

11. Toxicological Information

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

Product information

Irritation No skin irritation, No eye irritation
LD50 Oral: > 5 g/kg (rat)
LD50 Dermal: > 5 g/kg (rabbit)
LC50 Inhalation: > 5 mg/L (rat, 4 hr)

Eyes No known effect
Skin No known effect
Inhalation No known effect
Ingestion No known effect

Chronic toxicity

Product information

Chronic effects No known effects under normal use conditions
Main symptoms **Overexposure may cause:**
mild respiratory irritation similar to nuisance dust
Aggravated medical conditions None under normal use conditions
Carcinogenicity See "Other Information" in this section.

| Chemical Name | IARC | NTP |
|------------------|------|-----|
| Carbon Black | 2B | |
| Titanium dioxide | 2B | |

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". The classification is based on studies in rats using pure, unbound TiO₂. Based on the review of available study results, when this product is used as intended, Xerox has concluded that the presence of titanium dioxide in this mixture does not present an increased risk of lung cancer or chronic respiratory disease.

Other toxic effects

Product information

Sensitization No sensitization responses were observed
Mutagenic effects Not mutagenic in AMES Test
Target organ effects None known

Other adverse effects None known
Aspiration Hazard Not applicable

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Considerations

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements

Contaminated packaging

Dispose of in accordance with local regulations.

14. Transport Information

Note

This material is not subject to regulation as a hazardous material for shipping.

15. Regulatory Information

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

| | |
|----------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|----|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12b does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

| Chemical Name | CAS-No | California Prop. 65 |
|------------------|------------|---------------------|
| Carbon Black | 1333-86-4 | Carcinogen |
| Titanium dioxide | 13463-67-7 | Carcinogen |

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not subject to WHMIS classification

16. Other Information

Issuing Date 2013-06-27

Revision Date 2014-08-05

Revision Note Initial Release

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end