Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101 Product Code: 1467A / F42-3122,

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Starter (Magenta) for CLC1100 series

Product Code: 1467A / F42-3122, F42-3123

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS #/ EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Ferrite including manganese	Not registered	90-95 (as Mn: 17-19)	None/ None	5mg/m³ (Ceiling) Manganese compounds (as Mn)	0.2mg/m³ (TWA) Manganese elemental, and inorganic compounds, as Mn	Not established	0.5mg/m³ (Inhalable fraction) Manganese and its inorganic compounds
Polyester resin	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	< 1	None/ None	Not established	Not established	Not established	Not established

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Magenta-ish gray fine powder, slight plastic odor.

Inhalation of excessive amount of manganese powder may cause cough, shortness of breath or pneumonitis.

Potential Health Effects and Symptoms:

Inhalation:

Inhalation of excessive amounts of manganese powder may cause cough, shortness of breath or pneumonitis.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of manganese powder may cause lung damage and nervous system effects. Normal use and handling of this product does not result in inhalation of excessive amounts of manganese powder.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined





MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101 Product Code: 1467A / F42-3122.

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

Remove victim to fresh air. Get medical attention if symptoms persist.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Do not breathe dust. Wash thoroughly after handling.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Do not breathe dust. Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation.

Storage:

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101 Product Code: 1467A / F42-3122,

SECTION 8 EXPOSUR Exposure Guidelines:	E CONTROLS /	PERSONAL PROTECTION					
USA OSHA PEL (TWA): 15mg/m³ (Total dust), 5mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10mg/m³ (Inhalable fraction), 3mg/m³ (Respirable fraction) DFG MAK: 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)							
Engineering Controls: Use adequate ventilation.							
Personal Protection Equipmen	t(s):						
Respiratory Protection: D	Required Not Required						
•	Eye/Face Protection: ☐ Required ☐ Not Required						
	☐ Required ☑ Not Required						
SECTION 9 PHYSICAL	AND CHEMIC	AL PROPERTIES					
Appearance:	Mager	nta-ish gray fine powder					
Odor:	Slight	plastic odor					
pH:	Not ap	pplicable					
Boiling Point/Range(°C):		pplicable					
Melting Point/Range(°C):		O(Softening point)					
Decomposition Temperature(°C):		>200					
Flash Point(°C):		Not applicable					
Flammable (Explosive) Limits:		pplicable					
Autoignition Temperature(°C):		Not available					
Flammability:		Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))					
Explosive Properties:		orm explosive dust-air mixtures when finely dispersed in air.					
Oxidizing Properties:		vailable					
Vapor Pressure:	Not ap	Not applicable					
Vapor Density:	Not ap	Not applicable					
Density / Specific Gravity:		0					
Water Solubility:		Negligible					
Fat Solubility:		ly soluble in toluene and xylene.					
Partition Coefficient (n-Octanol/Water):		pplicable					
Percent Volatile:		Negligible					
Evaporation Rate:		Not applicable					
Viscosity (mPa s):		pplicable					

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101 Product Code: 1467A / F42-3122,

SECTION 10 STABILITY AND	REACTIVITY			
Stability:	■ Stable Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers			
Hazardous Decomposition Products:	CO, CO2			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGICA	AL INFORMATION			
Acute Toxicity: Inhalation: Not available				
Ingestion: Estimate: Rat, LD50 > 2000mg/	kg			
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only.			
Skin: Estimate: Rabbit, non-irritant				
Sensitization: Not available				
Mutagenicity: Estimate : Ames Test (Salmonell	a typhimurium) : Negative			
Reproductive Toxicity: Manganese and its inorganic com There is a study showing that pro adverse effects on the fertility of				
Carcinogenicity: Not available				
	response upon chronic inhalation exposure in rats to a toner enriched in			

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101 Product Code: 1467A / F42-3122,

SECTION 12 E	COLOG	ICAL INFORMATION			
Mobility:		Not available			
Persistence / Degrada	ability:	Not available			
Bioaccumulation:		Not available			
Ecotoxicity:		Not available			
Other Adverse Effect	ts:	Not available			
SECTION 13 D	ICDOCA	I CONSIDERATION			
SECTION 13 DISPOSAL CONSIDERATION Method of Disposal: Disposal should be subject to federal, state and local laws.					
SECTION 14 T	RANSP	ORT INFORMATION			
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
	☐ Yes ☑ No	Chemical name (wt%):			
Special Precautions:	None				
SECTION 15 R	EGULA	TORY INFORMATION			
< EU Information >					
Information on the Symbol & Indica		ot required			
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Comp None	onent(s):			
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:			
Specific Provisions	in Relati	ion to Protection of Man or the Environment:			
76/769/EEC:	Not regu	lated			
(EC)2037/2000:	Not regu	lated			
(EC)304/2003:	Not regu	lated			
Others:	None				
< USA Information >	•				
Information on the	Label:				
	CAUTIO	ON!			
	INHAL	ATION OF EXCESSIVE AMOUNTS OF MANGANESE MAY CAUSE LUNG VOUS SYSTEM EFFECTS.			

Page 6 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1119-0101
Product Code: 1467A / F42-3122

Safety Advice:

Do not breathe dust.

Do not taste or swallow.

For additional information, see MSDS for this product.

Hazardous Component(s):

Ferrite including manganese (Manganese compound)

SARA Title III §313:

Chemical NameWeight %Manganese compounds90-95(as Mn)(17-19)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

"EU" stands for European Union.

- $"OSHA\ PEL"\ stands\ for\ PEL (Permissible\ Exposure\ Limit)\ under\ Occupational\ Safety\ and\ Health\ Administration (USA).$
- "ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- "EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- $"DFG\ MAK"\ stands\ for\ MAK (Maximale\ Arbeitsplatzkonzentrationen)\ under\ Deutsche\ Forschungsgemeinschaft.$
- "TWA" stands for Time Weighted Average.
- "IARC" stands for International Agency for Research on Cancer.
- "NTP" stands for National Toxicology Program (USA).
- "OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).
- "FHSA" stands for Federal Hazardous Substances Act(USA).
- "WHMIS" stands for Workplace Hazardous Materials Information System.
- "NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.