MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

Eyes:

500 SERIES

EMERGENCY TELEPHONE NUMBER 1-(800)-424-9300

DATE PREPARED 11/15/10

SIGNATURE OF PREPARER (OPTIONAL)

SECTION 1 CHEMICAL PRODUCT / NAME			
Product/chemical name:	Lexmark T520; IBM 1120	500-28P2494	
CAS number:	Mixture	•	
Other designations:	N/A		
General use:	Laser printer	_	

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS							
Ingredient name:	CAS NUMBER	%	OSHA PEL		ACGIH TLV		OTHER LIMITS
Carbon Black	1333-86-4	< 8.0	3.5mg/m ³		3.5mg/m ³		3.5mg/m ³
Polyester	Trade Secret	>86.0	Not Listed		Not Listed		Not Listed
Polypropylene	9010-79-1	<3.0	Not Listed		Not Listed		Not Listed
Organic pigment*	31714-55-3	<3.0	Not Listed		Not Listed		Not Listed

SECTION 3 HAZARDO	OUS IDENTIFICATION CONTROL OF THE PROPERTY OF		
Physical Hazards:	This material has no usual fire or explosion hazards but will burn if		
	involved in a fire.	Н	1
	Carbon Black is reclassified as a group 2B by IARC, but inhalation test	F	1
Human Health Effects:	using a typical toner showed no association between toner exposure and	R	C
	animal tumors.	PP	Έ
Inhalation:	Minimum irritation to the respiratory tract may occur as with exposure to		
	any non-toxic dust.		
Skin:	Powder may cause drying of the skin with repeated or prolonged	Ī	
	contact.]	
Ingestion:	No adverse effects expected		

SECTION 4 FIRST AID MEASURES			
Inhalation:	Remove to fresh air. If effects occur, consult medical personnel.		
Eye contact:	Flush eyes with water to remove dust.		
Skin contact:	Wash exposed skin with water & soap.		
Ingestion:	Symptomatic treatment is recommended.		

High dust concentrations may cause irritation.

SECTION 5 FIRE FIGHTING MEA	SURES		
Flash point:	N.A.		
Lower Explosive Limit:	N.A.		
Upper Explosive Limit:	N.A.		
Extinguishing Media:	Water fog, foam, CO ₂ , dry chemical.		
Protective Equipment:	Wear self-contained breathing apparatus and full protective gear.		
Personal Precautions:	Wear appropriate respiratory protection.		
Spill Cleanup Measures:	Sweep up or vacuum spilled toner and carefully transfer into a sealed container. Sweep slowly to minimize generation of dust during cleanup. If a vacuum is used, the motor should be rated as dust tight. Residue can be removed with soap & water.		
Environmental Precautions:	Waste material may be dumped or incinerated under conditions, which meet all nation and local laws and regulations.		
SECTION 6 ACCIDENTAL RELEA			
Personal Precautions:	Wear appropriate respiratory protection.		
Spill Cleanup Measures:	Sweep up or vacuum up spilled toner and carefully transfer into a sealed container. Sweep slowly to minimize generation of dust during cleanup. If a vacuum is used, the motor should be rated as dust tight. Residue can be removed with soap and water.		
Environmental Precautions:	Waste material may be dumped or incinerated under conditions, which		
	meet all nation and local laws and regulations.		
SECTION 7 HANDLING AND STO Handling and Storage:	RAGE Avoid creating dust. Clean up all spills promptly. Provide general ventilation. Prevent exposure to high temperatures, flames and spark-producing equipment. Store in a cool place.		
SECTION 8 EXPOSURE CONTRO	DLS/PERSONAL PROTECTION		
Control Parameters:			
OSHA PEL:TWA	5.0 mg/m ³ (Inert of Nuisance Dust: Respirable fraction)		
	15.0 mg/m ³ (Inert of Nuisance Dust: Respirable fraction)		
ACGIH TLV:TWA(2004)	3.0mg/m³ (Particulates Not Otherwise Classified:Respirable Particle Mass)		
	10.0mg/m³ (Particulates Not Otherwise Classified:Inhalable Particle Mass)		
Respiratory Protection:	None required under normal use. *However in dusty atmospheres, use an approved dust respirator.		
Skin Protection:	None required under normal use.		
Eye Protection:	None required under normal use.		
Hand Protection:	None required under normal use.		
Protective Clothing:	None required under normal use.		
Ţ.	·		

SECTION 9 PHYSICAL AND	CHEMICAL PROPERTIE	S		
Appearance:	Fine black powder	Odor:	Odorless	
PH:	N.A.	Boiling Point:	N.A.	
Melting Point:	No data	Flash Point:	N.A.	
Evaporation:	N.A.	Vapor Pressure:	N.A.	
Vapor Density:	N.A.	Solubility in water:	Negligible	
Specific Gravity	ca. 1.20 (H ₂ O=1)	Freezing Point:	N.A.	
SECTION 10 STABILITY AND	REACTIVITY			
Chemical Stability:		Stable		
Hazardous Polymerization:		None		
Materials to avoid:		Oxidizing Materials		
Conditions to avoid:		None		
Hazardous decomposition :		CO, CO ₂ and NOx		
SECTION 11 TOXICOLOGICAROutes of Exposure:		ation, Ingestion, Eyes and Sk	in contact	
Acute Effects:	IIIIaia	See "SECTION 3".	III COIIIaCi	
Chronic Effects :	La a atrodo Sa asta (LLNA		to a few ballion on a well-life	
	moderate degree concentration(16mg/m noted in 22% of the ani	In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group. But no pulmonary changes was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures		
Ingestion:		No data available		
Mutagenic Effects (Ames test):				
Carcinogenic Effects:	carcinogen). This evalua evidence, but sufficient tumors in rat receiving induce particle overload	In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.		
* See NIOSH,RTECS for additiona toxicity data	a two-year cancer bioa			
SECTION 12 ECOLOGICAL I See "SECTION 15"	NFORMATION			
SECTION 13 DISPOSAL CON				
Disposal:		y be dumped or incinerated on the street of		

SECTION 14 TRANSPORT INFORMATION				
Transport Information:	This is not a hazardous product.			
UN No.:	None allocated.			
SECTION 15 REGULATORY INFO	PRMATION			
TSCA:	All chemical substances in this product comply with all applicable rules or order under TSCA. SARA Title III Section313: Organic pigment is regarded as Chromium compounds (category codes: NO9O). Containing less than 0.20wt% as Cr in our product.			
EU:	None			

SECTION 16 OTHER INFORMATION

THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.