Product Name : Print Cartridge Magenta Type MP C2550/C9025/LD525C MSDS Number : 841282 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009

RICOH

Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification		
Product Name General Use MSDS Number Company Name Department Address Telephone Number Telefax Number E-mail	: : 5 Dedrick Place, West Caldwell, NJ 07006 USA : 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies)	

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	<10	2mg/m3	N.A	N.A	N.A	N.A
67990-05-0 Organic Pigment	C32H25CIN4 O5	<10	not applicable	N.A	N.A	N.A	N.A
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

Hazardous Ingredients Information

Chemical Name : Litan Oxide	
CAS Number	: 13463-67-7
OSHAIZ-Tables (USA)	: 15mg/m3
NTP (USA)	: Not listed
Symbol (EU)	: Not listed
DFG-MAK (GER)	: Not listed
California Proposition 65 (USA)	: Not listed

EEC Number	: 236-675-5
ACGIH-TLV	: 10mg/m3
IARC ^{II} Monographs	: Group 2B
R-Phrase (EU)	: Not listed
OELs-TWA (Australia)	: 10mg/m3

RICOH

	Section3 : I	Hazards Identificati	on	
		IIIII Emergenc	y Overview IIIII	
HMIS	Health: 1	Flammabilit : 1	Reactivity: 0	PPE:See section 8
NFPA	Health: 1	y Flammabilit:1 y	Reactivity: 0	

The Most Important Hazards

Adverse Human Health Effects :

There are no significant hazards expected with intended use.

Potential Health Effects

Primary Entry Routes :

Inhalation ; Yes Skin ; Yes

Ingestion ; Yes

Environmental Effects :

There are no significant hazards expected with intended use.

Physical and Chemical Hazards :

There are no significant hazards expected with intended use.

Specific Hazards :

Dust explosion (like most finely grained organic powders)

Main Symptoms :

Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract.

Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation May be non-irritant.

May be non-Irri

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Titanium dioxide contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Medical Conditions Aggravated by Exposure

Not applicable

Classification of the Chemical Product

This mixture is not classified as dangerous.

Product Name : Print Cartridge Magenta Type MP C2550/C9025/LD525C MSDS Number : 841282 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009

RICOH

Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrade) Burning Rate (mm/sec) Autoignition Temperature (degrees centigrade)	: Not applicable : 0.223 or below : Not available
Flammable Limits [®] : LEL Not a	vailable UEL Not available
Extinguishing Media to Avoid : Not applicable.	
Specific Hazards :	
Can form explosive dust-air mixtures whether	hen finely dispersed in air.
Fire-Fighting Instructions / Specific Method	l:
No special fire protecting method is requ	uired. Sprinkling or fire extinguishers can be used.
Protection of Firefighters :	
Wear gloves, glasses, a mask if necess	ary.

Section6 : Accidental Release Measures

Personal Precautions : Do not breathe in dust. Environment Precautions : Do not flush into sewers or watercourses. Methods for Cleaning Up : Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Section7 : Handling and Storage

Handling : Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : Technical Measures Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.

RICOH

Section8 : Exposure Controls/Personal Protection Technical measures : Use adequate ventilation. None required with intended use. Control Parameters Exposure Limit Value (I) ÚSA OSHA PEL (TŴA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) ACGIH TLV (TWÀ) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) Personal Protection Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Eye Protection Put on goggles if necessary. Protective Gloves Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

Section9 : Physical and Chemical Properties

Appearance		
Physical state : Solid	t	
Form : Pow		
Colour : Mag	enta	
Odor	: Slightly plastic odor	
pН	: Not applicable	
Boiling Point (degrees centigrade)	: Not applie	cable
Vapor Pressure (Pa)	Not applicable	
Vapor Density (AIR=1)	: Not applicable	
Density (g/cm3)	: Approx.1.2	Measuring Temp (degrees centigrade) : 25
Formula Weight	: Not applicable	
Melting Point (degrees centigrade)	: (Softening	g point) Approx.110
centigrade)	ature (degrees	: Not available
Viscosity (Pa*s)	: Not applicable	
Volatile (%)	: 0.2 or below	
Evaporation Rate (But	yl Acetate = 1) : Not ap	oplicable
Water Solubility (g/L)	: Insoluble	
Chloroform Solubility (g/L) : Slightly solu	ble

Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur. Product Name : Print Cartridge Magenta Type MP C2550/C9025/LD525C MSDS Number : 841282 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009

RICOH

Section11 : Toxicological Information
Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)
Acute Eye Irritation :
Not available (Based on other product test results of similar ingredients.)
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.)
Specific Effects
Carcinogenicity :
In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is
inadequate human evidence, but sufficient animal evidence.
The latter is based upon the development of lung tumors in rats receiving chronic inhalation
exposures to Titanium dioxide at levels that induce particle overload of the lung.
Use of this product, as intended, dose not result in inhalation of excessive dust.
Epidemiological study to date have not revealed any evidence of the relationbetween exposure to
titanium dioxide and diseases of the respiratory tract beyond general effects of dust.
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available
Section12 : Ecological Information
U U U U U U U U U U U U U U U U U U U

Mobility : No da Persistence/Degradabilit : Not av	ta are available on any adverse effects on the environment. vailable
y Bioaccumulation : Not av	reilabla
Ecotoxicity	
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr
Acute Toxicity for Daphnia (EC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/72hr

RICOH

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements. Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Specific Precautionary Avoid direct sunlight	Transport Measures and Conditions in quality.

Section15 : Regulatory Information

Regulations

US Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC Product Name : Print Cartridge Magenta Type MP C2550/C9025/LD525C MSDS Number : 841282 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009



Section16 : Other Information

Explanation of H	azardous Materials Identification System [HMIS]& National Fire Protection Association			
[NFPA] Hazard Rating Systems:				
Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:				
0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard				
	be used in both systems: ard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard			
	any Personal Protective Equipment regired [PPE],			
	y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),			
xx(Radioactive).				
Literature Refere ANSI Z400.1-19				
ISO 11014-1				
	rective 91/155/EEC			
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,			
pp149-261	Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,			
••	Iman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,			
	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation			
•	ts" Fundamental and Applied Toxicology 17,pp280-299			
Vol.93"	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,			
NIOSH CURRE	NT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for			
•	xposure to Titanium Dioxide DRAFT"			
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices			
OSHAIZ-Tables	0 1			
NTP (USA)	: US Department of Health and Human Services National Toxicology			
	Program Annual Report on Carcinogens DFG-MAKIGERI: DFG List of MAK and BAT Value			
Symbol (EC)	: EU Directive 67/548/EEC			
91/155/ EEC	: EU Directive 91/155/ EEC			
1999/45/EC An				
76/769/EEC EC 304/2003	:EU Directive 76/769/EEC :Regulation (EC) No 304/2003 of the European Parliament and of the			
20 00 112000	Council of 28 January 2003 concerning the export and import of dangerous			
	chemicals			
WHMIS Control product	Iled : Canada Workplace Hazardous Information System			
OELs-TWA (Au				
	Atmospheric Contaminants in the Occupational Environment [NOHSC:			
Abbreviations :	3008 (1995)]			
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act			
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial			
DFG-MAK	Hygienists MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft			
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic			
	Equipment			
TWA	Time Weighted Average			
IARC NTP	International Agency for Research on Cancer National Toxicology Program			
WHMIS	Workplace Hazardous Information System			
NOHSC	National Occupational Health and Safety Commission Act 1985			
Disclaimer(S) :	a furniched without warranty, every and ar implied event that it is accurate to the heat			
This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americas Corporation.				
It relates only to the specific material designated herein, and does not relate to use in combination with				
any other material or process.				
Ricoh Americas	s Corporation assumes no legal responsibility for use or reliance upon this information.			