# Material Safety Data Sheet (ANSI form)

### Section1 : Chemical Product and Company Identification

Product Name General Use MSDS Number Company Name Department Address Telephone Number	: : 5 Dedrick Place, West Caldwell, NJ 07006 : 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies)
Telefax Number	
E-mail	: environmentinfo@ricoh-usa.com

### Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEĹ	С	TWA	Ć
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	<10	2(wax fume)mg/ m3	N.A	N.A	N.A	N.A
Confidential Organic Pigment	Confidential	<10	N.A	N.A	N.A	N.A	N.A
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Litan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		-

Product Name : Print Cartridge Yellow Type MP C2551/C9125/LD625C MSDS Number : 841501 Date Prepared : 06/12/2010 Date Modified : 06/12/2010 Date : 13/06/2011

	Section3 : I	lazards Identification	on	
	**	≿☆☆☆ Emergenc	y Overview ☆☆☆ <sup>、</sup>	$\bigstar$
HMIS	Health: 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8
NFPA	Health: 1	y Flammabilit : 1 y	Reactivity : 0	
dverse F There a ential He	nportant Hazards Iuman Health Eff are no significant ealth Effects ntry Routes :		n intended use.	
Inhalatio Skin Ingestior	n ;Yes ;Yes			

Environmental Effects :

There are no significant hazards expected with intended use. Physical and Chemical Hazards :

There are no significant hazards expected with intended use.

Specific Hazards :

Dust explosion (like most finely grained organic powders)

Main Symptoms :

### Acute Inhalation Toxicity

Exposure to excessive amount of dust may cause physical irritation to respiratory tract. Acute Oral Toxicity

Low acute toxicity in animal experiment.

Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant. Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

### Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Titanium dioxide contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.

Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.

Medical Conditions Aggravated by Exposure

### Not applicable

Classification of the Chemical Product

This mixture is not classified as dangerous.

Product Name : Print Cartridge Yellow Type MP C2551/C9125/LD625C MSDS Number : 841501 Date Prepared : 25/12/2007 Date Modified : 06/12/2010 Date : 13/06/2011

### Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention : Immediate medical attention is not required.

Section5 : Fire Fighting Measures				
Flash Point (degrees centigrade) : Not applicable				
Burning Rate (mm/sec) : 0.223 or below				
Autoignition Temperature (degrees : Not available centigrade)				
Flammable Limits(%) : LEL Not available UEL Not available				
Extinguishing Media to Avoid : Not applicable.				
Specific Hazards :				
Can form explosive dust-air mixtures when finely dispersed in air.				
Fire-Fighting Instructions / Specific Method :				
No special fire protecting method is required. Sprinkling or fire extinguishers can be used.				
Protection of Firefighters :				
Wear gloves, glasses, a mask if necessary.				
Section6 : Accidental Release Measures				
Personal Precautions :				

Do not breathe in dust.

**Environment Precautions :** 

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

### Section7 : Handling and Storage

Handling :

Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain guality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable

Specific Use(s) :

Image formation in printing machines or copiers.

### Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation. None required with intended use. **Control Parameters** Exposure Limit Value (I) 5.0mg/m3 (Respirable fraction) PEL: 15mg/m3 (Total dust) USA OSHA (TWA) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) Personal Protection Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Eye Protection Put on goggles if necessary. Protective Gloves Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures** Wash hands after handling.

# Section9 : Physical and Chemical Properties

#### Appearance Physical state : Solid Form : Powder Colour : Yellow Odor : Slightly plastic odor pН : Not applicable **Boiling Point (degrees** : Not applicable centigrade) Vapor Pressure (Pa) Not applicable Vapor Density : Not applicable (AIR=1) Density (g/cm3) : Approx.1.2 Measuring Temp (degrees centigrade) : 25 Formula Weight : Not applicable Melting Point (degrees : (Softening point) Approx.110 centigrade) Decomposition temperature (degrees : Not available centigrade) Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below Evaporation Rate (Butyl Acetate = 1) : Not applicable Water Solubility (g/L) : Slightly soluble Chloroform Solubility (g/L) : Slightly soluble

### Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.

### Section11 : Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available

### Section12 : Ecological Information

Mobility : No da Persistence/Degradabilit : Not av	ata are available on any adverse effects on the environment. vailable
y Bioaccumulation : Not av	vailable
Ecotoxicity	
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr
Acute Toxicity for Daphnia	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr
(EC50) Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/72hr
3(	

Product Name : Print Cartridge Yellow Type MP C2551/C9125/LD625C MSDS Number : 841501 Date Prepared : 25/12/2007 Date Modified : 06/12/2010 Date : 13/06/2011

### Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

### Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

### Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

### Section14 : Transport Information

International Regulation	S
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Class	: Not applicable
Specific Precautionary	<b>Fransport Measures and Conditions</b>
المراجب والمحمد والمراجب المراجب	in available

Avoid direct sunlight in quality.

### Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC

## Section16 : Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association					
[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an					
uncontrolled situ	,				
	zard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard				
	be used in both systems:				
	zard Red=Fire Hazard Yellow=Reactivity Hazard White=Indicate a special hazard				
	y any Personal Protective Equipment regired [PPE],				
	fy OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),				
xx(Radioactive)					
Literature Reference					
ANSI Z400.1-1	993				
ISO 11014-1					
	irective 91/155/EEC				
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
pp149-261	g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,				
••	Ilmon O Crautzenharg, C Decenhrady, U Emat, D Kiloner, J C MacKanzia, D Marrow				
	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation				
	ats" Fundamental and Applied Toxicology 17,pp280-299				
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
Vol.93"	And wonograph on the Evaluation of the Carcinogenic Misk of Chemicals to Humans,				
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation				
	nal Exposure to Titanium Dioxide DRAFT"				
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and				
AGGINFILV	Biological Exposure Indices				
OSHA Z-Tabl					
NTP (USA)	: US Department of Health and Human Services National Toxicology				
(,	Program Annual Report on Carcinogens				
	DFG-MAK(GER): DFG List of MAK and BAT Value				
Symbol (EC)	: EU Directive 67/548/EEC				
91/155/ EEĆ	: EU Directive 91/155/ EEC				
1999/45/EC A	nnex V : EU Directive 1999/45/EC				
76/769/EEC	: EU Directive 76/769/EEC				
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the				
	Council of 28 January 2003 concerning the export and import of dangerous				
	chemicals				
WHMIS Contro	olled : Canada Workplace Hazardous Information System				
product	ustralia)				
OELs-TWA (A	ustralia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:				
Abbreviations :	5000 (1995)]				
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act				
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial				
//00////2/	Hygienists				
REACH	EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,				
	Authorization and Restriction of Chemicals				
SVHC	Substances of Very High Concern				
ECHA	The European Chemicals Agency				
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft				
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic				
	Equipment				
TWA	Time Weighted Average				
IARC	International Agency for Research on Cancer				
NTP National Toxicology Program					
WHMIS Workplace Hazardous Information System					
NOHSC	National Occupational Health and Safety Commission Act 1985				
Disclaimer(S) :	and the standard standard and the standard standard and the standard standard standard standard standard standa				
This information is furnished without warranty, expressed or implied, except that it is accurate to the best					
	knowledge of Ricoh Americas Corporation.				
It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.					
	erial of process. Is Corporation assumes no legal responsibility for use or reliance upon this information				

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.