

## MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

**Identification of the** 

preparation

CE040Series

**Product use**Inkjet printing. For use only in inkjet printing

Version # 01

Revision date 10-Nov-2010
CAS # Mixture

**Company identification** Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

## 2. Hazards Identification

**Emergency overview** 

Contact with skin and eyes may result in irritation.

**Acute health effects** 

Any potential hazards are presumed to be due to exposure to the components.

**Skin contact** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Contact with skin may result in irritation.

Cyclo Amide

Contact with skin may result in irritation.

Trade Secret yellow colorant

Contact with skin may result in irritation.

**Eye contact** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Contact with eyes may result in irritation.

Cyclo Amide

Contact with eyes may result in irritation.

Trade Secret yellow colorant

Contact with eyes may result in irritation.

**Inhalation** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Inhalation may result in respiratory irritation.

Cyclo Amide

Inhalation may result in respiratory irritation.

**Ingestion** *1-(2-hydroxyethyl)-2-pyrrolidone* 

Ingestion may result in nausea, vomiting and diarrhea.

Cyclo Amide

Swallowing large amounts may cause digestive discomfort.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Material name: CE040Series MSDS US

**Potential health effects** 

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

| 3. Composition / Information on Ingredients |             |         |
|---|-------------|---------|
| Components                                  | CAS #       | Percent |
| Cyclo Amide                                 | Proprietary | < 10    |
| Diethylene glycol                           | 111-46-6    | < 5     |
| Trade Secret yellow colorant                | Proprietary | < 5     |
| 1-(2-hydroxyethyl)-2-pyrrolidone            | 3445-11-2   | < 2.5   |
| Megaface F-444                              | N/A         | < 0.1   |
| Water                                       | 7732-18-5   | >70     |

**Composition comments** 

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

### 4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

## 5. Fire Fighting Measures

Flammable properties

Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containing

compounds may be released upon combustion.

**Extinguishing media** 

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

None established. **Specific methods Hazardous combustion** Refer to section 10.

products

### **6. Accidental Release Measures**

**Personal precautions** 

Wear appropriate personal protective equipment.

**Environmental precautions** Methods for containment

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other

sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

Material name: CE040Series MSDS US

12165 Version #: 01 Revision date: 09-Nov-2010 Print date: 10-Nov-2010

7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

Keep at temperatures between 15 and 35°C.

## 8. Exposure Controls / Personal Protection

#### Occupational exposure limits

U.S. - WEEL

ComponentsTypeValueDiethylene glycol (111-46-6)TWA10.0000 mg/m3

**Exposure guidelines** Exposure limits have not been established for this product.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

**General** Use personal protective equipment to minimize exposure to skin and eye.

## 9. Physical & Chemical Properties

AppearanceNot available.ColorYellow

OdorNot available.Odor thresholdNot available.Physical stateLiquid

FormNot available.pH8 - 10Melting pointNot available.Freezing pointNot available.

Freezing point

Boiling point

Not available.

Not available.

**Flash point** > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.
Flammability limits in air, Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not available.

Vapor pressureNot available.Vapor densityNot available.

**Specific gravity** 1 - 1.1

Relative densityNot available.Solubility (water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.VOC< 182 g/l</th>

**Other information** VOC content (less water, less exempt compounds) = < 946 g/L (U.S. requirement, not for

emissions)

## 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen

fluoride.

Possibility of hazardous reactions

None known.

Material name: CE040Series MSDS US

## 11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

**Skin sensitization** Not available.

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

## 12. Ecological Information

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

## 14. Transport Information

**Further information** 

Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

**DOT** 

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

## 15. Regulatory Information

**US TSCA** 12(b): Does not contain listed chemicals.

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

### **CERCLA (Superfund) reportable quantity**

None

## Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200** No

hazardous chemical

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

No

Section 311 hazardous

No

chemical

### State regulations

#### US - Pennsylvania RTK - Hazardous Substances: Listed substance

Diethylene glycol (CAS 111-46-6)

Listed.

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

## 16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**HMIS**® ratings Health: 1

Flammability: 1 Physical hazard: 0

Material name: CE040Series MSDS US

12165 Version #: 01 Revision date: 09-Nov-2010 Print date: 10-Nov-2010

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer**This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 10-Nov-2010

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value **TSCA** Toxic Substances Control Act

**VOC** Volatile Organic Compounds

Material name: CE040Series MSDS US

12165 Version #: 01 Revision date: 09-Nov-2010 Print date: 10-Nov-2010