### MATERIAL SAFETY DATA SHEET

### 1. Product and Company Identification

Material name CC640 Series

Version # 03

Issue date30-Jan-2013Revision date24-Jan-2014Product useInkjet printingCAS #Mixture

**Company identification** Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### 2. Hazards Identification

### **Emergency overview**

Other hazards

Contact with skin and eyes may result in irritation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation None of the other ingredients in this preparation are classified as carcinogens

according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
2-pyrrolidone	616-45-5	< 10
1,5-pentanediol	111-29-5	< 5
Non-hazardous components	CAS#	Percent
Water	7732-18-5	>70
Modified carbon black #6	Proprietary	< 5
Substituted diol	Proprietary	< 2.5

#### **Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

### 4. First Aid Measures

General advice No information

First aid procedures

**Eye contact**Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Material name: CC640 Series MSDS US

8934 Version #: 03 Revision date: 24-Jan-2014 Issue date: 30-Jan-2013

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Fire fighting

equipment/instructions

Not available.

None established.

Specific methods
Hazardous combustion

products

Refer to section 10.

### 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

### 8. Exposure Controls / Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

**Personal protective equipment** 

General General hygiene considerations Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical & Chemical Properties

AppearanceNot available.Physical stateNot available.FormNot available.

Color Black.

**Odor** Not available. **pH** 7.5 - 8.2

Vapor pressure Not determined **Boiling point** Not determined Melting point/Freezing point Not available. Solubility (water) Soluble in water Specific gravity Not available. Flash point Not available. **Viscosity** >= 2 cpVOC < 147 g/l

**Other information** For other VOC regulatory data/information see Section 15.

Material name: CC640 Series MSDS US

10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions.

**Conditions to avoid**No information available

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

**Possibility of hazardous** 

reactions

Will not occur.

### 11. Toxicological Information

Tovico	logical	4-+-

Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5	5)		
Acute			
Oral			
LD50	Guinea pig	6500 mg/kg	
	Rat	6500 mg/kg	
Substituted diol (CAS Proprie	etary)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
LC50	Rat	> 5.1 mg/l, 4 Hours	
Oral			
LD50	Rat	> 5000 ma/ka	

#### Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

**Test Results** 

Serious eye damage/eye

irritation

Not available.

Further information

This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### 12. Ecological Information

**Ecotoxicological data** 

Product	Species	Test Results	
CC640 Series (CAS Mixture)			
Aquatic			
Acute			

Components

Fish

2-pyrrolidone (CAS 616-45-5) **Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

**Species** 

**Ecotoxicity**No data available. **Persistence and degradability**Not available.

**Bioaccumulation / Accumulation** 

**Bioaccumulative potential** 

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85

Material name: CC640 Series MSDs us

LC50

2-pyrrolidone -0.85

### 13. Disposal Considerations

### **Disposal instructions**Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Do not allow this material to drain into sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

### 14. Transport Information

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **RID**

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory Information

### **US TSCA 12(b):** Does not contain listed chemicals.

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

### **DEA Exempt Chemical Mixtures Code Number**

Not regulated.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA (Superfund) reportable quantity**

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No Delayed Hazard - No

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical

No

#### Other information

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

VOC content (less water, less exempt compounds) = <709 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

#### State regulations

#### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5)

#### **US. Pennsylvania RTK - Hazardous Substances**

2-pyrrolidone (CAS 616-45-5) Listed.

Material name: CC640 Series MSDS US

#### **US. Rhode Island RTK**

Not regulated.

16. Other Information

**HMIS**® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Issue date 30-Jan-2013

This data sheet contains changes from the previous version in section(s):

1. Product and Company Identification: Alternate Trade Names

Manufacturer information Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CC640 Series MSDS US