			Page 1 of 8
Canon	MATERIAL SAFETY DATA SHEET Pr	MSDS #:	IC1441-0404 0618B
SECTION 1 ID	ENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF		0013E
	OMPANY/UNDERTAKING	1112	
Product Identifier:			
Product Name:	Canon FINE Cartridge CL-51		
Product Code:	0618B		
<b>Relevant Identified U</b>	ses: Ink for Ink Jet Printer		
Details of Supplier of Supplier:	Safety Data Sheet:		
Address:			
Telephone Numbe	er:		
E-mail Address:			
Emergency Telephon	e Number:		
Emergency receptor			
Manufacturer:	Canon Inc.		
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan		
SECTION 2 H	AZARDS IDENTIFICATION		
<b>Emergency Overview</b>	<i>7</i> :		
	cartridge. (Cyan, Magenta and Yellow)		
	d mixture with slight odor.		
US Regulatory Status			
Not classified as h	azardous.		
US Label Elements u	inder FHSA:		
Signal Word:	Not required		
Hazard Warning	* Not required		
Safety Advice:	Not required		
-	<b>`</b>		
Hazardous Comp	ponent: Not required		
EU Classification une			
Not classified as	s dangerous.		
EU Label Elements u	nder 1999/45/EC:		
Symbol & Indica	tion: Not required		
<b>R-Phrase:</b>	Not required		
S-Phrase:	Not required		
Dangerous Comp	oonent: Not required		
Applicable Label Not required	Elements in accordance with Annex V to 1999/45/EC:		
Other Hazards:	·		
None			



# MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC1441-0404

MSDS #:

Product Code:

0618B

# SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name/	CAS #/ Concentration		Ũ		EU Classification according to (EC) No 1272/2008		Note to
Generic Name	EC#	Concentration Range (%)	67/548/EEC Symbol/ Indication of Danger	R-Phrase <sup>*1</sup>	(EC) No 127 Hazard Class/ Category Code	2/2008 Hazard Statement <sup>*1</sup>	Other Hazards <sup>*</sup>
Glycerin	56-81-5 / 200-289-5	1 - 10	None	None	None	None	(1)
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Diethylene glycol (Contained in yellow ink)	111-46-6 / 203-872-2	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	
Substituted phthalocyanine (Contained in cyan ink)	Confidential	5 - 10	Xi / Irritant	R41 R52/53	Eye Dam. 1 Aquatic Chronic 3	H318 H412	
Ethylene urea	120-93-4 / 204-436-4	1 - 5	Xi / Irritant	R36	Eye Irrit. 2	H319	
Lactam	Confidential	5 - 10	None	None	None	None	
Magenta dye (Contained in magenta ink)	Confidential	1 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

\*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

\*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

#### Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



SECTION 4	FIRST AID MEASURES
First Aid Measu	res:
Inhalation:	
	ms are experienced, move victim to fresh air and obtain medical advice.
Ingestion:	
	th. Give one or two glasses of water.
	n or discomfort occurs, obtain medical advice immediately.
Skin:	
	h water and soap or mild detergent.
	n persists, obtain medical advice.
Eye:	
	ely flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.
If irritatio	n persists, obtain medical advice immediately.
	t Symptoms and Effects, both Acute and Delayed:
Inhalation:	
	se effects are expected under intended use.
	osure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headach
and nause	a.
Ingestion:	
	e abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.
Skin:	
	Magenta: May cause mild irritation and no sensitization.
	Neither irritation nor sensitization is expected. (See SECTION 11)
Eye:	
•	Yellow: No irritation is expected.
Magenta:	May cause mild irritation. (See SECTION 11)
Chronic Effe	ects:
Not ident	ified
Indication of A	ny Immediate Medical Attention and Special Treatment Needed:
None	
SECTION 5	FIRE FIGHTING MEASURES
E-tin artichin a N	falla.
Extinguishing N	
	nguishing Media:
$CO_2$ , wate	r, foam or dry chemicals

# Unsuitable Extinguishing Media:

None Special Hazards:

None

## **Hazardous Combustion Products:**

 $CO, CO_2$ , NOx and SOx

#### Advice for Fire-fighters:

None

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

# **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

# Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Product Code:

# SECTION 7 HANDLING AND STORAGE Precautions for Safe Handling:

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

#### Conditions for Safe Storage, Including Any Incompatibilities:

Keep in a cool and dry place.

Protect from sunlight. Keep out of the reach of children.

#### Specific End Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

trol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL
Product (Ink)	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m <sup>3</sup> (Total dust) TWA 5 mg/m <sup>3</sup> (Respirable fraction)	Glycerin mist: TWA 10 mg/m <sup>3</sup>	Not established
Ethylene glycol (Contained in cyan and magenta ink)	Not established	aerosol: Ceiling 100 mg/m <sup>3</sup>	TWA 20 ppm, 52 mg/m <sup>3</sup> STEL 40 ppm, 104 mg/m <sup>3</sup>

**Exposure Controls:** 

**Engineering Controls:** <u>No special ventilation equipment is needed under intended use of this product.</u> **Individual Protection Measures:** 

**Respiratory Protection:** Required Not Required



Product Code:

IC1441-	-0404
0	618B

#### PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Cyan, magenta and yellow liquid Slight odor **Odor:** 7 - 10 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): Cyan and Magenta: None (Estimate) Yellow: None (Tag Closed Cup.) (Estimate) **Evaporation Rate:** Not available Flammability: Neither flammable nor combustible. Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): Not available **Decomposition Temperature(°C):** Not available 1 - 5 Viscosity (mPa s): **Explosive Properties:** None (Estimate) **Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None $\boxtimes$ Stable $\square$ Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None **Conditions to Avoid:** None **Incompatible Materials:** Acids, bases, oxidizing materials and reducing agents Hazardous Decomposition Products: CO, CO<sub>2</sub>, NOx, SOx and Ammonia



Product Code:

IC1441-0	404	
06	100	
00	LOD.	

ECTION 11 TOXICOLOGICAL INFORMATION	
formation on Toxicological Effects:	
Acute Toxicity: Inhalation:	
Not available	
Ingestion:	
Cyan and Magenta: Not available	
Yellow: $LD_{50} > 2000 \text{ mg/kg (rat) (Estimate)}$	
OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris	
Corrosivity/Irritation: Skin:	
Cyan and Magenta: Mild irritant (rabbit) (Estimate)	
OECD Guidelines No. 404 (2002), 2004/73/EC Method B4	
Yellow: Not irritant (rabbit) (Estimate)	
OECD Guidelines No. 404 (2002), 92/69/EEC Method B4	
Eye:	
Cyan: Practically non-irritant (rabbit) (Estimate)	
OECD Guidelines No. 405 (2002), 2004/73/EC Method B5	
Magenta: Mild irritant (rabbit) (Estimate)	
Yellow: Practically non-irritating (rabbit) (Estimate)	
OECD Guidelines No. 405 (2002), 92/69/EEC Method B5	
Sensitization: Skin:	
Cyan and Magenta: Non-sensitizer (mouse) (Estimate)	
OECD Guidelines No. 429 (2002), 2004/73/EC Method B42	
Yellow: Non-sensitizer (guinea pig) (Estimate)	
OECD Guidelines No. 406 (1992), 96/54/EC Method B6	
Repeated Dose Toxicity:	
Not available	
Carcinogenicity:	
Not available	
Mutagenicity:	
Ames test:	
All colors: Negative (S. typhimurium & E. Coli)	
Toxicity for Reproduction:	
Not available	
Other Information:	
Not available	

		MSDS #.	Page 7 of 8 IC1441-0404
Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	0618B
SECTION 12 ECOLO	GICAL INFORMATION		
Toxicity:	Not available		
Persistence and Degradabi	lity: Not available		
Bioaccumulative Potential	Not available		
Mobility in Soil:	Not available		
Results of PBT and vPvB Assessment:	No results that the component(s) of this ink meet(s) Regulation (EC) No 1907/2006.	the PBT or vPvB	criteria under
Other Adverse Effects:	Not available		
Waste Treatment Methods	AL CONSIDERATIONS : bject to federal, state and local laws.		
SECTION 14 TRANS	PORT INFORMATION		
UN Number:	None		
UN Proper Shipping Name	: <u>None</u>		
Transport Hazard Class:	None		
Packing Group:	None		
Environmental Hazards:	Not classified as environmentally hazardous under Ul pollutant under IMDG Code.	N Model Regula	tions and marin
Special Precautions for Us	er: None		
SECTION 15 REGUL < USA Information > SARA Title III §313: Chemical Name	ATORY INFORMATION	Weight %	
"Ethylene glycol" (10	7-21-1) (Contained in cyan and magenta ink)	5 - 10	
"Copper Compounds	(Contained in cyan ink)	5 - 10	
(as Cu)		(< 0.35)	
California Proposition 65 Chemical Name		Weight %	
None			
•	nmental Regulations/Legislation:		
	thorisation: Not regulated		
	striction: Not regulated		
(EC) No 1005/2009: <u>No</u>	<u> </u>		
(EC) No 850/2004: <u>No</u>	t regulated		
(EC) No 689/2008: <u>No</u>	t regulated		
Others: <u>No</u>	ne		
< Canada Information > WHMIS Controlled Pr < Australia Information >	ent under (EC) No 1907/2006: Not required   oduct: Not applicable (Manufactured article)   s Nature: Not classified as hazardous according to criteria	a of NOHSC	
Statement of Hazai UOU	interesting to chemical as nazaruous according to chieff		



Product Code:

#### SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

- R22: Harmful if swallowed.
- R36: Irritating to eyes.
- R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

<Revised information from the previous version> Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

#### Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

#### Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.