IC1453-0404 MSDS #: MATERIAL SAFETY DATA SHEET Product Code: 0620B IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING **Product Identifier:** Canon Ink Tank CLI-8BK **Product Name:** 0620B **Product Code:** Relevant Identified Uses: Ink for Ink Jet Printer **Details of Supplier of Safety Data Sheet:** Supplier: Address: **Telephone Number:** E-mail Address: **Emergency Telephone Number:** Manufacturer: Canon Inc. Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan **SECTION 2** HAZARDS IDENTIFICATION **Emergency Overview:** Ink tank containing black liquid ink with slight odor. US Regulatory Status under FHSA: Not classified as hazardous. **US Label Elements under FHSA: Signal Word:** Not required Hazard Warning: Not required Not required **Safety Advice:** Hazardous Component: Not required EU Classification under 1999/45/EC:

Page 1 of 8

Revision Date: February 29, 2012

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

R-Phrase: Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC1453-0404

Product Code: 0620B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
			Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement* ¹	Hazards*
Glycerin	56-81-5 / 200-289-5	5 - 10	None	None	None	None	(1)
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / Harmful	R22	Acute Tox. 4	H302	(1)
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / Irritant	R36	Eye Irrit. 2	H319	
Substituted naphthalene sulfonic acid	Confidential	1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
Vater	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: Product Code:

Page 3 of 8 IC1453-0404

0620B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause moderate irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: April 22, 2005

Revision Date: February 29, 2012



Page 4 of 8 IC1453-0404

MSDS #: Product Code: 0620B

SECTION 7 HANI	DLING AND STORAC	GE .			
Precautions for Safe Han	dling:				
Use with adequate vent					
Avoid contact with skin, eyes and clothing.					
In case of contact, wash	out the contaminated a	area immediately.			
Conditions for Safe Stora	age, Including Any Inc	ompatibilities:			
Keep in a cool and dry		•			
Protect from sunlight.					
Keep out of the reach of children.					
Specific End Uses:					
Ink for Ink Jet Printer.					
For more information,	please refer to the instru	ection of this product.			
SECTION 8 EXPO	SURE CONTROLS /	PERSONAL PROT	ECTION		
Control Parameters:	USA	ACGIH TLV	EU OEL		
	OSHA PEL				
Product (Ink)	Not established	Not established	Not established		
	GI	CI	N 112 1 1		
Glycerin	Glycerin mist: TWA 15 mg/m ³	Glycerin mist: TWA 10 mg/m ³	Not established		
	(Total dust)	1 ,,,11 10 mg/m			
	TWA 5 mg/m ³				
	(Respirable fraction)				
Ethylene glycol	Not established	aerosol:	TWA 20 ppm,		
		Ceiling 100 mg/m ³	52 mg/m^3		
			STEL 40 ppm, 104 mg/m ³		
			104 mg/m		

Exposure	Controls
rxbosure	Controis:

posure controls.				
Engineering Controls: No special ventilation equipment is needed under intended use of this product.				
Individual Protection Measures:				
Eye/Face Protection:	☐ Required	Not Required		
Skin Protection:	Required	Not Required		
Respiratory Protection	: ☐ Required	Not Required		

Date of Issue: April 22, 2005

Revision Date: February 29, 2012

MSDS #: ____

Product Code:

Page 5 of 8 IC1453-0404

0620B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES				
Information on Basic Physical and Chemical Properties:				
Appearance:	Black liquid			
Odor:	Slight odor			
pH:	8 - 10			
Melting Point/Freezing Point ($^{\circ}$ C):	Not available			
Initial Boiling Point and Boiling Range (°C):	Not available			
Flash Point(°C):	None (Tag. Closed Cup.)			
Evaporation Rate:	Not available			
Flammability:	Neither flammable nor combustible.			
Upper/Lower Flammable or Explosive Limits:	Not available			
Vapor Pressure :	Not available			
Vapor Density:	Not available			
Relative Density:	1.0 - 1.1			
Water Solubility:	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water):	Not available			
Auto-ignition Temperature (${}^{\circ}C$):	Not available			
Decomposition Temperature (${}^{\circ}C$):	Not available			
Viscosity (mPa s):	1 - 5			
Explosive Properties:	None (Estimate)			
Oxidizing Properties:	None (Estimate)			
Other Information:	Not available			
SECTION 10 STABILITY AND REA	CTIVITY			
Reactivity: None				
<u> </u>	able Unstable			
Possibility of Hazardous Reactions: None				
Conditions to Avoid: None				
Incompatible Materials: Acids	, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products: CO, CO ₂ , NOx and SOx				

MSDS #: Product Code:

Page 6 of 8 IC1453-0404

0620B

TOXICOLOGICAL INFORMATION **SECTION 11**

Information on Toxicological Effects:

Acute Toxicity:

Inhalation:

Not available **Ingestion:**

 $LD_{50} > 2000 \text{ mg/kg (rat)}$

OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris

Corrosivity/Irritation:

Skin:

Not irritant (rabbit)

OECD Guidelines No. 404 (2002), 92/69/EEC Method B4

Eye:

Moderately irritating (rabbit)

OECD Guidelines No. 405 (2002), 92/69/EEC Method B5

Sensitization:

Skin:

Non-sensitizer (guinea pig)

OECD Guidelines No. 406 (1992), 96/54/EC Method B6

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Date of Issue: April 22, 2005

Revision Date: February 29, 2012

MSDS #: ____

Product Code:

Page 7 of 8 IC1453-0404

0620B

SECTION 12 ECOLOGICAL INFORMATION

Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available

Tionity in Son.

Results of PBT and vPvBAssessment:

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

UN Number: None

UN Proper Shipping Name: None

Transport Hazard Class: None

Packing Group: None

Environmental Hazards: Not classified as environmentally hazardous under UN Model Regulations and marine

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Restriction: Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012



MSDS #: Product Code:

IC1453-0404

0620B

Page 8 of 8

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

<EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowd.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: April 22, 2005 Revision Date: February 29, 2012