Page 1 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: _ Product Code: IC1456-0202 0623B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-8Y

Product Code: 0623B

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan, Ph# 03-3857-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

CAS #/ EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
111-46-6 / 203-872-2	5 - 10	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	CAS # / EC # 56-81-5 / 200-289-5 111-46-6 / 203-872-2 Confidential	CAS #/ Weight	CAS #/ EC # Weight % EU Symbol/ R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 111-46-6 / 203-872-2 5 - 10 Xn / R22 Confidential 5 - 10 None / None 7732-18-5 / 60 - 80 None / None	CAS # / EC # Weight % EU Symbol / R-Phrase USA OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ 111-46-6 / 203-872-2 5 - 10 Xn / R22 Not established Confidential 5 - 10 None / None Not established 7732-18-5 / 60 - 80 None / None Not established	EC# % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ 111-46-6 / 203-872-2 5 - 10 Xn / R22 Not established Not established Confidential 5 - 10 None / None Not established Not established 7732-18-5 / 60 - 80 None / None Not established Not established	CAS #/ Weight EU Symbol/ R-Phrase OSHA PEL 56-81-5 / 200-289-5

Page 2 of 8 IC1456-0202



MATERIAL SAFETY DATA SHEET

MSDS #: _ Product Code:

0623B

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing yellow liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

No irritation is expected. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Page 3 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1456-0202
Product Code: 0623B

SECTION 5 FIRE	FIGHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media						
CO ₂ , water, foam or	dry chemicals					
Unsuitable Extinguis None	aing Media:					
Special Fire Fighting None	Procedures:					
Unusual Fire and Exp	plosion Hazards:					
Fire and Explosive Prope	rties (See also Section 9):					
Hazardous Combusti						
	CO, CO ₂ , NOx and SOx					
Other Properties:						
None						
SECTION 6 ACCI	DENTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skir						
Environmental Precautio						
	r, surface water or ground water.					
Method for Cleaning Up						
Wipe off with wet cloth	or paper.					
SECTION 7 HAND	DLING AND STORAGE					
Handling:						
Use with adequate vent						
	Avoid contact with skin, eyes and clothing.					
	out the contaminated area immediately.					
Storage:	place					
Protect from sunlight.	Keep in a cool and dry place.					
Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, j	please refer to the instruction of this product.					
SECTION 8 EXPO	SURE CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines: Not established for this	s ink. (See also SECTION 2)					
Engineering Controls: Use adequate ventilation						
Personal Protection Equi Respiratory Protection	• ''					
	■ Not Required					
Eye/Face Protection:	Required					
	■ Not Required					
Skin Protection:	☐ Required Not Required					
	-					

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1456-0202
Product Code: 0623B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Yellow liquid			
Odor:	Slight odor			
pH:	8 - 10			
Boiling Point/Range(°C):	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature (${}^{\circ}$ C):	Not available			
Flash Point(°C):	None (Tag. Closed Cup.)			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature(°C):	Not available			
Flammability:	Neither flammable nor combustible.			
Explosive Properties:	Estimate: None			
Oxidizing Properties:	Estimate: None			
Vapor Pressure :	Not available			
Vapor Density :	Not available			
Density / Specific Gravity:	1.0 - 1.1			
Water Solubility :	Miscible			
Fat Solubility:	Not available			
Partition Coefficient (n-Octanol/Water)	Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate:	Not available			
Viscosity (mPa s):	1 - 5			
SECTION 10 STABILITY AND R	REACTIVITY			
Stability:	⊠ Stable			
Stability.	☐ Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
Hazardous Decomposition Products:	CO, CO ₂ , NOx, SOx and Ammonia			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: _____

Product Code:

IC1456-0202 0623B

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

 $LD_{50} > 2000 \text{ mg/kg (rat)}$

OECD Guidelines No.423 (2001), 96/54/EC Method B1 tris

Eye:

Practically non-irritating (rabbit)

OECD Guidelines No.405 (2002), 92/69/EEC Method B5

Skin:

Not irritant (rabbit)

OECD Guidelines No.404 (2002), 92/69/EEC Method B4

Sensitization:

Non-sensitizer (guinea pig)

OECD Guidelines No.406 (1992), 96/54/EC Method B6

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

0623B

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1456-0202

Product Code:

SECTION 12	ECOLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effe	Not available				
Method of Disposal	DISPOSAL CONSIDERATIONS : De subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name	: None				
UN Classification:	None				
UN Packing Group:	: None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No				
Special Precautions	: None				
SECTION 15 I < EU Information >	REGULATORY INFORMATION				
Information on the	Label:				
Symbol & Indic	ation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Not required	aponent(s):				
Special Precauti Not required	ions under 1999/45/EC Annex V:				
	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:					
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1456-0202
Product Code: 0623B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

<Revised information from the previous version>

Section 3, 9, 11 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1456-0202
Product Code: 0623B

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.