Page 1 of 8

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

IC1625-0202 1040B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PGI-9R

**Product Code:** 1040B

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan. USA

Supplier: Caonon USA Inc. One Canon Plaza, Lake Success, NY 11042, USA

**Phone #:** 1-800-OK-CANON 24Hr. Emergency CHEMTREC 1-800-424-9300

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

Juanadiant(a)	001111 001	11011/1		on make	DILIVIS		
< Ingredient(s) > Chemical Name / Generic Name	CAS #/ EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	10 - 15	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>
Diethylene glycol	111-46-6 / 203-872-2	1 - 5	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), .alpha.,alpha{1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1625-0202 Product Code:

1040B

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### **SECTION 3** HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing red liquid ink with slight odor.

## **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

May cause minimal irritation. (See SECTION 11)

#### Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### **SECTION 4** FIRST AID MEASURES

## **First Aid Measures:**

## **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

Page 3 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: \_\_\_\_\_I
Product Code:

IC1625-0202 1040B

SECTION 5 FIRE FIG	SECTION 5 FIRE FIGHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO <sub>2</sub> , water, foam or dry chemicals						
Unsuitable Extinguishing Media: None						
Special Fire Fighting Pro None	Special Fire Fighting Procedures: None					
Unusual Fire and Explosion Hazards: None						
Fire and Explosive Propertie	es (See also Section 9):					
	Hazardous Combustion Products:					
CO, CO <sub>2</sub> , NOx and SC	)x					
Other Properties:						
None						
SECTION 6 ACCIDE	NTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skin, ey	ves and clothing.					
<b>Environmental Precautions:</b>						
Do not release to sewer, su	urface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth or	paper.					
SECTION 7 HANDLI	ING AND STORAGE					
Handling:						
Use with adequate ventilat	ion.					
Avoid contact with skin, ey						
In case of contact, wash ou	t the contaminated area immediately.					
Storage:						
	Keep in a cool and dry place.					
Protect from sunlight.  Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, plea	se refer to the instruction of this product.					
SECTION 8 EXPOSU	TRE CONTROLS / PERSONAL PROTECTION					
<b>Exposure Guidelines:</b> Not established for this inl	k (See also SECTION 2)					
Engineering Controls:	t (See also SEE HOLV 2)					
Use adequate ventilation.						
Personal Protection Equipm						
<b>Respiratory Protection:</b>						
Evo/Fogo Protection	■ Not Required					
Eye/Face Protection:	☐ Required  Not Required					
Skin Protection:	Required Required					
omii i i uucuuli.	✓ Not Required					
	<u> </u>					

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1625-0202
Product Code: 1040B

SECTION 9 PHYSICAL AND CE	IEMICAL PROPERTIES		
Appearance:	Red liquid		
Odor:	Slight odor		
pH:	8 - 9		
<b>Boiling Point/Range(°C):</b>	Not available		
<b>Melting Point/Range(°C):</b>	Not available		
<b>Decomposition Temperature</b> ( ${}^{\circ}$ C):	Not available		
Flash Point(°C):	Estimate: None		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature (°C):	Not available		
Flammability:	Neither flammable nor combustible.		
<b>Explosive Properties:</b>	Estimate: None		
Oxidizing Properties:	Estimate: None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water):	Not available		
Percent Volatile (%):	60 - 80		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND RI	EACTIVITY		
Stability:			
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		

Page 5 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1625-0202
Product Code: 1040B

## SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

[Data of similar composition ink]

Minimal irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

**Sensitization:** 

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

1040B

Canon

# MATERIAL SAFETY DATA SHEET

IC1625-0202 MSDS #: Product Code:

SECTION 12 I	ECOLOGICAL INFORMATION				
<b>Mobility:</b>	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
<b>Ecotoxicity:</b>	Not available				
Other Adverse Effec	cts: Not available				
Method of Disposal:	DISPOSAL CONSIDERATIONS:  be subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
<b>UN Shipping Name:</b>	None				
UN Classification:	None				
<b>UN Packing Group:</b>	None				
Marine Pollutant:	☐ Yes Chemical name (wt%):  No				
<b>Special Precautions</b>	None				
SECTION 15 F < EU Information >	REGULATORY INFORMATION				
Information on the l	Label:				
Symbol & Indica	ation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Not required	ponent(s):				
-	ions under 1999/45/EC Annex V:				
Not required					
•	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8

1040B

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: IC1625-0202

Product Code:

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

Section 15



## MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS #: IC1625-0202

Product Code: 1040B

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### **Abbreviations:**

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\ ILV:\ Indicative\ Limit\ Values\ for\ Occupational\ Exposure\ under\ EU\ Directive\ 91/322/EEC,\ 2000/39/EC\ and\ 2006/15/EC.$ 

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.