

# Material Safety Data Sheet

SDS # : A-10002	Dry Ink - Black, Yell	•		
Issuing Date: 2011-01-25	Revision Date: 2	011-02-15	Version 1	
1. PRODUCT AND COMPAN	IY IDENTIFICATION			
Trade Name: Dry Ink	for HP CP 35	25		
Part No. 106R01583, 106R01	584, 106R01585, 106R0	01586, 106R02137		
Color Pure substance/preparation	Black, Yellow,Cyan, Preparation	Magenta		
Identified uses	Xerographic printing			
Manufactured by: Xerox Corporatio Webster, NY 14				
Emergency telephone	Safety Information (800)828-6571 Health Emergency (585)422-2177 Chemical Emergency only (Chemtrec) (800)424-9300 or (703)527-3887 (collect outside the US or Canada)			
2. HAZARDS IDENTIFICATI	ON			
The product contains no substan	<b>Emergency</b> ces which, in the form utiliz hazardous	ed and at their given concentration	ations, are considered to be	
<b>Color</b> Black, Yellow,Cyan, Magenta	Appearance Powder	Physical State Solid	<b>Odor</b> Faint	
Potential Health Effects Principle Routes of Exposure Acute toxicity	Inhalation.			
Eyes	No known effect.			
Skin Inholation	No known effect.			
Inhalation Ingestion	No known effect. No known effect.			
Ingestion Chronic Effects	NO KHOWH EIIEGL			
Chronic toxicity	No known effects under no	rmal use conditions.		
Main Symptoms		mild respiratory irritation similar to	o nuisance dust	
Aggravated Medical Conditions Environmental hazard	None under normal use co	nditions.		
	See Section 12 for addition	ai Ecological Information.		



# Dry Ink - Black, Magenta, Cyan, Yellow

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Polymer	292629-36-8	80-90
Wax	9002-88-4	1-10
Carbon Black	1333-86-4	1-5
Pigments	Proprietary	1-5
Titanium dioxide	13463-67-7	0-1

4. FIRST AID MEASURES	
General advice	For external use only. When symptoms persist or in all cases of doubt seek medical advice. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.
Skin contact	Wash skin with soap and water.
Inhalation	Move to fresh air.
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk.
Notes to physician	Treat symptomatically
Protection of First-aiders	No special protective equipment required.

# 5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable.
Flash point	Not applicable
Suitable Extinguishing Media	Use water spray or fog; do not use straight streams. Foam.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Hazardous Combustion Products	Hazardous decomposition products due to incomplete combustion. Carbon oxides. Nitrogen oxides (NOx).
Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Specific hazards arising from the chemical Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.



# Dry Ink - Black, Magenta, Cyan, Yellow

# Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

NFPA 704 Consumer use	Health Hazard	Flammability	Stability	Special hazard	
Bulk Packaging	0 <b>Health Hazard</b> 0	1 Flammability 3	0 <b>Stability</b> 0	None <b>Special hazard</b> None	
6. ACCIDENTAL RELEA	ASE MEASURES				
Personal precautions	Avoid breathi	ing dust.			
Environmental Precautions	Refer to prote	ective measures listed in Se	ections 7 and 8.		
Methods for Containment	Prevent dust	cloud.			
Methods for cleaning up		Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for disposal. Use approved industrial vacuum cleaner for removal. Use non-sparking tools and equipment.			
Other information	See Section	See Section 12 for additional information.			
7. HANDLING AND ST	ORAGE				
Advice on safe handling	Handle in acc Prevent dust	cordance with good industri cloud	ial hygiene and safety p	ractice	
Technical measures/Storage conditions		er tightly closed in a dry an n temperature	d well-ventilated place		
Hygiene measures	None under r	normal use condtions			
Industrial User	Wash hands Wash hands	rink or smoke when using the before eating, drinking, che before breaks and at the er lar cleaning of equipment, v	ewing gum, using tobacc nd of workday	co, or using toilet	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Product Information

ACGIH TLV TWA	10 mg/m <sup>3</sup> (inhalable particles)
ACGIH TLV TWA	3 mg/m <sup>3</sup> (respirable particles)
OSHA PEL TWA	15 mg/m <sup>3</sup> (total dust)
OSHA PEL TWA	5 mg/m <sup>3</sup> (respirable dust)
Xerox Exposure Limit	2.5 mg/m <sup>3</sup> (total dust)
Xerox Exposure Limit	0.4 mg/m <sup>3</sup> (respirable dust)



### Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1mg/m<sup>3</sup>) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m<sup>3</sup>) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16mg/m<sup>3</sup>) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

### **Biological standards**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Occupational Exposure Controls**

Engineering Measures	None under normal use conditions.
Industrial use	Avoid dust formation Ensure all equipment is electrically grounded before beginning transfer operations Provide appropriate exhaust ventilation at places where dust is formed

### Personal Protective Equipment

Consumer use	These recommendations apply to the product as supplied
Respiratory protection	No special protective equipment required.
Eye/Face Protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Hand Protection	No special protective equipment required
Industrial use	In case of insufficient ventilation: Wear protective eyewear (goggles) Effective dust mask

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Threshold pH Flash point	Powder Not applicable Not applicable Not applicable			Odor Physical State Color Boiling Point/Range	Faint Solid Black, Yellow , Cyan , Magenta Not applicable
Softening Point	49 - 60 °C	/	120 - 140 °F	Autoignition temperature	Not applicable
Flammability Lim	its in Air	Not a	pplicable		
Explosive proper	ties			ir, in sufficient conce st explosion hazard	entrations, and in the presence of an ignition
Vapor pressure Vapor density Water Solubility		Not a	pplicable pplicable		



**SDS # :** A-10002

# Dry Ink - Black, Magenta, Cyan, Yellow

Viscosity Partition coefficient: Evaporation Rate Melting point/range Freezing Point Specific Gravity	Not applicable Not applicable Not applicable Not determined Not applicable Not applicable	
10. STABILITY AND REACT	IVITY	
Reactivity	No dangerous reaction known under conditions of normal use	
Stability	Stable under normal conditions.	
Incompatible products	None	
Conditions to Avoid	Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.	
Hazardous Decomposition Products None under normal use.		
Hazardous Polymerization	Hazardous polymerization does not occur	

### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

None under normal processing.

# Acute toxicity

Hazardous Reactions

Product Information	
Irritation	No skin irritation. No eye irritation.
LD50 Oral:	> 5 g/kg (rat)
LD50 Dermal:	> 5 g/kg (rabbit)
LC50 Inhalation:	> 5 mg/L (rat, 4 hr)

### Chronic toxicity

Product Information			
Chronic Effects	No known	effects under normal use conditions	
Carcinogenicity	See "Othe	r Information" in this section.	
Chemical Name		IARC	NTP
Titanium dioxide		2B	

# **Other Toxic Effects**

Product Information	
Sensitization	No sensitization responses were observed
Mutagenic Effects	Not mutagenic in AMES Test.
Target Organ Effects	None known.
Other Adverse Effects	None known.
Aspiration Hazard	Not applicable

## Dry Ink - Black, Magenta, Cyan, Yellow

Page 6 / 7

### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". The classification is based on studies in rats in which "lung particulate overload phenomenon" was observed. Based on the review of available study results, when this product is used as intended, Xerox has concluded that the presence of titanium dioxide does not present an increased risk of lung cancer or chronic respiratory disease.

### 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. DISPOSAL CONSIDERATIONS	
Waste Disposal Methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements
Contaminated packaging	Dispose of in accordance with local regulations.
14. TRANSPORT INFORI	MATION

Note

This material is not subject to regulation as a hazardous material for shipping.

15.	REGULATORY INFORMATION	

International Inventories	
TSCA	Complies
DSL/NDSL	Complies

# **U.S. Federal Regulations**

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No
Clean Water Act	



This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42). Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12b does not apply to this product.

### U.S. State Regulations

### **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

### **U.S. State Right-to-Know Regulations**

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not subject to WHMIS classification

16. OTHER INFORMATION		
Issuing Date:	2011-01-25	
Revision Date:	2011-02-15	
Revision Note	Initial Release.	

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

end