XEROX	Material Safe	ety Data S	sheet	MSDS No: Date: Revision:	S-9504 7/11/05 6/11/07		
P.0	rox Corporation, Office Group Telep D. Box 1000 Ilsonville, Oregon 97070-1000	hone # (s):	Health Emerg	aation: (800) 823 gency: (585) 422 on Emergency (0			
Section I - Product Identification							
Trade Names/Synonyms: Phaser 8500/8550/8560MFP/8560 Black/Magenta/Yellow/Cyan Solid			Part N	108R671 108R688 108R723	, 108R669, 108R670, , 108R672, 108R687, , 108R689, 108R690 , 108R724, 108R725 , 108R764, 108R765,		
WHMIS Status:	This is not a WHMIS controlled	product		10010/00	,		
	<u>Ingredients (% by wt.)</u> Polyethylene and fatty amide waxes Resin Dyes			<u>CAS No.</u> Proprietary Proprietary Proprietary			
Section II - Emergency and First Aid							
Primary Route of E Skin Eyes:			as of Overexponent		olonged skin exposures.		
Contact unlikely. If particles get into eyes, flush thoroughly with water. Skin: Wash with thoroughly with soap and water. Inhalation:		Medical Conditions Generally Aggravated by Exposure: None when used as described by product literature.					
Not applicable Ingestion: Not applicable		Addition: None.	al Information	1:			
Section III - Toxicology and Health Information							
Oral LD ₅₀ : Dermal LD ₅₀ : Eye Irritation: Skin Sensitization: Skin Irritation: Human Patch: Mutagenicity: Carcinogens: Aquatic LC ₅₀ :	 >5 g/kg (rats) practically non-toxic. N.D. N.D. N.D. Not a skin irritant N.D. Negative in a standard bacterial reverse Components not listed by IRAC, NTP, 4 N.A. 		ssay (Ames test	t).			

Additional Information: None

¹XEL-Xerox Exposure Limit N.A. – Not Applicable N.D. – No Data/Not determined

XEROX

Trade Name: Phaser 8500/8550/8560MFP/8560 Black/Magenta/ Yellow/Cyan Solid Ink

Section IV - Physical Data

		Section IV I hysical Data				
Appearance/Odor: Waxy solid. Black, blue, red or yellow In color / faint odor						
Boiling Point:	N.A.					
Solubility in Water:	Insoluble					
Evaporation Rate:	N.A.					
Vapor Density (Air=1):	N.A.					
Volatile:	N.A.					
Melting Point:	~100°C (212°F)					
Specific Gravity (H ₂ O=1):	~1, @25°C (77°F)					
		Section V - Fire and Explosion Data				
Flash Point (Method Used):		>221 °C (>429°F), Pensky-Martens closed tester				
Extinguishing Media:		All extinguishing agents classified as B and C are effective, including dry powder(s), carbon dioxide and halon.				
Special Fire Fighting Procedures:		Avoid inhalation of smoke. As in any fire, wear self-contained breathing apparatus, pressure				
		demand, MSHA/NIOSH approved, and full protective gear.				
Fire and Explosion Hazards:		These inks will burn. During a fire, irritating and toxic gases may be generated by thermal				
		decomposition or combustion.				
		Section VI -Reactivity Data				
Stability:		Stable				
Hazardous Polymerization:		Will Not Occur				
Hazardous Decomposition	Products:	Material may decompose into toxic byproducts when heated to temperatures above				
200°C						
		(392°F)				
Incompatibility (Materials	to Avoid):	None known				
		Section VII - Special Protection Information				
Respiratory Protection: None required when used as intended.						
Eye Protection:	None re	None required when used as intended.				
Protective Gloves:		equired when used as intended.				
Other:	Wash sl	kin thoroughly.				
		Section VIII - Special Precautions				
Handling and Starsan	No	high propagations, when used as intended. Avoid high temperatures. Know in holes, (000				
Handling and Storage: No special precautions, when used a (140°F)		cial precautions, when used as intended. Avoid high temperatures. Keep in below 60°C				
Conditions to Avoid:		Temperatures above 200°C (392°F)				
		Section IX- Spill, Leak, and Disposal Procedures				
For Spills or Leakage:	N.A.	N.A.				
Waste Disposal Method: levels	This product is not a hazardous waste as specified in 40CFR261. TCLP below hazardous waste					
		EPA. State and local waste disposal requirements, however, may be more restrictive. Manage pose of waste in accordance with all federal, state, and local regulations.				
		Section X - Transportation Information				

This product is <u>not</u> regulated as a hazardous material