

Page 1 of 7 MSDS #: TC1557-0106

MATERIAL SAFETY DATA SHEET Product Code: 1153B / F48-0501

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon FX11 Cartridge for Laser Facsimile

Product Code: 1153B / F48-0501

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111.

Supplier: Canon USA Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone#: 1-800-OK-CANON 24Hr. EmergencyCHEMTREC#1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

EU Classification: Not classified as dangerous

Emergency Overview: Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS								
< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK		
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established		
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established		
Amorphous silica	7631-86-9/ 231-545-4	1-3	None/ None	20 mppcf, 80(mg/m ³)/%SiO ₂	Not established	Not established	4 mg/m ³ (Inhalable fraction)		

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB substance under Regulation (EC)1907/2006.

Date of Issue: June 15, 2007 Revised:

MATERIAL SAFETY DATA SHEET

Page 2 of 7 TC1557-0106

MSDS #: TC1557-0106 Product Code: 1153B / F48-0501

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Date of Issue: June 15, 2007 Revised:



Page 3 of 7 TC1557-0106

MSDS #:

MATERIAL SAFETY DATA SHEET Product Code: 1153B / F48-0501

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:				
USA OSHA PEL (TWA ACGIH TLV (TWA): DFG (MAK): (Also refer to SECTION	10 mg/m ³ (Ir 4 mg/m ³ (Ir	Cotal dust), 5 mg/m³ (Respirable fraction) halable fraction), 3 mg/m³ (Respirable fraction) halable fraction), 1.5 mg/m³ (Respirable fraction)		
Engineering Controls: Use adequate ventilation				
Personal Protection Equip	nent(s):			
Respiratory Protection	: ☐ Required ☐ Not Requi	ired		
Eye/Face Protection:	Cye/Face Protection: Required Not Required			
Skin Protection:	Required Not Requi	ired		
SECTION 9 PHYSIC	CAL AND CHI	EMICAL PROPERTIES		
Appearance:	-	Black fine powder		
Odor:		Slight plastic odor		
pH:	-	Not applicable		
Boiling Point/Range(°C):		Not applicable		
Melting Point/Range(°C):		100-150 (Softening point)		
Decomposition Temperature (${}^{\circ}C$):		> 200		
Flash Point(°C):		Not applicable		
Flammable (Explosive) Limits:		Not applicable		
Autoignition Temperature (°C):		Not available		
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))		
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:		Not available		
Vapor Pressure:	-	Not applicable		
Vapor Density:		Not applicable		
Density / Specific Gravity:		1.4-1.8		
Water Solubility:		Negligible		
Fat Solubility:		Partially soluble in toluene and xylene.		
Partition Coefficient (n-Oc	tanol/Water):	Not applicable		
Percent Volatile:		Negligible		
Evaporation Rate:		Not applicable		
Viscosity (mPa s):		Not applicable		

June 15, 2007 Revised: Date of Issue:

Page 4 of 7 MSDS #: TC1557-0106

MATERIAL SAFETY DATA SHEET Product Code: 1153B / F48-0501

SECTION 10 STABILITY AND REACTIVITY				
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers			
Hazardous Decomposition Products:	CO, CO2			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGICAL INFORMATION				
Acute Toxicity: Inhalation: Not available				
Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16)				
Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16)				
Skin: Estimate: Rabbit, non-irritant (See SECTION 16)				
Sensitization: Estimate: Guinea pig, skin: Non-sensitizing (See SECTION 16)				
Mutagenicity: Estimate: Ames Test (S. typhimurium, E. coli): Negative (See SECTION 16)				
Reproductive Toxicity: Not available				
Carcinogenicity: Not available				
Others:				

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

June 15, 2007 Revised: Date of Issue:

Others:

None

Page 5 of 7 TC1557-0106

MSDS #: MATERIAL SAFETY DATA SHEET Product Code: 1153B / F48-0501

SECTION 12 ECOLO	OGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradabilit	y: Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Estimate: Fish (Rainbow trout), 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans (Daphnia magna), 48h EL50 > 1000 mg/l (WAF) Estimate: Algae (Scenedesmus subspicatus), EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)				
Other Adverse Effects:	Not available				
SECTION 13 DISPO	SAL CONSIDERATIONS				
container, unless dust-ex	ner container into fire; heated toner may cause severe burns. DO NOT shred a toner aplosion preventing measures are taken. Finely dispersed particles form explosive should be subject to federal, state and local laws.				
SECTION 14 TRANS	SPORT INFORMATION				
UN #: <u>2807</u>					
UN Shipping Name: Magn	etized material				
UN Classification: 9					
UN Packing Group: None					
Marine Pollutant: ☐ Ye ☒ No					
Special Precautions: 91 or	more of these products shipped together, by air, are regulated as magnetized material.				
SECTION 15 REGUL	LATORY INFORMATION				
< EU Information >					
Information on the Labe Symbol & Indication:					
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Componen Not required	t(s):				
Special Precautions un Not required	der 1999/45/EC Annex V:				
-	lation to Protection of Man or the Environment: gulated				
(EC)2037/2000: Not re	gulated				
(EC)304/2003: Not re	ot regulated				

Date of Issue: June 15, 2007 Revised:



MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS #: TC1557-0106

Product Code: 1153B / F48-0501

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Date of Issue: June 15, 2007 Revised:



MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS #: TC1557-0106

Product Code: 1153B / F48-0501

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: June 15, 2007 Revised: