Page 1 of 6

MSDS #:

TN1093-0101 Product Code: 1377A / F41-9801

#### MATERIAL SAFETY DATA SHEET

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

**Product Name:** 

SECTION 1

Canon C330 Black Toner

**Product Code:** 

1377A / F41-9801

Manufacturer:

Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Phone # 03-3758-2111

Supplier:

Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone #:

1-800-OK-CANON, 24 Hr. Emergency CHEMTREC # 1-800-424-9300

#### **SECTION 2** COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Styrene acrylate copolymer	Confidential	35-45	None/ None	Not established	Not established	Not established	Not established
Styrene polymer	Confidential	5-15	None/ None	Not established	Not established	Not established	Not established

< Carcinogen >

CAS#

Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Black fine powder, slight plastic odor.

#### Potential Health Effects and Symptoms:

#### Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

#### Eye:

May cause transient slight irritation.

#### Skin:

May be non-irritant.

#### **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

## Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

## MATERIAL SAFETY DATA SHEET

Page 2 of 6

MSDS #: TN1093-0101 Product Code: 1377A / F41-9801

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

ngestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eve:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

**Special Fire Fighting Procedures:** 

None

**Unusual Fire and Explosion Hazards:** 

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

**Hazardous Combustion Products:** 

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

**Environmental Precautions:** 

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

Date of Issue:

October 6, 1997

Revised:

September 2, 2002

#### MATERIAL SAFETY DATA SHEET

Page 3 of 6

MSDS #: TN1093-0101 Product Code: 1377A / F41-9801

**SECTION 8** EXPOSURE CONTROLS / PERSONAL PROTECTION **Exposure Guidelines:** USÁ OSHA PEL (TWA): 15 mg/m3 (Total dust), 5 mg/m3 (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m<sup>3</sup> (Inhalable fraction), 1.5 mg/m<sup>3</sup> (Respirable fraction) (Also refer to SECTION 2) **Engineering Controls:** Use adequate ventilation. Personal Protection Equipment(s): Respiratory Protection: Required Not Required **Eye/Face Protection:** Required Not Required **Skin Protection:** ☐ Required Not Required SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES Appearance: Black fine powder Odor: Slight plastic odor pH: Not applicable Boiling Point/Range(°C): Not applicable Melting Point/Range(°C): 100 - 150 (Softening point) Decomposition Temperature(°C): >200 Flash Point(°C): Not applicable Flammable (Explosive) Limits: Not applicable Autoignition Temperature(°C): Not available Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability Flammability: (Solids)) **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available Vapor Pressure: Not applicable Vapor Density: Not applicable Density / Specific Gravity: 1.4-1.6 Water Solubility: Negligible Fat Solubility: Partially soluble in toluene and xylene. Partition Coefficient (n-Octanol/Water): Not applicable Percent Volatile: Negligible **Evaporation Rate:** Not applicable

Not applicable

Viscosity (mPa s):

MATERIAL SAFETY DATA SHEET Product Code: 1377A / F41-9801

Page 4 of 6

MSDS #:

TN1093-0101

SECTION 10 STABILITY AT	ND REACTIVITY			
Stability:	☑ Stable ☐ Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers			
Hazardous Decomposition Produc	ets: CO, CO2			
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur			
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGI	ICAL INFORMATION			
Acute Toxicity: Inhalation: Not available				
Ingestion: Rat, LD50 > 5000mg/kg				
Eye: Rabbit, transient slight conju	nctival irritation only.			
Skin: Rabbit, non-irritant				
Sensitization: Guinea pig, skin : Non-sensit	tizing			
Mutagenicity: Ames Test (S. typhimurium)	: Negative			
Reproductive Toxicity: Not available				
Carcinogenicity: Not available				
respirable-sized particles cor is most relevant to potential animals at 4 mg/m <sup>3</sup> , and a mi	nary response upon chronic inhalation exposure in rats to a toner enriched in npared to commercial toner. No pulmonary change was found at 1 mg/m³ which human exposure. A minimal to mild degree of fibrosis was noted in 22% of the ild to moderate degree of fibrosis was observed in 92% of the animals at 16 tributed to "lung overloading", a generic response to excessive amounts of any a prolonged interval.			

Page 5 of 6

# Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: TN1093-0101 Product Code: 1377A / F41-9801

SECTION 12 EC	OLOGI	CAL INFORMATION					
Mobility:	1	Not available					
Persistence / Degradability:		Not available					
Bioaccumulation:	1	Not available					
Ecotoxicity:	1	Not available					
Other Adverse Effect	s: 1	Not available					
SECTION 13 DI	SPOSAL	CONSIDERATION					
container, unless de	ist-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive ould be subject to federal, state or local laws.					
SECTION 14 TI	RANSPO	ORT INFORMATION					
UN #:	None						
UN Shipping Name:	None						
UN Classification:	None						
UN Packing Group:	None						
	☐ Yes ☑ No	Chemical name (wt%):					
Special Precautions:							
SECTION 15 R	EGULA'	TORY INFORMATION					
< EU Information >							
Information on the							
Symbol & Indica	tion: No	t required					
R-Phrase: Not required							
S-Phrase: Not required							
Dangerous Comp None	oonent(s	):					
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:					
	<b>in Relat</b> Not regu	ion to Protection of Man or the Environment:					
(EC)2037/2000:	Not regu	lated					
(EEC)2455/92:	Not regu						
Others:	None						
< USA Information	>						
Information on the							
Signal Word:	Not requ	uired					
Hazard warning Not required	:						

### MATERIAL SAFETY DATA SHEET

MSDS #:

Page 6 of 6 TN1093-0101

Product Code: 1377A / F41-9801

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

**Chemical Name** 

Weight %

None

California Proposition 65:

**Chemical Name** 

Weight %

None

< Canada Information >

WHMIS Controlled Product:

Not a controlled product

< Australia Information >

Statement of Hazardous Nature:

Not classified as hazardous according to criteria of NOHSC.

#### OTHER INFORMATION **SECTION 16**

Revised information from the previous version:

Entirely revised

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

#### Abbreviations

- "EU" stands for European Union.
- "OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration(USA).
- "ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- "EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.
- "DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
- "TWA" stands for Time Weighted Average
- "IARC" stands for International Agency for Research on Cancer.
- "NTP" stands for National Toxicology Program (USA).
- "OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).
- "FHSA" stands for Federal Hazardous Substances Act(USA).
- "WHMIS" stands for Workplace Hazardous Materials Information System.
- "NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.