

MATERIAL SAFETY DATA SHEET

Page 1 of 6 MSDS #: Product Code: 1388A / F42-1401

TN1113-0101

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name:

Canon GP200 Black Toner for Copier

Product Code:

1388A / F42-1401

Manufacturer:

Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111

Supplier:

Canon USA, Inc., One Cnon Plaza, Lake Success, NY, 11042, USA

Phone #:

24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Polyester resin	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20mppcf, 80(mg/m³)/%SiO,	10mg/m¹(TWA)	Not established	4mg/m' (Inhalable fraction)

< Carcinogen >

Chemical Name

CAS#

Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Low acute toxicity based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May cause slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

MATERIAL SAFETY DATA SHEET

MSDS #:

Page 2 of 6 TN1113-0101

Product Code: 1388A / F42-1401

SECTION 4

FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eve

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin-

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

MATERIAL SAFETY DATA SHEET

Page 3 of 6 TN1113-0101

MSDS #: Product Code: 1388A / F42-1401

EXPOSURE CONTROLS / PERSONAL PROTECTION SECTION 8 Exposure Guidelines: USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) DFG (MAK): (Also refer to SECTION 2) **Engineering Controls:** Use adequate ventilation. Personal Protection Equipment(s): Respiratory Protection: Required Not Required Eye/Face Protection: Required Not Required Skin Protection: Required Not Required PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9** Appearance: Black fine powder Slight plastic odor Odor: pH: Not applicable Boiling Point/Range(°C): Not applicable 100 - 150 (Softening point) Melting Point/Range(°C): Decomposition Temperature(°C): >200 Flash Point(°C): Not applicable Flammable (Explosive) Limits: Not applicable Autoignition Temperature(°C): Not available Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability Flammability: (Solids)) **Explosive Properties:** Can form explosive dust-air mixtures when finely dispersed in air. **Oxidizing Properties:** Not available Not applicable Vapor Pressure: Vapor Density: Not applicable Density / Specific Gravity: 1.4 - 1.8Water Solubility: Negligible Fat Solubility: Partially soluble in toluene and xylene. Partition Coefficient (n-Octanol/Water): Not applicable Percent Volatile: Negligible **Evaporation Rate:** Not applicable Not applicable Viscosity (mPa s):

Page 4 of 6

Canon

MATERIAL SAFETY DATA SHEET Product Code: 1388A / F42-1401

MSDS #: TN1113-0101

SECTION 10 STABILITY AND	REACTIVITY				
Stability:	Stable Unstable				
Conditions to Avoid:	None Strong oxidizers CO, CO2				
Materials to Avoid:					
Hazardous Decomposition Products:					
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGIC	AL INFORMATION				
Acute Toxicity: Inhalation: Not available					
Ingestion: Rat, LD50 > 2000 mg/kg					
Eye: Rabbit, transient slight conjunct	ival irritation only.				
Skin: Rabbit, mild irritant					
Sensitization: Guinea pig, skin : Non-sensitizi	ng				
Mutagenicity: Ames Test (S.typhimurium, E.c.	oli): Negative				
Reproductive Toxicity: Not available					
Carcinogenicity: Not available					
respirable-sized particles compa most relevant to potential huma animals at 4 mg/m³, and a mild	y response upon chronic inhalation exposure in rats to a toner enriched in ared to commercial toner. No pulmonary change was found at 1 mg/m³ which is n exposure. A minimal to mild degree of fibrosis was noted in 22% of the to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. "lung overloading", a generic response to excessive amounts of any dust retained val.				

Page 5 of 6

Canon

MATERIAL SAFETY DATA SHEET Product Code: 1388A / F42-1401

MSDS #: TN1113-0101

SECTION 12 EC	COLOGI	CAL INFORMATION								
Mobility:	1	Not available								
Persistence / Degradability: Bioaccumulation: Ecotoxicity: Other Adverse Effects:		Not available Not available Not available Not available								
								SECTION 13 DI	ISPOSAI	CONSIDERATION
								container, unless d	lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive mixtures bject to federal, state and local laws.
								SECTION 14 T	RANSPO	ORT INFORMATION
UN #:	None									
UN Shipping Name:	None									
UN Classification:	None									
UN Packing Group:	None									
	☐ Yes ☑ No	Chemical name (wt%):								
Special Precautions:	None									
SECTION 15 R	EGULA	TORY INFORMATION								
< EU Information >										
Information on the										
Symbol & Indica	ition: No	4 required								
R-Phrase: Not required										
S-Phrase: Not required										
None None	ponent(s)	c.								
Special Precaution Not required	ons under	r 1999/45/EC Annex V:								
Specific Provisions 76/769/EEC:	in Relati Not regu	on to Protection of Man or the Environment:								
(EC)2037/2000:	Not regu	lated								
(EC)304/2003:	Not regu	lated								
Others:	None									
< USA Information	>									
Information on the	Label:									
Signal Word:	Not required									
Hazard warning Not required	;:									

MATERIAL SAFETY DATA SHEET

MSDS #-TN1113-0101

Product Code: 1388A / F42-1401

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name

Weight %

None

California Proposition 65:

Chemical Name

Weight %

None

< Canada Information >

WHMIS Controlled Product:

Not a controlled product

< Australia Information >

Statement of Hazardous Nature:

Not classified as hazardous according to criteria of NOHSC.

OTHER INFORMATION **SECTION 16**

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices - U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

- "EU" stands for European Union.
- "OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration(USA).
- "ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- "EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. "DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.
- "TWA" stands for Time Weighted Average
- "IARC" stands for International Agency for Research on Cancer.
- "NTP" stands for National Toxicology Program (USA).
- "OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).
- "FHSA" stands for Federal Hazardous Substances Act(USA).
- "WHMIS" stands for Workplace Hazardous Materials Information System.
- "NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.