

# Material Safety Data Sheet (ANSI form)

### Section1: Chemical Product and Company Identification

Product Name : Print Cartridge GC31 CH (RIC)

General Use : The Image Formation of Printing Machine

MSDS Number : 405702

Company Name : Ricoh Americas Corporation

Department :

Address : 5 Dedrick Place, West Caldwell, NJ 07006

Telephone : 1-973-882-2000 or 1-973-882-5218 (For product information) or

Number 1-800-336-6737 (For emergencies)

Telefax Number : 1-973-882-3959

E-mail : environmentinfo@ricoh-usa.com

#### Section2: Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common	Formula	(%)	TWA	STEL	С	TWA	С
Name							
Confidential	Confidential	<10	N.A	N.A	N.A	N.A	N.A
Organic Pigment(Copper							
compound)							
Confidential	Confidential	20-30	N.A	N.A	N.A	N.A	N.A
Glycol							
56-81-5	C3H8O3	10-20		N.A	N.A		N.A
Glycerin			(as mist)			(as mist)	
			10mg/m3			Total dust	
			Ū			15mg/m3	
7732-18-5	H2O	45-75	N.A	N.A	N.A	N.A	N.A
Water							

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

-1- [ANSI]

RICOH

Section3: Hazards Identification

**Emergency Overview** 

HMIS Health: 1 Flammabilit: 1 Reactivity: 0 PPE:See section 8

NFPA Health: 1 Flammabilit: 1 Reactivity: 0

у

The Most Important Hazards

Adverse Human Health Effects:

There are no significant hazards expected with intended use.

Potential Health Effects

Primary Entry Routes :

Inhalation ; Yes Skin ; Yes Ingestion ; Yes Environmental Effects :

There are no significant hazards expected with intended use.

Physical and Chemical Hazards:

There are no significant hazards expected with intended use.

Specific Hazards:

There are no significant hazards expected with intended use.

Main Symptoms:

**Acute Inhalation Toxicity** 

Under normal use conditions, there is no possibility to inhale the particle of ink.

**Acute Oral Toxicity** 

Low acute toxicity in animal experiment.

Acute Eye Irritation

May be non-irritant.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected.

Chronic Effect

Under normal use conditions, there is no possibility to inhale the particle of ink.

Carcinogenicity

This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.

Medical Conditions Aggravated by Exposure

Not applicable

Classification of the Chemical Product

This mixture is not classified as dangerous.

RICOH

### Section4: First Aid Measures

Inhalation:

Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.

Skin Contact:

Wash thoroughly with soapy water.

Eye Contact:

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion:

Make him drink strong salt water, let him vomit. Seek medical advice.

Immediate Medical Attention:

Immediate medical attention is not required.

#### Section5: Fire Fighting Measures

Flash Point (degrees centigrade) : Not applicable
Burning Rate (mm/sec) : Not available
Autoignition Temperature (degrees : Not applicable

centigrade)

Flammable Limits % : LEL Not applicable UEL Not applicable

Extinguishing Media to Avoid:

Not applicable. Specific Hazards: Not applicable

Fire-Fighting Instructions / Specific Method:

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Firefighters:

Wear gloves, glasses, a mask if necessary.

#### Section6: Accidental Release Measures

Personal Precautions:

Take off dirty clothes and wash them or have them dry-cleaned before wearing again.

**Environment Precautions:** 

Do not exposure to sewers and watercourses.

Methods for Cleaning Up:

If spilled, wipe up with paper or cloth.

## Section7: Handling and Storage

Handling:

**Technical Measures/Precautions** 

Not applicable

Safe Handling Advice

Keep away from heat, flame or spark. Do not dismantle cartridge.

Storage:

Technical Measures

Not applicable

Storage Conditions

Keep out of reach of children.

For the sake of quality store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight.

-3-

Packaging material

Not applicable

Specific Use(s):

Image formation in printing machines.

[ANSI]



#### Section8: Exposure Controls/Personal Protection

Technical measures:

Use adequate ventilation. None required with intended use.

**Control Parameters** 

Exposure Limit Value (I)

USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWÀ) : Not applicable : Not applicable DFG MAK

Personal Protection

Respiratory Protections (Specify Type)

None required in normal use.

Eye Protection

Put on goggles if necessary.

Protective Gloves

Use vinyl or rubber gloves if necessary.

Protective Clothing or Equipment

Wear chemical-resistant apron or other impervious clothing if necessary.

Hygiene Measures

Wash hands after handling.

#### Section9: Physical and Chemical Properties

Appearance

Physical state: Liquid Form : Liquid Colour : Cyan

Odor : No odor

рΗ : 8-10 Measuring Temp (degrees centigrade): 25

**Boiling Point (degrees** : Not available

centigrade)

Vapor Pressure (Pa) Not available Measuring Temp (degrees centigrade): -

Vapor Density : Not available

(AIR=1)

Density (/3) : Approx.1.1 Measuring Temp (degrees centigrade): 23

Formula Weight : Not applicable

Melting Point (degrees : Not applicable centigrade)

Decomposition temperature (degrees : Not applicable

centigrade)

Viscosity (Pa s) : Approx.0.008 Measuring Temp (degrees centigrade): 25

Volatile (%) : 45-75

Evaporation Rate (Butyl Acetate = 1): Not available

Water Solubility (g/L) : Soluble

#### Section10: Stability and Reactivity

Stability:

Stable

Hazardous Reaction:

There is no significant hazardous reaction expected with intended use.

Condition to Avoid:

Not applicable in normal use.

Materials to Avoid:

Not applicable in normal use.

Hazardous Polymerization :

Hazardous Decomposition or Byproducts:

Decomposition products will not occur.

[ANSI] -4-



#### Section11: Toxicological Information

**Acute Toxicity** 

Acute Oral Toxicity (LD50):

5000 or over [mg/kg] (Rat) (Based on other Ricoh products test results of similar ingredients.)

Acute Dermal Toxicity:

Not available

Acute Inhalation Toxicity:

Not available

Local effects

Acute Skin Irritation(PII):

1.0 or below (Rabbit) (Based on other Ricoh products test results of similar ingredients.)

Acute Eye Irritation:

Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)

Sensitization

Acute Allergenic Effects:

Not available (Marmot) (None of ingredients is listed on hazardous characteristics list of skin or inhalation sensitization.)

Specific Effects

. Carcinogenicity:

This product does not contain the carcinogenic substances which are listed on NTP, IARC and

OSHA.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.

Teratogenic : Not available

## Section12: Ecological Information

Mobility : No data are available on the adverse effect one environment.

Persistence/Degradabilit : Not available

٧

Bioaccumulation : Not available

**Ecotoxicity** 

Acute Toxicity for Fish (LC50) : Not available Acute Toxicity for Daphnia : Not available

(EC50)

Algae Inhibition Test (IC50) : Not available

-5- [ANSI]



#### Section13: Disposal Consideration

#### General information:

Dispose of waste and residues in accordance with local authority requirements.

#### Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Not applicable

#### Section14: Transport Information

International Regulations

Land Transport

RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable

Sea Transport

IMDG Code : Not applicable

Air Transport

ICAO-TI/IATA-DGR : Not applicable UN Number : Not applicable Class : Not applicable

Specific Precautionary Transport Measures and Conditions

Avoid direct sunlight in quality.; Do not keep this over 35 degrees centigrade.

### Section15: Regulatory Information

Regulations

**US** Information

Information on the label: Not required TSCA (Toxic Substances Control Act):

This product complies with all applicable rules and regulations under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated

Canada Information

WHMIS Controlled product : Not a controlled product

**EU** Information

Information on the label (1999/45/EC and 67/548/EEC)

Symbol & Indication: Not required

R-Phrase : Not required S-Phrase : Not required

Special Precautions under 1999/45/EC Annex V : Not required

76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

-6- [ANSI]



#### Section16: Other Information

Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems:

**Blue**=Health Hazard **Red**=Fire Hazard **Yellow**=Reactivity Hazard **White**=Indicate a special hazard HMIS will specify any Personal Protective Equipment reqired [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive).

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and

**Biological Exposure Indices** 

OSHA Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology

 US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens

DFG-MAK GER : DFG List of MAK and BAT Value

 Symbol (EC)
 : EU Directive 67/548/EEC

 91/155/ EEC
 : EU Directive 91/155/ EEC

 1999/45/EC Annex V
 : EU Directive 1999/45/EC

 76/769/EEC
 : EU Directive 76/769/EEC

EC 304/2003 : Regulation (EC) No 304/2003 of the European Parliament and of the

Council of 28 January 2003 concerning the export and import of dangerous

chemicals

WHMIS Controlled

product

: Canada Workplace Hazardous Information System

OELs-TWA (Australia) : Guidance Note on the Interpretation of Exposure Standards for

Atmospheric Contaminants in the Occupational Environment [NOHSC:

3008 (1995)]

Abbreviations:

OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act

ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial

Hygienists

DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft RoHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic

Equipment

TWA Time Weighted Average

IARC International Agency for Research on Cancer

NTP National Toxicology Program

WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S):

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americas Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.

-7- [ANSI]