

MSDS #:

Product Code:

SECTION 1IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKINGProduct Name:Canon Ink Tank CLI-226BKProduct Code:4546BManufacturer:Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111.

Supplier:Canon USA Inc., One Canon Park, Melville, NY, 11747, USAPhone #:1-800-OK-CANON24Hr. EmergencyCHEMTREC# 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects: Not identified

Medical Conditions Generally known to be Aggravated by Exposure: Not identified



MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS #:

Product Code:

IC2104-0101 4546B

| SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > | | | | | | | |
|--|--------------------------|-------------|------------------------|---|---|-----------------|-----------------|
| Chemical Name / Generic Name | CAS # / EC # | Weight % | EU Symbol/ R-Phrase | USA OSHA PEL | ACGIH TLV | EU OEL | DFG MAK |
| Glycerin | 56-81-5 / 200-289-5 | 5 - 10 | None / None | (as mist) Total dust TWA = 15 mg/m3 Respirable fraction TWA = 5 mg/m3 | (as mist) TWA = 10 mg/m ³ | Not established | Not established |
| Glycol | Confidential | 10 -15 | None / None | Not established | Not established | Not established | Not established |
| Glycol | Confidential | 5 - 10 | None / None | Not established | Not established | Not established | Not established |
| Lactam | Confidential | 5 - 10 | None / None | Not established | Not established | Not established | Not established |
| Water | 7732-18-5 / 231-791-2 | 60 - 80 | None / None | Not established | Not established | Not established | Not established |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



| SECTION 4 FIRST AID MEASURES |
|---|
| First Aid Measures: |
| Inhalation: |
| If symptoms are experienced, move victim to fresh air and obtain medical advice. |
| Ingestion: |
| Rinse mouth. Give one or two glasses of water. |
| If irritation or discomfort occurs, obtain medical advice immediately. |
| Eye: |
| Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. |
| If irritation persists, obtain medical advice immediately. Skin: |
| Wash with water and soap or mild detergent. |
| If irritation persists, obtain medical advice. |
| |
| Note to Physicians: |
| None |
| SECTION 5 EIDE EICHTING MEASUDES |
| SECTION 5 FIRE FIGHTING MEASURES |
| Fire Fighting Measures: |
| Extinguishing Media: |
| CO ₂ , water, foam or dry chemicals |
| Unsuitable Extinguishing Media: |
| None |
| Special Fire Fighting Procedures: |
| None |
| Unusual Fire and Explosion Hazards: |
| None |
| |
| Fire and Explosive Properties (See also SECTION 9): |
| Hazardous Combustion Products: |
| CO, CO ₂ , NOx and SOx |
| Other Properties: |
| None |
| |
| SECTION 6 ACCIDENTAL RELEASE MEASURES |
| Personal Precautions: |
| Avoid contact with skin, eyes and clothing. |
| Environmental Precautions: |
| Do not release to sewer, surface water or ground water. |
| |
| Method for Cleaning Up: |
| Wipe off with wet cloth or paper. |
| SECTION 7 HANDLING AND STORAGE |
| Handling: |
| Use with adequate ventilation. |
| Avoid contact with skin, eyes and clothing. |
| In case of contact, wash out the contaminated area immediately. |
| Storage: |
| Keep in a cool and dry place. |
| Protect from sunlight. |
| Keep out of the reach of children. |

Specific Uses:

Ink for Ink Jet Printer. For more information, please refer to the instruction of this product.

| | | | | Page 4 of 8 |
|---|-------------------|---|---------------|-------------|
| Canon | лла т | | MSDS #: | IC2104-0101 |
| | MAL | ERIAL SAFETY DATA SHEET | Product Code: | 4546B |
| SECTION 8 EXPOSU | RE CONTRO | OLS / PERSONAL PROTECTION | | |
| Exposure Guidelines: | Not establishe | ed for this ink. (See also SECTION 3) | | |
| | Use adequate | ventilation. | | |
| Personal Protection Equipm Respiratory Protection: | | Not Required | | |
| | Required Required | Not Required | | |
| Eye/Face Protection: Skin Protection: | | | | |
| | Required | Not Required | | |
| SECTION 9 PHYSIC | AL AND CH | EMICAL PROPERTIES | | |
| Appearance: | | Black liquid | | |
| Odor: | | Slight odor | | |
| pH: | | 7 - 8 | | |
| Boiling Point/Range(°C): | - | Not available | | |
| Melting Point/Range(°C): | - | Not available | | |
| Decomposition Temperature(°C): | | Not available | | |
| Flash Point(°C): | - | None (Estimate) | | |
| Flammable (Explosive) Lim | nits: | Not available | | |
| Autoignition Temperature(| | Not available | | |
| Flammability: | - | Neither flammable nor combustible. | | |
| Explosive Properties: | | None (Estimate) | | |
| Oxidizing Properties: | | None (Estimate) | | |
| Vapor Pressure : | | Not available | | |
| Vapor Density : | | Not available | | |
| Density / Specific Gravity: | | 1.0 - 1.1 | | |
| Water Solubility : | | Miscible | | |
| Fat Solubility : | | Not available | | |
| Partition Coefficient (n-Oct | anol/Water): | Not available | | |
| Percent Volatile (%): | - | 60 - 80 | | |
| Evaporation Rate: | | Not available | | |
| Viscosity (mPa s): | | 1 - 5 | | |
| SECTION 10 STABILI | ITY AND RE | ACTIVITY | | |
| Stability: | | X Stable Unstable | | |
| Conditions to Avoid: | | None | | |
| Materials to Avoid: | - | Acids, bases, oxidizing materials and reduc | ing agents | |
| Hazardous Decomposition | Products: | CO, CO ₂ , NOx and SOx | | |
| Hazardous Polymerization: | : | May Occur 🛛 Will Not Occur | | |
| Conditions to Avoid: | | None | | |
| | | | | |

Acute Toxicity: Inhalation:

Ingestion:

SECTION 11

Eye:

| | MATERIAL SAFETY DATA SHEET | Product Code: | 4546B |
|-------------|---|---------------|-------|
| TON 11 | TOXICOLOGICAL INFORMATION | | |
| e Toxicity: | | | |
| nhalation: | | | |
| Not availal | ble | | |
| igestion: | | | |
| Not availa | ble | | |
| ye: | | | |
| Minimal ir | ritant (rabbit) | | |
| OECD | Guidelines No. 405 (2002), 2004/73/EC Method B5 | | |
| kin: | | | |
| | | | |

Non-irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Sensitization:

Skin:

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

| | | | Page 6 of 8 |
|---|--|---------------|-------------|
| Canon | | MSDS #: | |
| Canon | MATERIAL SAFETY DATA SHEET | Product Code: | 4546B |
| SECTION 12 EC | COLOGICAL INFORMATION | | |
| Mobility: | Not available | | |
| Persistence / Degradability: | Not available | | |
| Bioaccumulation: | Not available | | |
| Ecotoxicity: | Not available | | |
| Other Adverse Effec | ts: <u>Not available</u> | | |
| Method of Disposal: | SPOSAL CONSIDERATIONS e subject to federal, state and local laws. | | |
| SECTION 14 TH | RANSPORT INFORMATION | | |
| UN #: | None | | |
| UN Shipping Name: | None | | |
| UN Classification: | None | | |
| UN Packing Group: | None | | |
| Marine Pollutant: | ☐ Yes Chemical name (wt%): ⊠ No | | |
| Special Precautions: | None | | |
| SECTION 15 RI < EU Information > Information on the I | EGULATORY INFORMATION | | |
| | tion: Not required | | |
| R-Phrase: Not required | | | |
| S-Phrase: Not required | | | |
| Dangerous Comp Not required | ponent(s): | | |
| Special Precaution | ons under 1999/45/EC Annex V: | | |
| Specific Provisions in | n Relation to Protection of Man or the Environment: | | |
| (EC) No 1907/20 | 06 Annex XVII (Restrictions): Not regulated | | |
| (EC) No 1005/20 | 09: Not regulated | | |
| (EC) No 689/200 | 8: Not regulated | | |
| Others: | None | | |

| < USA Information > | |
|---|----------|
| Information on the Label under FHSA: | |
| Signal Word: Not required | |
| Hazard warning: Not required | |
| Safety Advice: Not required | |
| Hazardous Component(s): Not required | |
| SARA Title III §313: Chemical Name | Weight % |
| None | |
| California Proposition 65: | |
| Chemical Name | Weight % |
| None | |
| < Canada Information > WHMIS Controlled Product: Not applicable (Manufactured article) | |
| < Australia Information > Statement of Hazardous Nature: This product will not be shipped to Australia. | |
| SECTION 16 OTHER INFORMATION <term explanation=""></term> | |

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).

MATERIAL SAFETY DATA SHEET

Page 8 of 8 MSDS #: IC2104-0101

4546B

Literature References:

canon

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of

Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.