Page 1 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank BCI-6BK

**Product Code:** 4705A / F47-3221

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

**Phone #:** 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	55 - 75	None / None	Not established	Not established	Not established	Not established
		[					

Page 2 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

## SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

### **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

## **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

May cause no irritation and mild sensitization. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### **Note to Physicians:**

None



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

SECTION 5 FIF	RE FIGHTING MEASURES					
Fire Fighting Measure	es:					
<b>Extinguishing Med</b>	Extinguishing Media:					
CO <sub>2</sub> , water, foar	m or dry chemicals					
Unsuitable Extingu	nishing Media:					
None						
Special Fire Fighti	ing Procedures:					
None						
Unusual Fire and E	Explosion Hazards:					
None						
Fire and Explosive Pro	operties (See also Section 9):					
Hazardous Combu						
CO, CO <sub>2</sub> and NO	Ox					
Other Properties:						
None						
SECTION 6 AC	CCIDENTAL RELEASE MEASURES					
<b>Personal Precautions:</b>						
-	skin, eyes and clothing.					
<b>Environmental Precau</b>						
	ewer, surface water or ground water.					
Method for Cleaning U						
Wipe off with wet o	:loth or paper.					
SECTION 7 HA	ANDLING AND STORAGE					
Handling:						
Use with adequate	ventilation.					
	skin, eyes and clothing.					
In case of contact, v	wash out the contaminated area immediately.					
Storage:						
-	dry place. Protect from sunlight.					
Keep away from heat and flame.						
Keep out of the read	ch of children.					
Specific Uses:						
Ink for Ink Jet Printe	<del></del>					
roi more imormani	on, please refer to the instruction of this product.					
	POSURE CONTROLS / PERSONAL PROTECTION					
<b>Exposure Guidelines:</b>						
	this ink. (See also SECTION 2)					
Engineering Controls						
Use adequate venti						
Personal Protection Eq						
Respiratory Prote	ction: Required					
Evo/Eooo Dwo4o -4*	☑ Not Required					
Eye/Face Protection	- redente					
Clair Don't 4	☑ Not Required					
Skin Protection:	Required  Not Required					
	☑ Not Required					

Page 4 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

SECTION 9 PHYSICAL AND CHE	EMICAL PROPERTIES		
Appearance:	Black liquid		
Odor:	Slight odor		
pH:	7-9		
Boiling Point/Range( ${}^{\circ}C$ ):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature ( $^{\circ}$ C):	Not available		
Flash Point(°C):	Estimate: 55 - 57 (Tag Closed Cup. Combustion is not sustainable.)		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature ( $^{\circ}$ C):	Not available		
Flammability:	Classified as "Combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.		
<b>Explosive Properties:</b>	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.04 - 1.10		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$	Not available		
Percent Volatile (%):	55 - 75		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	2-3		
SECTION 10 STABILITY AND REA	ACTIVITY		
Stability:	⊠ Stable		
Stability.	Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and Ammonia		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		

Page 5 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

SECTION 11 TOXICOLOGICAL INFORMATION
Acute Toxicity:
Inhalation:

Not available

**Ingestion:**Not available

Eye:

[Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987) 92/69/EEC Method B5

Skin:

[Data of similar composition ink] Non irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

**Sensitization:** 

[Data of similar composition ink] Mild sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

**Mutagenicity:** 

Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

SECTION 12	ECOLOGICAL INFORMATION						
Mobility:	Not available						
Persistence / Degradability:	Not available						
Degraduomi,							
210000000000000000000000000000000000000							
<b>Ecotoxicity:</b>	Not available						
Other Adverse Effe	Not available						
SECTION 13	DISPOSAL CONSIDERATION						
Method of Disposal Disposal should	l: d be subject to federal, state and local laws.						
SECTION 14	TRANSPORT INFORMATION						
UN #:	None						
<b>UN Shipping Name</b>	None None						
<b>UN Classification:</b>	None						
<b>UN Packing Group</b>	: None						
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No						
Special Precaution	—						
SECTION 15 < EU Information > Information on the Symbol & Indio R-Phrase:	e Label:						
Not required	1						
S-Phrase: Not required	1						
Dangerous Con None	nponent(s):						
Special Precau Not required	tions under 1999/45/EC Annex V:						
Specific Provision	s in Relation to Protection of Man or the Environment:						
76/769/EEC:	Not regulated						
(EC)2037/2000	0: Not regulated						
(EC)304/2003:	Not regulated						
Others:	None						

Page 7 of 8

Canon

### MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101
Product Code: 4705A / F47-3221

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** Not required

**Hazardous Component(s):** 

None

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol " (107-21-1) 5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

### SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed. R36 : Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Section 2, 3, 9, 11 and 12



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1274-0101 Product Code: 4705A / F47-3221

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.