MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29CFR 1910.1200

500 Series Products

EMERGENCY TELEPHONE NUMBER 1-(800)-424-9300					
DATE PREPARED 04/27/05			SIGNATURE OF PREPARER (OPTIONAL)		
SECTION 1 CHEMICA				DN1//	
Product/chemical name CAS number: Other designations: General use:	3 :	HP 2	500 Yellow Mixture N/A Laser printer	PN#:	500-C9702A
SECTION 2 COMPOS			DIENTS		
	CAS		OSHA	ACGIH	OTHER
Ingredient name:	NUMBER	8 %	PEL	TLV	LIMITS
Styrene Acrylate type pol	lymer 25586-20-	3 70-90	Total d	ust 15mg/m³	
Wax	115-83-3	5-15	Respira	able 5mg/m³	
Yellow Pigment	6358-31-2	2 3-10	Inhalal	ble 10mg/m³	
Silica	7631-86-9	9 1-7	Respira	able 3mg/m³	
N/A = NOT APPLICABLE	ABLE E OUS IDENTIFICATION Inhalation HMIS N/A H 1 N/A F 1 Minimal respiratory tract irritation may occur May cause eye irritation may occur May cause eye irritation PPE Unlikely to cause skin irritation Sec.8 Not an applicable route of entry for intended use N/A Accumulation of dust in the respiratory system may cause congestion				
Chronic effects:	If these materials are used in a manner that could generate airborne particles (dust), it is				
			I as a NUISANCE PARTICULAT ment Industrial Hyglenists (ACG	-	
SECTION 4 FIRST AID				,(i=t ioing/ii	,
Inhalation: Eye contact: Skin contact:	Remove to fresh air. Treat any irritation symptomatically. Call a physican if condition persists In case of contact immediately flush with plenty of low pressure water for at least 15 minutes. Remove any contact lenses to ensure thorough flushing. Wash well with soap and running water.				
Ingestion: Note to physicians: Special precautions:			N/A N/A N/A N/A		
	After first aid, get ap		n-plant paramedic or comr sign and symptoms persis		support if

SECTION 5 FIRE FIGHTING MEA	SURES
Flash point:	N/A
Flash point method:	N/A
Burning rate:	N/A
Auto ignition temperature:	Not determined
LEL:	N/A
UEL:	N/A
Flammability classification:	1 Slight (HMIS, NFPA)
Extinguishing media:	Water spray, dry chemical, foam carbon dioxide, or halon type extinguishers.
Unusual fire or explosion hazards:	May form flammable dust-air mixture.
Hazardous combustion products:	-
	Carbon monoxide, carbon dioxide, nitrogen oxide and smoke. Under certain conditions come aliphatic aldehydes and carboxylic acids may form.
Fire-fighting instructions: Fire-fighting instructions:	Do not release runoff from fire control methods to sewers or waterways. Wear a self-contained breathing apparatus (SCBA) with full facepiece
	operated in pressure-demand or positive-pressure mode because fire may produce toxic thermal decomposition products.
SECTION 6 ACCIDENTAL RELEA	
Spill / leak procedures:	N/A
Small spills:	Scoop into container for disposal, suction up remaining material with high efficiency vacuum cleaner.
Large spills:	Scoop into container for disposal, suction up remaining material with high efficiency vacuum cleaner.
Containment:	For large spills, avoid suspending particles, collect for later disposal. Do not release into sewers or waterways.
Cleanup:	No special requirements.
Requiatory requirement:	N/A
Regulatory requirement: SECTION 7 HANDLING AND STO	
SECTION 7 HANDLING AND STO	RAGE
SECTION 7 HANDLING AND STO Handling precautions: Keep contains	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources.
SECTION 7 HANDLING AND STO Handling precautions: Keep conta Storage requirements:	RAGE
SECTION 7 HANDLING AND STO Handling precautions: Keep contains	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A
SECTION 7 HANDLING AND STO Handling precautions: Keep contai Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A
SECTION 7 HANDLING AND STO Handling precautions: Keep contai Storage requirements: Regulatory requirement:	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A DLS/PERSONAL PROTECTION
SECTION 7 HANDLING AND STO Handling precautions: Keep contai Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls:	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A
SECTION 7 HANDLING AND STO Handling precautions: Keep contai Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls:	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne
SECTION 7 HANDLING AND STO Handling precautions: Keep contai Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls: Ventilation:	RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (sec.2). Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For emergency or nonroutine operation (cleaning spills, storage tanks), wear a SCBA. <i>Warning! Air-purified respirators do</i>
SECTION 7 HANDLING AND STO Handling precautions: Keep contains Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls: Ventilation: Administrative controls:	 RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (sec.2). Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For emergency or nonroutine operation (cleaning spills, storage tanks), wear a SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection reulations (29
SECTION 7 HANDLING AND STO Handling precautions: Keep contains Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls: Ventilation: Administrative controls: Respiratory protection: Protective clothing/equipment:	 RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (sec.2). Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For emergency or nonroutine operation (cleaning spills, storage tanks), wear a SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</i> Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection reulations (29 CFR 1910.133).
SECTION 7 HANDLING AND STO Handling precautions: Keep contains Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls: Ventilation: Administrative controls: Respiratory protection:	 RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (sec.2). Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For emergency or nonroutine operation (cleaning spills, storage tanks), wear a SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection reulations (29
SECTION 7 HANDLING AND STO Handling precautions: Keep contains Storage requirements: Regulatory requirement: SECTION 8 EXPOSURE CONTRO Engineering controls: Ventilation: Administrative controls: Respiratory protection: Protective clothing/equipment: Safety stations:	 RAGE ners closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location. N/A DLS/PERSONAL PROTECTION Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (sec.2). Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. For emergency or nonroutine operation (cleaning spills, storage tanks), wear a SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.</i> Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection reulations (29 CFR 1910.133). Make emergency eyewash stations and washing facilites available in work areas.

SECTION 9 PHYSICAL	AND CHEMICAL PI	ROPERTIES			
Physical state:			Water solubility:	Negligible	
Appearance and odor:	Black free flowing po	wder odorless	•	N/A	
Odor threshold:	N/A		Boiling point:	N/A N/A	
	N/A N/A		•		
Vapor pressure:			Freezing/melting poin		
Vapor density(air=1):	Heavier tha	an air.	Viscosity:	N/A	
Formula weight:	N/A		Refractive index:	N/A	
Density:	N/A		Surface tension:	N/A	
Specific gravity:	(H ² 0=1 at 4°C)	: 1.0 -1.2	%Volatile:	N/A	
pH:	N/A		Evaporation rate:	N/A	
SECTION 10 STABILIT	Y AND REACTIVITY				
Stability:			N/A		
Polymerization:			N/A		
Chemical incompatibilit	ies:		N/A		
Conditions to avoid:			N/A		
Hazardous decomposition	n products:		N/A		
SECTION 11 TOXICOL	OGICAL INFORMAT				
Eye effects:			N/A		
Skin effects:		N/A			
Toxicity data:		* No acute toxicity			
Acute inhalation effects	:	N/A			
Acute oral effects:		N/A			
Chronic effects:		N/A			
Carcinogenicity:		N/A N/A			
Mutagenicity:					
Teratogenicity:		AMES Test - Negative N/A			
reratogenicity.			IN/A		
* See NIOSH,RTECS for additi	ional toxicity data				
SECTION 12 ECOLOG		N			
Ecotoxicity:			N/A		
Environmental fate:			N/A		
Environmental degradation:			N/A		
Soil absorbtion / mobilit			N/A		
SECTION 13 DISPOSA	-	19	IN/ <i>I</i> A		
Disposal:			alparated as reasoned of the st	o iron ovida under	
Disposal.			cinerated or recycled for it deral, state and local envir	s iron oxide under conditions	
Disposal regulatory reg			N/A	onmental reguitions.	
Disposal regulatory requestion Container cleaning and					
SECTION 14 TRANSPO	•		N/A		
DOT transportation data	1 (49 CFK 172.101):				
Shipping name:	N/A	Packaging	authorizations	Quantity limitations	
Shipping symbol:	N/A		tions: N/A	a) Passenger, aircraft,	
Hazard ID no.:	N/A	<i>,</i> ,	ackaging: N/A	or railcar: N/A	
ID no.:	N/A		kaging: N/A		
Packing	N/A	-, <u>-</u> ant put	00	owage requirements	
Label:	N/A			stowage: N/A	
Special provisions:	N/A		,	ther: N/A	
opeciai pi ovisiolis.	IN/ <i>F</i> A		b) O		

SECTION 15 REGULATORY INFORMATION

EPA regulations:			
RCRA hazardous waste number:	Not listed (40 CFR 261.33)		
RCRA hazardous waste classification:	(40 CFR 261): Not classified		
CERCLA hazardous substance:	(40 CFR 302.4) listed/unlisted specific per RCRA sec. 3001: CWA sec.311		
	(b)(4): CWA, sec. 307(a), CAA sec. 112		
CERCLA reportable quantity (RQ):	Not listed		
SARA 311/312 codes:	N/A		
SARA toxic chemical (40 CFR 372.65):	Not listed		
SARA EHS (40 CFR 355):	Not listed, threshold Planning Quantity (TPQ)		
OSHA regulations:	Air contminant (29 CFR 1910.1000 < Table Z-1-A): Particulates not		
	otherwise regulated.		
State Regulations:	Check your states regulations that may specifically list copy machine toner.		
	All ingredients are listed on the TSCA inventory.		
SECTION 16 OTHER INFORMATI	ON		
Prepared by:	N/A		
Revision notes:	N/A		

Revision notes: Additional hazard rating system:

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

N/A