

Safety Data Sheet

SDS #: A-10047 Toner-Black

Issuing Date 2013-07-10 Revision Date 2013-07-10 Version 1

1. Product and Company Identification

Trade Name: Toner for DCP-9050 Series, 9055 Series, 9270 Series, HL-4150

Series, 4570 Series, MFC-9460 Series, 9465 Series, 9560

Series, 9970 Series

Part No. 006R03032

Emergency telephone

ColorBlackPure substance/preparationPreparation

Identified uses Xerographic printing

Manufactured by: Xerox Corporation Webster, NY 14580

Safety Information (800)828-6571 Health Emergency (585)422-2177

Chemical Emergency only (Chemtrec) (800)424-9300 (703)527-3887 (collect outside the US or Canada)

2. Hazards Identification

Emergency Overview

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.

Color	Appearance	Physical state	Odor
Black	Powder	Solid	Faint

Potential Health Effects

Principle Routes of Exposure Inhalation

Acute toxicity

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic effects

Chronic toxicityNo known effects under normal use conditions. Repeated or prolonged inhalation may

cause irritation of the respiratory tract as can occur with the inhalation of any non-toxic dust. Minimum respiratory or eye irritation may occur as with exposure to large amounts of

any non-toxic dust

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust

Aggravated Medical Conditions None under normal use conditions

Environmental hazard See Section 12 for additional Ecological Information

604E71850



SDS #: A-10047 Toner-Black

-

Risk Phrases None required

3. Composition/Information on Ingredients

Chemical Name	CAS-No	Weight %
Styrene/acrylate copolymer	25767-47-9	>40
Styrene/acrylate polymer	27136-15-8	>40
Carbon Black	1333-86-4	<6
Amorphous silica	TRADE SECRET	<5
Polyolefin	9010-79-1	<3
Iron oxide	1317-61-9	<2

4. First Aid Measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

Notes to physician Treat symptomatically

Protection of first-aidersNo special protective equipment required.

5. Fire-Fighting Measures

Flammable properties Not flammable. Will not readily ignite

Flash point Not applicable

Suitable extinguishing mediaUse water spray or fog; do not use straight streams, FoamUnsuitable extinguishing mediaDo not use a solid water stream as it may scatter and spread fire

Hazardous combustion products

Hazardous decomposition products due to incomplete

combustion, Carbon oxides, Nitrogen oxides (NOx)

Explosion Data

Sensitivity to Mechanical Impact Not impact sensitive

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion

hazard

Specific hazards arising from the chemical

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard



SDS #: A-10047 Toner-Black Page 3/7

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

NFPA 704

Consumer use Health Hazard 0 1 0 None

Bulk packages Health Hazard 0 1 Special hazard None

Flammability Stability Special hazard None

None

6. Accidental Release Measures

Personal Precautions Avoid breathing dust.

Environmental Precautions No special environmental precautions required

Methods for containment Prevent dust cloud

Methods for cleaning up Prevent dust cloud. Sweep up or vacuum up spillage and collect in suitable container for

disposal. Use non-sparking tools and equipment.

Other Information See Section 12 for additional information.

7. Handling and Storage

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice

Prevent dust cloud

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place

Store at room temperature

Hygiene measures None under normal use condtions

Industrial User Do not eat, drink or smoke when using this product

Wash hands before eating, drinking, chewing gum, using tobacco, or using toilet

Wash hands before breaks and at the end of workday

Provide regular cleaning of equipment, work area and clothing.

8. Exposure Controls/Personal Protection

Exposure guidelines

Product information

ACGIH TLV TWA

ACGIH TLV TWA

3 mg/m³ (respirable dust)

OSHA PEL TWA

OSHA PEL TWA

Serox Exposure Limit

Xerox Exposure Limit

10 mg/m³ (inhalable particles)

3 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

2.5 mg/m³ (total dust)

0.4 mg/m³ (respirable dust)



SDS #: A-10047 Toner-Black

Other Information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.

Biological standards

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Occupational Exposure Controls

Engineering measures None under normal use conditions.

Industrial use Avoid dust formation

Ensure all equipment is electrically grounded before beginning transfer operations

Provide appropriate exhaust ventilation at places where dust is formed

Personal Protective Equipment

Consumer use These recommendations apply to the product as supplied

Respiratory protectionNo special protective equipment required.

Eye/Face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Hand protection No special protective equipment required

Industrial use In case of insufficient ventilation:

Wear protective eyewear (goggles)

Effective dust mask

9. Physical and Chemical Properties

AppearancePowderOdorFaintOdor thresholdNot applicablePhysical stateSolidpHNot applicableColorBlack

Flash point Not applicable Boiling Not applicable point/range

Softening point 49 - 60 °C / 120 - 140 °F Autoignition Not applicable

temperature

Flammability Limits in Air Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Vapor pressureNot applicableVapor densityNot applicable

604E71850



SDS #: A-10047 Toner-Black Page 5/7

Water solubility
Viscosity
Not applicable
Partition coefficient
Evaporation rate
Melting point/range
Not applicable
Not determined
Not applicable
Not determined
Not applicable

Specific gravity ~ 1

10. Stability and Reactivity

Reactivity No dangerous reaction known under conditions of normal use

Stability Stable under normal conditions

Incompatible products None

Conditions to Avoid Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion hazard

Hazardous Decomposition Products None under normal use

Hazardous polymerization Hazardous polymerization does not occur

Hazardous reactions None under normal processing

Toxicological Information

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute toxicity

Product information

Irritation No skin irritation, No eye irritation

 LD50 Oral:
 > 5 g/kg (rat)

 LD50 Dermal:
 > 5 g/kg (rabbit)

 LC50 Inhalation:
 > 5 mg/L (rat, 4 hr)

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic toxicity
Product information

Chronic effects No known effects under normal use conditions. Repeated or prolonged inhalation may

cause irritation of the respiratory tract as can occur with the inhalation of any non- toxic dust. Minimum respiratory or eye irritation may occur as with exposure to large amounts of

any non-toxic dust.

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust

Aggravated Medical Conditions None under normal use conditions

Carcinogenicity See "Other Information" in this section.

Chemical Name	IARC	NTP
Carbon Black	2B	

Other toxic effects

BR547 604E71850



SDS #: A-10047 Toner-Black Page 6/7

Product information

Sensitization No sensitization responses were observed

Mutagenic effects Not mutagenic in AMES Test

Target organ effects None known

Other adverse effects None known
Aspiration Hazard Not applicable

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". The classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively

12. Ecological Information

Ecotoxicity

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. Disposal Considerations

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements

Contaminated packaging Dispose of in accordance with local regulations.

14. Transport Information

NoteThis material is not subject to regulation as a hazardous material for shipping.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. **SARA 311/312 Hazard Categories**



SDS #: A-10047 Toner-Black

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

TSCA

TSCA 12b does not apply to this product.

U.S. State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Γ	Chemical Name	CAS-No	California Prop. 65
f	Carbon Black	1333-86-4	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Note The toxicity data noted below is based on the test results of similar reprographic materials.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Not subject to WHMIS classification

1 4	Othor	Information
HO.	Orner	miormation

Issuing Date 2013-07-10

Revision Date 2013-07-10

Revision Note Initial Release

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text

end