

For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C	Issued:	July 2, 2	2002
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name:	Toner Cartridge for the 1500, 1630, 1640, ix2600 MFP	2500 and	Page:	1 of 6

Section I - Product Identification

Toner Cartridge for the 1500, 1630, 1640, 2500 and ix2600 MFP Product Name:

Reorder Number: 817-5

Manufacturer: Océ Imagistics Inc. Address: 100 Oakview Drive

City: Trumbull State: CT

Zip: 06611-4724

For MSDS copies: 203-365-7025 "www.Imagistics.com"

Emergency/Chemtrec: 800-424-9300 **Effective Date:** August 1, 2003 **Print Date:** 4/21/2006

SECTION II - HAZARDOUS INGREDIENTS						
INGREDIENT NAME	CAS No.	%	EXPOSURE LIMITS			
Toner powder (regulated as particulates not otherwise classified - PNOC)	mixture	proprietary	10 mg/m3, TWA (inhalable) TLV, 15 mg/m3 TWA - PEL (Total Dust)			
Carbon Black	1333-86-4	proprietary	3.5 mg/m3 TWA TLV, 3.5 mg/m3 TWA - PEL			
Paraffin Wax	8002-74-2	proprietary	2 mg/m3 TWA TLV			

Additional Information

May Contain Non-Hazardous Ingredients: Styrene acrylate copolymer, silicon dioxide

SECTION III - HAZARD IDENTIFICATION

Emergency Overview: Black powder with no odor. High concentrations of dust suspended in air

may present a dust explosion hazard. Inhalation of dust may cause minor respiratory irritation. Prolonged inhalation overexposure may

result in lung damage.

Relevant Routes of Exposure:

Signs and Symptoms of Acute

Overexposure:

Skin, eyes, inhalation

May cause mild eye irritation. This product is not a skin irritant.

Signs and Symptoms of Chronic

Overexposure:

Prolonged inhalation of dust in excess of the exposure limits (as with any nuisance dust) may result in lung damage. Overexposure to dust in the

normal use of this product is not expected.

Medical Conditions Generally Aggravated By Exposure:

None known

Potential Health Effects:

Eves: May cause mild irritation. Skin: No adverse effects expected.

Ingestion: No adverse effects expected. This product is not acutely toxic by

ingestion.

Inhalation: Could be a route of exposure, but unlikely under normal use. Inhalation



For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C	Issued:	July 2, 2	2002
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name:	Toner Cartridge for the 1500, 1630, 1640,	2500 and	Page:	2 of 6
	ix2600 MFP			

SECTION III - HAZARD IDENTIFICATION

of toner powder may cause mucous membrane and respiratory irritation.

Prolonged and repeated overexposure may cause lung damage.

Carcinogenicity:

NTP:

IARC: In 1996 IARC re-evaluated carbon black as a group 2B carcinogen

(possible human carcinogen). Carbon black is a minor component of the total toner mixture. We believe that IARC's findings are not applicable to the typical uses and levels of exposure to toners or developers by our

customers and service personnel.

OSHA: No ACGIH: No OTHER: No

SECTION IV - FIRST AID MEASURES

Do not rub eyes. Immediately flush with plenty of running cool to Eves:

lukewarm water, holding eye lids open to assure thorough rinsing. Get

medical attention if irritation persists or for foreign body in the eyes.

Skin: Wash with soap and water.

If swallowed, dilute with water. **DO NOT** induce vomiting. Never give Ingestion:

fluids or induce vomiting if the victim is unconscious or having

convulsions. Get medical attention.

Inhalation: Remove person to fresh air. Wash nostrils, rinse mouth. If irritation or

pulmonary symptoms develop, consult a physician.

SECTION V - FIRE FIGHTING PROCEDURES

Flammable Limits in Air (% by Upper Explosion Limit: Unknown Volume): Lower Explosion Limit: 40 g/m³

Flash Point: Not determined **Autoignition Temperature:** Not available

Extinguishing Media: Water, ABC dry chemical, or protein type foams are recommended.

Fire Fighting Instructions: Wear self-contained breathing apparatus and protective clothing to

prevent contact with skin and eyes. Do not use methods that may create

a dust cloud, such as high pressure water.

Unusual Fire and Explosion

Toner powder can form explosive mixtures with air at high

Hazards:

concentrations.

Known or Anticipated Hazardous

Products of Combustion:

Carbon monoxide and carbon dioxide.

Section VI - Accidental Release Measures

Accidental Release Measures: Carefully sweep material onto paper, or vacuum taking care not to



For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C	Issued:	July 2, 2	2002
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name:	Toner Cartridge for the 1500, 1630, 1640, ix2600 MFP	2500 and	Page:	3 of 6

SECTION VI - ACCIDENTAL RELEASE MEASURES

generate airborne dust. Do not use vacuum if large amounts are

released due to risk of dust explosion.

Personal Precautions: Avoid inhalation of dust.

Environmental Precautions: It is recommended to keep away from drains, surface and ground water.

Methods for Cleanup: Sweep material onto paper, or vacuum small amounts.

Large Spill: Not sold in large quantities.

Small Spill: Sweep material onto paper or vacuum small amounts. Avoid generating

airborne dust.

SECTION VII - HANDLING AND STORAGE

Handling: Avoid inhalation of toner dust. Avoid direct contact with toner. Keep

container closed when not in use.

Storage: Store in a cool, dry place. Keep container closed. Keep out of the reach

of children.

Other Precautions: Not required under normal use.

SECTION VIII - EXPOSURE CONTROLS & PERSONAL PROTECTION

Engineering Controls:Ventilation Requirements:
None required with normal use.
General office ventilation.

Personal Protective Equipment:

Eye/Face Protection: Skin Protection: Respiratory Protection: Other Protective ClothingNot required under normal use.

Not required under normal use.

Not required under normal use.

Not required under normal use.

or Equipment:

Exposure Guidelines: See Section II

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Appearance: Black powder with no odor.

Boiling Point: Not applicable

Color: Black

Freezing Point:

Melting Point:

Octanol/Water Partition

Not applicable
230°F (110°C)
No data

Coefficient:

Odor: Odorless
Odor Threshold: No data
Percent Volatile: <0.5

pH Value:Not applicablepH Concentration:Not applicablePhysical State:Powder



For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C	Issued:	July 2, 2	2002
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name:	Toner Cartridge for the 1500, 1630, 1640,	2500 and	Page:	4 of 6
	ix2600 MFP			

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Reactivity in Water:

Solubility in Water:

Negligible
Specific Gravity or Density

1.15 g/cm³

(Water=1):

Vapor Density:Not applicableVapor Pressure:Not applicableVapor Pressure Temperature:Not applicableVolatile Organic Compounds:No dataWater/Oil Distribution Coefficient:No dataWeight Per Gallon:Not applicable

SECTION X - STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Avoid temperatures above 392°F (200°C).

Incompatibility With Other

Materials:

Hazardous Decomposition Thermal decomposition may release carbon dioxide and carbon

Avoid strong oxidizing agents.

Products: monoxide.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Not applicable

SECTION XI - TOXICOLOGICAL INFORMATION						
VALUE	ANIMAL	Routes	COMPONENTS			
LC50: >2,000 mg/kg	Rat	Oral	Product			
LD50: > 4.85 mg/l	Rat	Inhalation	Product			
LD50: No data available		Dermal	Product			

Additional Information

Note: This product tested negative in the AMES test for mutagenicity.

SECTION XII - ECOLOGICAL INFORMATION

Ecological Information: No data available

SECTION XIII - DISPOSAL CONSIDERATIONS

Disposal Considerations: Dispose in accordance with local, state, and federal regulations.

SECTION XIV - TRANSPORT INFORMATION

U.S. DOT

Proper Shipping Name:Not regulatedHazard Class:Not applicableID Number:Not applicable



For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C Océ Imagistics Inc.	Issued: Revised:		
Product Name:	9		Page:	1
	ix2600 MFP			

SECTION XIV - TRANSPORT INFORMATION

Packing Group: Not applicable

Labels: None Special Provisions: None

Packaging Exceptions:Not applicableNon-Bulk Packaging:Not applicableBulk Packaging:Not applicable

Air/Rail Limit: None
Air Cargo Limit: None

Vessel Stowage: Not applicable Other Stowage: Not applicable

Reportable Quantity: None

AIR - ICAO OR IATA

Proper Shipping Name:
Hazard Class:
Not applicable
ID Number:
Not applicable
Risk:
Not applicable
Not applicable
Not applicable
Not applicable

Hazard Labels: None

Packing Instructions:

Air Passenger/Cargo Limit Per

Not applicable

Not applicable

Package:

Packing Instruction - Cargo: Not applicable Air Cargo Limit Per Package: Not applicable

Special Provisions Code: None

WATER - IMDG

Proper Shipping Name:
Hazard Class:
Not applicable
ID Number:
Not applicable
Packing Group:
Not applicable
Risk:
Not applicable
Medical First Aid Guide Code:
Not applicable
Not applicable

SECTION XV - REGULATORY INFORMATION

U.S. Federal Regulations: See below

State Regulations: This product contains no chemicals subject to California Proposition 65.

International Regulations: EU: Not classified as a dangerous material.

Canada: Not a controlled product.

SARA Hazards:

Acute: No Chronic: No Reactive: No



For Supply Reorder Number:

817-5

MSDS Number:	OCE 057, REV C	Issued:	July 2, 2	2002
	Océ Imagistics Inc.	Revised:	May 31,	2005
Product Name: Toner Cartridge for the 1500, 1630, 1640, 2500 and		Page:	6 of 6	
	ix2600 MFP			

SECTION XV - REGULATORY INFORMATION Fire: No Pressure: No Additional Information

This product does not contain chemical or chemical compounds listed in the following SARA Title III categories: Extremely Hazardous Substances (302), Toxic Chemical Release Reporting (313). All of the components are listed on the TSCA inventory.

SECTION XVI - OTHER INFORMATION

NFPA Codes:

Health: 1
Flammability: 1
Reactivity: 0
Other: 0

HMIS Codes:

Health: 1
Flammability: 1
Reactivity: 0

Protection:

Other Information: Keep out of reach of children.