Product Name : Print Cartridge Cyan Type MP C4500/C4540/LD445c MSDS Number : 841345 Date Prepared : 07/09/2005 Date Modified : 2009/04/08 Date : 18/08/2009

RICOH

Material Safety Data Sheet (ANSI form)

	Section1 : Chemical Product and Company Identification				
G M C D A T N T	epartment ddress elephone umber	: Print Cartridge Cyan Type MP C4500/C4540/LD445c : The Image Formation of Printing Machine or Copier : 841345 : Ricoh Americas Corporation : : 5 Dedrick Place, West Caldwell, NJ 07006 : 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies) : 1-973-882-3959 : environmentinfo@ricoh-usa.com			

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	>70	N.A	N.A	N.A	N.A	N.A
147-14-8	C32H16CuN 8	<10	N.A	N.A	N.A	N.A	N.A
Organic Pigment							
Confidential Wax	Confidential	<10	N.A	N.A	N.A	N.A	N.A
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

Hazardous Ingredients Information

Chemical Name : Titan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		-



	Section3 · H	lazards Identificatio	n	
		Emergency	/ Overview	
HMIS	Health: 1	Flammabilit : 1 y	Reactivity : 0	PPE:See section 8
NFPA	Health : 1	Flammabilit : 1 y	Reactivity : 0	
Adverse H There a Potential He Primary Er Inhalation Skin Ingestion Environme There a Physical a There a Specific Ha Dust ex Main Symp Acute Inha Exposu Acute Ora Low ac Acute Ora Low ac Acute Skir May be Sensitizati From te allergy- Chronic Ef Slight p at 4mg/ show th normal amount Carcinoge Titaniur inhalati But ora In the a rat's lur Under a Also, re observe Medical Co Not app Classificat	ealth Effects htty Routes : n ; Yes ; Yes ental Effects : are no significant are no significant i tritation a non-irritant. on a non-irritant. on arelated conjunct ffect bulmonary fibrosi (m3 every day fo nat exposure to e use and handlin ts of powder. nicity m dioxide contain on test in use of l/skin test does r anormal use pra- a normal use pra- bultons Aggrav- blicable ion of the Chemi	ects : hazards expected with zards : hazards expected with zards : hazards expected with st finely grained organic amount of dust may cau amount of dust may cau mal experiment. ent irritation. ignificant hazards are e ivitis or dermatitis.) s has been reported in r 2 years. No pulmonar excessive amounts of po g of this product as inter ned in this product as inter twith very high concer echanism (overload phe ctice, the concentration o such use. espiratory disease and logical survey. ated by Exposure	intended use. intended use. c powders) use physical irritation to expected . (Only few ca rats upon chronic inha y change was found at owder may cause dam ended, does not result it assified to Group 2B of y. ntration of titanium diox enomenon)), the rat alo	ases reported on incidental lation exposure to a toner t 1mg/m3. These findings hage to lungs. However, in inhalation of excessive f IARC as the result of kide (excessive burden of one showed lung tumor. han the above; and it is



used.

Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrade) Burning Rate (mm/sec) Autoignition Temperature (degrees centigrade)	: 0.2	applicable 23 or below available	
Flammable Limits % : LEL	Not available	UEL Not available	
Extinguishing Media to Avoid : Not applicable.			
Specific Hazards :			
Can form explosive dust-air mixtu		dispersed in air.	
Fire-Fighting Instructions / Specific N			
No special fire protecting method	is required. Spr	rinkling or fire extinguishe	ers can be u
Protection of Firefighters :			

Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

Personal Precautions :

Do not breathe in dust.

Environment Precautions :

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Section7 : Handling and Storage

Handling : **Technical Measures/Precautions** Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.



Section8 : Exposure Controls/Personal Protection

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Cya	der			
Odor	: Slightly plastic odor			
pН	: Not applicable			
Boiling Point (degrees centigrade)	: Not applica	ble		
Vapor Pressure (Pa)	Not applicable			
Vapor Density (AIR=1)	: Not applicable			
Density (/ 3)	: Approx. 1.2	Measuring Temp (degrees centigrade) : 25		
Formula Weight	: Not applicable			
Melting Point (degrees : (Softening point) Approx.110 centigrade)				
centigrade)	ature (degrees	: Not available		
Viscosity (Pa s) : Not applicable				
Volatile (%)				
Evaporation Rate (Butyl Acetate = 1) : Not applicable				
Water Solubility (g/L) : Insoluble				
Chloroform Solubility (g/L) : Slightly soluble				

Section10 : Stability and Reactivity

Stability :

Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur. Product Name : Print Cartridge Cyan Type MP C4500/C4540/LD445c MSDS Number : 841345 Date Prepared : 07/09/2005 Date Modified : 2009/04/08 Date : 18/08/2009

RICOH

Section11 : Toxicological Information
Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available Local effects
Acute Skin Irritation(PII):
1.0 or below (Rabbit) (None of hazardous situation will be caused under normal use condition.) Acute Eye Irritation :
Slightly irritant
Sensitization
Acute Allergenic Effects :
0 % (Marmot) (None skin sensitization.)
Specific Effects
Carcinogenicity :
In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is
inadequate human evidence, but sufficient animal evidence.
The latter is based upon the development of lung tumors in rats receiving chronic inhalation
exposures to Titanium dioxide at levels that induce particle overload of the lung.
Use of this product, as intended, dose not result in inhalation of excessive dust.
Epidemiological study to date have not revealed any evidence of the relation between exposure to
titanium dioxide and diseases of the respiratory tract beyond general effects of dust.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available
Section12 : Ecological Information

Mobility : No Persistence/Degradabilit : Not v	data are available on any adverse effects on the environment. available
Bioaccumulation : Not Ecotoxicity	available
Acute Toxicity for Fish (LC50) Acute Toxicity for Daphnia (EC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr : Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr

-5-



Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

	Land Transport		
	RID/ADR	:	Not applicable
	DOT 49 CFR	:	Not applicable
	ADNR	:	Not applicable
	Sea Transport		
	IMDG Code	:	Not applicable
	Air Transport		
	ICAO-TI/IATA-DGR	:	Not applicable
	UN Number	:	Not applicable
S	pecific Precautionary ⁻	Γra	ansport Measures and Conditions
	Avoid direct sunlight	in	quality.

Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

Product Name : Print Cartridge Cyan Type MP C4500/C4540/LD445c MSDS Number : 841345 Date Prepared : 07/09/2005 Date Modified : 2009/04/08 Date : 18/08/2009



Section16 : Other Information

	lazardous Materials Identification System [HMIS]& National Fire Protection Association				
[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an					
uncontrolled situ					
	zard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard				
	be used in both systems: zard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard				
	y any Personal Protective Equipment regired [PPE],				
	fy OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),				
xx(Radioactive)					
Literature Refer					
ANSI Z400.1-1					
ISO 11014-1					
Commission D	Directive 91/155/EEC				
	IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
	g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,				
pp149-261					
	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,				
	tenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation				
	ats" Fundamental and Applied Toxicology 17,pp280-299 IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
Vol.93"	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for				
	Exposure to Titanium Dioxide DRAFT"				
ACGIH-TLV	. : Threshold Limit Values for Chemical Substances and Physical Agents and				
	Biological Exposure Indices				
OSHA Z-Table					
NTP (USA)	: US Department of Health and Human Services National Toxicology				
	Program Annual Report on Carcinogens				
	DFG-MAK GER : DFG List of MAK and BAT Value				
Symbol (EC)	: EU Directive 67/548/EEC				
91/155/ EEC	: EU Directive 91/155/ EEC				
1999/45/EC A 76/769/EEC	nnex V : EU Directive 1999/45/EC : EU Directive 76/769/EEC				
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the				
20004/2000	Council of 28 January 2003 concerning the export and import of dangerous				
	chemicals				
WHMIS Control	olled : Canada Workplace Hazardous Information System				
product					
OELs-TWA (A					
	Atmospheric Contaminants in the Occupational Environment [NOHSC:				
Abbreviations :	3008 (1995)]				
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act				
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial				
	Hygienists				
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft				
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic				
	Equipment				
TWA	Time Weighted Average				
IARC International Agency for Research on Cancer					
NTP National Toxicology Program					
WHMIS Workplace Hazardous Information System NOHSC National Occupational Health and Safety Commission Act 1985					
Disclaimer(S) :					
	on is furnished without warranty, expressed or implied, except that it is accurate to the best				
	Ricoh Americas Corporation.				
	It relates only to the specific material designated herein, and does not relate to use in combination with				

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.