Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification

Product Name General Use MSDS Number Company Name Department	: Toner MP 301(RIC/SVN/LAN) : The Image Formation of Printing Machine or Copier : 841714 : Ricoh Americas Corporation
Address Telephone Number	5 Dedrick Place, West Caldwell, NJ 07006 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies) 1-973-882-3959 environmentinfo@ricoh-usa.com

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	>80	N.A	N.A	N.A	N.A	N.A
1333-86-4 Carbon Black	С	<15	3.0mg/m3	N.A	N.A	3.5mg/m3	N.A
8015-86-9 Wax	Not Identified	<10	N.A	N.A	N.A	N.A	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Carbon Black			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.0mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	:III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		-
Chemical Name : Titan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EŬ)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		5
, ,			

	Section3 : H	azards Identificatio	on	
	x x	☆☆☆ Emergency	y Overview ☆☆☆	***
HMIS	Health: 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8
NFPA	Health : 1	Flammabilit : 1	Reactivity : 0	
The Most Im Adverse H There a Potential He Primary En Inhalation Skin Ingestion Environme There a Specific Ha Dust ex Main Symp Acute Inha Exposu Acute Oral Low act Acute Oral Low act Acute Skin May be Sensitizati From te allergy- Chronic Ef Slight p at 4mg/ show th normal amount Carcinoge Carbon as the r But ora The ton test in u	aportant Hazards luman Health Effe are no significant ealth Effects htry Routes : n ; Yes ; Yes ental Effects : are no significant nd Chemical Haz are no significant azards : cplosion (like mos toms : alation Toxicity are to excessive a l Toxicity ute toxicity in anir Irritation use slight transie n Irritation e non-irritant. on est no apparent si related conjunctiv ffect oulmonary fibrosis (m3 every day for nat exposure to ex- use and handling ts of powder. nicity black and titaniu result of inhalation l/skin test does no er containing car use of rat. mimal experiment	y hazards expected with ards : hazards expected with ards : hazards expected with t finely grained organic mount of dust may can mount of dust may can nal experiment. Int irritation. gnificant hazards are of vitis or dermatitis.) has been reported in 2 years. No pulmonar cessive amounts of p of this product as inter m dioxide contained ir n test in use of rat. of show carcinogenicit bon black did not show with very high concer chanism (overload pho	intended use. intended use. intended use. powders) use physical irritation expected . (Only few of rats upon chronic inh y change was found a owder may cause dar ended, does not result this product are clas y. v carcinogenicity in ch intration of titanium dic enomenon)), the rat a	to respiratory tract. cases reported on incidental alation exposure to a toner at 1mg/m3. These findings mage to lungs. However, t in inhalation of excessive sified to Group 2B of IARC sified to Group 2B of IARC nronic inhalation exposure oxide (excessive burden of lone showed lung tumor. than the above; and it is
Also, re	ed that there is no elation between re ed with epidemiol	spiratory disease and	work exposure of tita	nium dioxide is not
	onditions Aggrava			
Classificat	ion of the Chemic	al Product fied as dangerous.		

Section4 : First Aid Measures

Inhalation :

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention : Immediate medical attention is not required.

Immediate medical attention is not required.
Section5 : Fire Fighting Measures
Flash Point (degrees centigrade): Not applicableBurning Rate (mm/sec): 0.223 or belowAutoignition Temperature (degrees: Not availablecentigrade):
Flammable Limits(%) : LEL Not available UEL Not available Extinguishing Media to Avoid : Not applicable Specific Hazards : Can form explosive dust-air mixtures when finely dispersed in air.
 Fire-Fighting Instructions / Specific Method : No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Firefighters : Wear gloves, glasses, a mask if necessary.
Section6 : Accidental Release Measures
 Personal Precautions : Do not breathe in dust. Environment Precautions : Do not flush into sewers or watercourses. Methods for Cleaning Up : Fine powder may form explosive dust-air mixture. Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth. If a vacuum cleaner is used, a dust explosion-proof type must be chosen.
Section7 : Handling and Storage
Handling : Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : Technical Measures Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.

Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation. None required with intended use. **Control Parameters** Exposure Limit Value (I) PEL: 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) USA OSHA (TWA) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) **Personal Protection** Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Eye Protection Put on goggles if necessary. **Protective Gloves** Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures** Wash hands after handling

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Blac	der			
Odor	: Sligthly plastic odor			
pН	: Not applicable			
Boiling Point (degrees : Not applicable centigrade)				
Vapor Pressure (Pa)	Not applicable			
Vapor Density (AIR=1)	: Not applicable			
Density (g/cm3)	: Approx.1.2	Measuring Temp (degrees centigrade) : 25		
Formula Weight	: Not applicable			
Melting Point (degrees : (Softening point) Approx.100 centigrade)				
centigrade)	ature (degrees	: Not available		
Viscosity (Pa·s)	: Not applicable			
Volatile (%)				
Evaporation Rate (Butyl Acetate = 1) : Not applicable				
Water Solubility (g/L) : Insoluble				
Chioroform Solubility (g/L) : Slightly soluble	÷		

Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products :

Decomposition products will not occur.

Section11 : Toxicological Informatio	n
--------------------------------------	---

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over $\left[mg/kg\right]$ (Rat) (Based on other product test results of similar ingredients.)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity:
Not available
Local effects
Acute Skin Irritation(PII):
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)
Acute Eye Irritation :
Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)
Sensitization
Acute Allergenic Effects :
0 % (Marmot) (Based on other product test results of similar ingredients.)
Specific Effects
Carcinogenicity :
Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the
result of inhalation test in use of rat.
But oral/skin test does not show carcinogenicity.
The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in
use of rat.
In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's
lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a
normal use practice, the concentration should be far lower than the above; and it is assumed that
there is no such use.
Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with
epidemiological survey.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available.
Section12 : Ecological Information

Mobility : No da Persistence/Degradabilit : Not a	: No data are available on the adverse effect one environment. it : Not available		
y Bioaccumulation : Not a	vailable		
Ecotoxicity			
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr		
Acute Toxicity for Daphnia	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr		
(EC50)			
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr		

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulation Land Transport	S
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Class	: Not applicable
Specific Precautionary	Fransport Measures and Conditions
A	1 Ph

Avoid direct sunlight in quality.

Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This product complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC

Section16 : Other Information

	la seda a Mara dala la sificación o o su su fUNIO10 National Eles Destasticas Associations				
Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association					
[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an					
uncontrolled situ	,				
0=Minimum Haz	ard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard be used in both systems:				
	zard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard				
	y any Personal Protective Equipment reqired [PPE],				
	y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),				
xx(Radioactive).					
Literature Refere					
ISO 11014-1					
	irective 91/155/EEC				
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,				
••	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,				
U.Mohr, S.Tak	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation				
	ats" Fundamental and Applied Toxicology 17,pp280-299				
IARC (2008) "I. Vol.93"	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,				
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation				
	nal Exposure to Titanium Dioxide DRAFT"				
ACGIH-TLV	. Threshold Limit Values for Chemical Substances and Physical Agents and				
	Biological Exposure Indices				
OSHA Z-Table					
NTP (USA)	 US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens 				
	DFG-MAK(GER): DFG List of MAK and BAT Value				
Symbol (EC)	: EU Directive 67/548/EEC				
91/155/ EEC	: EU Directive 91/155/ EEC				
1999/45/EC Ar 76/769/EEC	nnex V : EU Directive 1999/45/EC : EU Directive 76/769/EEC				
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the				
20 002000	Council of 28 January 2003 concerning the export and import of dangerous				
	chemicals				
WHMIS Contro	elled : Canada Workplace Hazardous Information System				
product OELs-TWA (Au	ustralia) : Guidance Note on the Interpretation of Exposure Standards for				
0220 1107 (74	Atmospheric Contaminants in the Occupational Environment [NOHSC:				
	3008 (1995)]				
Abbreviations :					
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial				
ACGINETEV	Hygienists				
REACH	EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,				
	Authorization and Restriction of Chemicals				
SVHC	Substances of Very High Concern				
ECHA DFG-MAK	The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft				
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic				
	Equipment				
TWA	Time Weighted Average				
IARC	International Agency for Research on Cancer				
NTP WHMIS	National Toxicology Program Workplace Hazardous Information System				
NOHSC	WHMIS Workplace Hazardous Information System NOHSC National Occupational Health and Safety Commission Act 1985				
Disclaimer(S) :					
This information	This information is furnished without warranty, expressed or implied, except that it is accurate to the best				
knowledge of Ricoh Americas Corporation.					
It relates only to any other mate	o the specific material designated herein, and does not relate to use in combination with rial or process				

any other material or process. Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.