Page 1 of 6



## MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101 Product Code: 8643A / F42-6231

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon GPR-13 Yellow Toner

**Product Code:** 8643A / F42-6231

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

**Phone #:** 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

# SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<	Ingredient	(s)	) >

Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	75-85	None/ None	Not established	Not established	Not established	Not established
Wax	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established
Pigment	Confidential	1-4	None/ None	Not established	Not established	Not established	Not established

# < Carcinogen >

Chemical Name CAS# Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

### SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

# **Emergency Overview:**

Yellow fine powder, slight plastic odor.

# **Potential Health Effects and Symptoms:**

# **Inhalation:**

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

### **Ingestion:**

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

## Eye:

May cause transient slight irritation.

## Skin:

May be non-irritant.

# **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

### Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



### MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101 Product Code: 8643A / F42-6231

#### SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

### **Ingestion:**

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### Note to Physicians:

None

### SECTION 5 FIRE FIGHTING MEASURES

# **Fire Fighting Measures:**

### **Extinguishing Media:**

CO2, water, dry chemicals

# **Unsuitable Extinguishing Media:**

None

# **Special Fire Fighting Procedures:**

None

### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

# Fire and Explosive Properties (See also Section 9):

# **Hazardous Combustion Products:**

CO2, CO

# **Other Properties:**

Not available

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# **Personal Precautions:**

Avoid breathing dust.

### **Environmental Precautions:**

Do not wash away into sewer.

# Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# SECTION 7 HANDLING AND STORAGE

# **Handling:**

Avoid breathing dust.

Use with adequate ventilation.

# Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

# **Specific Uses:**

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



# MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101 Product Code: 8643A / F42-6231

SECTION 8 EXPOS Exposure Guidelines:	URE CONTR	OLS / PERSONAL PROTECTION		
-	10 mg/m <sup>3</sup> (In 4 mg/m <sup>3</sup> (Inh	otal dust), 5 mg/m³ (Respirable fraction) halable fraction), 3 mg/m³ (Respirable fraction) halable fraction), 1.5 mg/m³ (Respirable fraction)		
<b>Engineering Controls:</b> Use adequate ventilation.				
Personal Protection Equipr	nent(s):			
<b>Respiratory Protection</b>	Required Not Required	ired		
<b>Eye/Face Protection:</b>	☐ Required  Not Required	ired		
Skin Protection:	□ Required ■ Not Required			
SECTION 9 PHYSIC	CAL AND CH	EMICAL PROPERTIES		
Appearance:		Yellow fine powder		
Odor:		Slight plastic odor		
pH:		Not applicable		
<b>Boiling Point/Range(°C):</b>		Not applicable		
Melting Point/Range(°C):		100 - 150 (Softening point)		
<b>Decomposition Temperatur</b>	re(°C):	>200		
Flash Point(°C):		Not applicable		
Flammable (Explosive) Lim	its:	Not applicable		
<b>Autoignition Temperature</b> (	°C):	Not available		
Flammability:		Not-flammable(Test method: Directive 92/69/EEC, A10 Flammability (Solids))		
<b>Explosive Properties:</b>		Can form explosive dust-air mixtures when finely dispersed in air.		
Oxidizing Properties:		Not available		
Vapor Pressure:		Not applicable		
Vapor Density:		Not applicable		
Density / Specific Gravity:		1.0 - 1.2		
Water Solubility:		Negligible		
Fat Solubility:		Partially soluble in toluene and xylene.		
Partition Coefficient (n-Octanol/Water):		Not applicable		
Percent Volatile:		Negligible		
<b>Evaporation Rate:</b>		Not applicable		
Viscosity (mPa s):		Not applicable		

Page 4 of 6



# MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101 Product Code: 8643A / F42-6231

SECTION 10 STABILITY AND	REACTIVITY
Stability:	Stable     Unstable
Conditions to Avoid:	None
Materials to Avoid:	Strong oxidizers
<b>Hazardous Decomposition Products:</b>	CO, CO2
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur
Conditions to Avoid:	None
SECTION 11 TOXICOLOGICA	AL INFORMATION
Acute Toxicity: Inhalation:  Not available Ingestion:	
Estimate: Rat, LD50> 2000 mg/l	<u>kg</u>
Eye: Estimate: Rabbit, transient slight	conjunctival irritation only.
Skin: Estimate: Rabbit, non-irritant	
<b>Sensitization:</b> Estimate: Guinea pig, skin: Non-	sensitizing
Mutagenicity: Ames Test (S. typhimurium, E. c	coli): Negative
Reproductive Toxicity: Not available	
Carcinogenicity: Not available	

# Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



# MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101 Product Code: 8643A / F42-6231

SECTION 12 E	COLOG	ICAL INFORMATION	
<b>Mobility:</b>		Not available	
Persistence / Degrad	ability:	Not available	
<b>Bioaccumulation:</b>		Not available	
<b>Ecotoxicity:</b>		Not available	
Other Adverse Effec	ts:	Not available	
SECTION 13 D	ISPOSA	L CONSIDERATION	
Method of Disposal: DO NOT put toner container, unless d	r or toner ust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner sion preventing measures are taken. Finely dispersed particles form explosive mixtures abject to federal, state and local laws.	
SECTION 14 T	RANSP	ORT INFORMATION	
UN #:	None		
<b>UN Shipping Name:</b>	None		
<b>UN Classification:</b>	None		
<b>UN Packing Group:</b>	None		
Marine Pollutant:	☐ Yes ☑ No	Chemical name (wt%):	
<b>Special Precautions:</b>	None		
SECTION 15 R	EGULA	TORY INFORMATION	
< EU Information >			
Information on the Symbol & Indica		ot required	
<b>R-Phrase:</b> Not required			
S-Phrase: Not required			
Dangerous Comp	ponent(s	):	
Special Precaution Not required	ons unde	r 1999/45/EC Annex V:	
Specific Provisions	in Relati	on to Protection of Man or the Environment:	
76/769/EEC:	Not regu	lated	
(EC)2037/2000:	Not regulated		
(EC)304/2003:	Not regulated		
Others:	None		
< USA Information >	>		
Information on the Label:			
Signal Word: Not required			
Hazard warning Not required	:		



### MATERIAL SAFETY DATA SHEET

MSDS #: TN1107-0101

Product Code: 8643A / F42-6231

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

#### SECTION 16 OTHER INFORMATION

None

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

#### Abbreviations

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration(USA).

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

 $"DFG\ MAK"\ stands\ for\ MAK (Maximale\ Arbeitsplatzkonzentrationen)\ under\ Deutsche\ Forschungsgemeinschaft.$ 

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

"OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard(USA).

 $"FHSA"\ stands\ for\ Federal\ Hazardous\ Substances\ Act (USA).$ 

"WHMIS" stands for Workplace Hazardous Materials Information System.

"NOHSC" stands for National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.