C1Q20Series[B][2]-MSDS_US-English-26.pdf

C1Q20Series[C][2]-MSDS_US-English-07.pdf



1. Product and Company Identification Material name C1Q20Series[B][2] Version # 01 **Issue date** 12-Feb-2014 **Product use** Inkjet printing Synonym(s) Matte Black Ink **Company identification** Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com 2. Hazards Identification **Emergency overview** Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and diarrhea. Other hazards Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation

Hazardous components	CAS	; #	Percent
2-pyrrolidone	616-4	15-5	< 15
1,5-pentanediol	111-2	29-5	< 2.5
Non-hazardous component	cas Cas	; #	Percent
Water	7732-	18-5	> 70
Ethyl alkyldiol	Proprie	etary	< 2.5
Sodium Hydroxide	1310-	73-2	<0.1
Composition comments 4. First Aid Measures	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 Communication Standard).	CFR 1910.	1200 (Hazard
4. First Aid Measures General advice	This product has been evaluated using criteria specified in 29	OCFR 1910.	1200 (Hazard
4. First Aid Measures	This product has been evaluated using criteria specified in 29 Communication Standard).	CFR 1910.	1200 (Hazard
4. First Aid Measures General advice	This product has been evaluated using criteria specified in 29 Communication Standard).	ean, warm v	vater (low pressure) for a
4. First Aid Measures General advice First aid procedures	This product has been evaluated using criteria specified in 29 Communication Standard). No information Do not rub eyes. Immediately flush with large amounts of cle	ean, warm v ersists get r	vater (low pressure) for a nedical attention.
4. First Aid Measures General advice First aid procedures Eye contact	This product has been evaluated using criteria specified in 29 Communication Standard). No information Do not rub eyes. Immediately flush with large amounts of cle least 15 minutes or until particles are removed. If irritation pe Wash affected areas thoroughly with mild soap and water. If	ean, warm v ersists get r irritation pe	vater (low pressure) for a nedical attention.

3. Composition / Information on Ingredients

5. Fire Fighting Measures				
Flammable properties	Combustion generates toxic fumes of fluorides/fluorine compounds.			
Extinguishing media Suitable extinguishing media	CO2, water, dry chemical, or foam			
Unsuitable extinguishing media	None known.			
Fire fighting equipment/instructions	Not available.			
Specific methods	None established.			
Hazardous combustion products	Refer to section 10.			
6. Accidental Release Meas	ures			
Personal precautions	Wear appropriate personal protectiv	re equipment.		
Environmental precautions	Do not let product enter drains. Do	not flush into surface water or sanitary sewer system.		
Other information		al. Slowly vacuum or sweep the material into a bag or other pliance with federal, state, and local regulations. See also		
7. Handling and Storage				
Handling	Avoid contact with skin, eyes and cl	othing.		
Storage	Keep out of the reach of children. K oxidizers.	eep away from excessive heat or cold. Store away from strong		
8. Exposure Controls / Pers	onal Protection			
Occupational exposure limits				
US. ACGIH Threshold Lim	it Values			
Components	Туре	Value		
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
US. OSHA Table Z-1 Limit Components	s for Air Contaminants (29 CFR 19 Type	10.1000) Value		
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3		
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components	Туре	Value		
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
US. Tennessee. OELs. Occ Components	upational Exposure Limits, Table 2 Type	Z1A Value		
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
Exposure guidelines	Exposure limits have not been estab	plished for this product.		
Engineering controls	Use in a well ventilated area.	•		
Personal protective equipmer	it			
General		to minimize exposure to skin and eye.		
General hygiene considerations	Handle in accordance with good ind			
9. Physical & Chemical Prop	perties			
Appearance	Not available.			
Physical state	Not available.			
Form	Not available.			
Color	Black.			

Odor	Not available.
рН	9.2
Vapor pressure	Not determined
Boiling point	Not determined
Melting point/Freezing point	Not available.
Solubility (water)	Soluble in water
Specific gravity	1 - 1.1
Flash point	> 200.00 °F (> 93.33 °C) Pensky-Martens Closed Cup
VOC	< 240 g/l
Other information	For other VOC regulatory data/information see Section 15.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	No information available
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride, fluorinated hydrocarbons
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Toxicological data	Guaria	-	test Desults
Components	Specie	IS I	est Results
2-pyrrolidone (CAS 616-45-5)			
Acute			
<i>Oral</i> LD50	Cuinco	nia	
ED30	Guinea		500 mg/kg
	Rat	6	500 mg/kg
Sodium Hydroxide (CAS 1310-7	/3-2)		
Acute			
Other			
LD50	Mouse	4	l0 mg/kg
Carcinogenicity	No data a	available.	
Serious eye damage/eye irritation	Not availa	able.	
Further information		ormulation has not been tested for toxicologica Section 2 for potential health effects and Section	
12. Ecological Information	n		
Ecotoxicological data Product		Species	Test Results
C1Q20Series[B][2]			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Ethyl alkyldiol (CAS Proprietary)		
Crustacea	, EC50	Daphnia	102, 48 Hours
Fish	LC50	Fish	1000, 96 Hours
	2030		

Components		Species	Test Results
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	10330 - 16360 mg/l, 48 hours
Fish	LC50	Bleak (Alburnus alburnus)	> 10000 mg/l, 96 hours
Sodium Hydroxide (CAS 1310-73	-2)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
Ecotoxicity	No data ava	ilable.	
Persistence and degradability	y Not availabl	e.	
Bioaccumulation / Accumula	tion		
Bioaccumulative potentia Octanol/water partit 2-pyrrolidone		t log Kow -0.85	
Partition coefficient 2-pyrrolidone		-0.85	
13. Disposal Considerations			
Disposal instructions	Do not allov	v this material to drain into sewers/water su	
	Dispose of v Regulations	waste material according to Local, State, Fed	eral, and Provincial Environmental
	of HP origin	Partners (trademark) supplies recycling prog al inkjet and LaserJet supplies. For more in in your location, please visit http://www.hp.	formation and to determine if this service
14. Transport Information			
DOT Not regulated as dangerous	aoods		
IATA	90003.		
Not regulated as dangerous	goods.		
IMDG			
Not regulated as dangerous	goods.		
RID			
Not regulated as dangerous good	ls.		
Further information	Not a dange	erous good under DOT, IATA, ADR, IMDG, o	r RID.
15. Regulatory Information	 ו		
US federal regulations	US TSCA 12	(b): Does not contain listed chemicals.	
Chemical Code Number Not listed.	istration (DE		
Not regulated.		······································	
CERCLA (Superfund) reportal	ble quantity		
None			

Superfund Amendments and Reauthorization Act of 1986 (SARA)

•	Reauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous chemical	No
Other information	Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = < 958 g/L (U.S. requirement, not for emissions) VOC data based on formulation (Organic compounds minus solids)
State regulations	
US. Massachusetts RTK - S	
2-pyrrolidone (CAS 616-4 US. Pennsylvania RTK - Ha	
2-pyrrolidone (CAS 616-4 US. Rhode Island RTK	45-5) Listed.
Not regulated.	
16. Other Information	
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	12-Feb-2014
This data sheet contains changes from the previous version in section(s):	1. Product and Company Identification: Alternate Trade Names
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



1. Product and Company I	dentification
Material name	C1Q20Series[C][2]
Version #	01
Issue date	12-Feb-2014
Product use	Inkjet printing. For use only in inkjet printing
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazards Identification	
Emergency overview	Contact with skin and eyes may result in irritation.
Other hazards	Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent	
Diethylene glycol	111-46-6	<2.5	
Trade Secret Blue Pigment	Proprietar	y <2.5	
Non-hazardous components	CAS #	Percent	
Water	7732-18-5	5 >70	
Cyclo Amide	Proprietar	y <10	
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	2 <5	
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFF Communication Standard).	R 1910.1200 (Hazard	
4. First Aid Measures			
4. First Aid Measures General advice	No information		
4. First Aid Measures General advice First aid procedures	No information		
General advice	No information Do not rub eyes. Immediately flush with large amounts of clean, least 15 minutes or until particles are removed. If irritation persis		e) for at
General advice First aid procedures	Do not rub eyes. Immediately flush with large amounts of clean,	ts get medical attention.	-
General advice First aid procedures Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, least 15 minutes or until particles are removed. If irritation persis Wash affected areas thoroughly with mild soap and water. Get m	ts get medical attention.	-

US. AIHA Workplace Envir Components	ronmental Exposure Level (WEEL) Guides Type Value		
Occupational exposure limits			
8. Exposure Controls / Pers	onal Protection		
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.		
Handling Storage	Avoid contact with skin, eyes and clothing.		
7. Handling and Storage			
Other information	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.		
Methods for cleaning up	Soak up with inert absorbent material.		
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.		
Personal precautions	Wear appropriate personal protective equipment.		
6. Accidental Release Measu	ures		
products	Refer to section 10.		
Specific methods Hazardous combustion	None established.		
Fire fighting equipment/instructions	Not available.		
Unsuitable extinguishing media	None known.		
Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.		
Flammable properties	Hydrogen fluoride, a corrosive and toxic gas, and other potentially hazardous fluorine-containin compounds may be released upon combustion.		
5. Fire Fighting Measures			

Туре	Value	
TWA	10 mg/m3	
Exposure limits have not been e	stablished for this product.	
Use personal protective equipme	ent to minimize exposure to skin and eye.	
Wear safety glasses with side sh	ields (or goggles).	
Wear appropriate chemical resis	tant clothing.	
Handle in accordance with good	industrial hygiene and safety practice.	
	TWA Exposure limits have not been en Use personal protective equipme Wear safety glasses with side sh Wear appropriate chemical resis	TWA10 mg/m3Exposure limits have not been established for this product.

9. Physical & Chemical Properties

Specific gravity	1 - 1.05
Solubility (water)	Not available.
Melting point/Freezing point	Not available.
Boiling point	Not available.
Vapor pressure	Not available.
рН	8 - 10 9
Odor	Not available.
Color	Light Cyan
Form	Not available.
Physical state	Liquid.
Appearance	Not available.

Flash point VOC Other information	200.00 °F (93.33 °C) Pensky-Martens Closed Cup < 157 g/l For other VOC regulatory data/information see Section 15.			
10. Chemical Stability & Reactivity Information				
Chemical stability	Stable under recommended storage conditions.			
Conditions to avoid	No information available			
Incompatible materials	Incompatible with strong bases and oxidizing agents.			
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen fluoride.			
Possibility of hazardous reactions	None known.			

11. Toxicological Information

Toxicological data				
Components	Species		Test Results	
Diethylene glycol (CAS 111-46-6)				
Acute				
Dermal				
LD50	Rabbit		11890 mg/kg	
Oral	•		"	
LD50	Cat		3300 mg/kg	
	Dog		9000 mg/kg	
	Guinea pig		8700 mg/kg	
			14 g/kg	
	Mouse		23700 mg/kg	
			13.3 g/kg	
	Rabbit		26.9 g/kg	
	Rat		12565 mg/kg	
			15.6 g/kg	
Other				
LD50	Mouse		22500 mg/kg	
			9.6 g/kg	
	Rabbit		2000 mg/kg	
	Rat		7700 mg/kg	
			7.7 g/kg	
Carcinogenicity	No data availa	No data available.		
Serious eye damage/eye rritation	Not available.			
Further information	This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
12. Ecological Information				
Ecotoxicological data Product		Species	Test Results	
C1Q20Series[C][2] (CAS Mixture)		-		
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas	s) > 750 mg/l, 96 Hours	

Components		Species	Test Results
Diethylene glycol (CAS 111-46-6)			
Aquatic			
Fish	LC50	Western mosquitofis	n (Gambusia affinis) > 32000 mg/l, 96 hours
Ecotoxicity	No information	n available.	
Persistence and degradability	Not available.		
Bioaccumulation / Accumulat	ion		
13. Disposal Considerations	;		
Disposal instructions	HP's Planet Pa of HP original i	rtners (trademark) su inkjet and LaserJet su	l, state, and local regulations. oplies recycling program enables simple, convenient recycling oplies. For more information and to determine if this service isit http://www.hp.com/recycle.
14. Transport Information			
DOT			
Not regulated as dangerous g	joods.		
IATA			
Not regulated as dangerous g	joods.		
IMDG			
Not regulated as dangerous g	joods.		
RID			
Not regulated as dangerous good	S.		
15. Regulatory Information			
US federal regulations	US TSCA 12(b): Does not contain listed chemicals. US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
Drug Enforcement Admin Chemical Code Number Not listed.	istration (DEA).	List 2, Essential Ch	emicals (21 CFR 1310.02(b) and 1310.04(f)(2) and
-	istration (DEA).	List 1 & 2 Exempt	Chemical Mixtures (21 CFR 1310.12(c))
Not regulated. DEA Exempt Chemical Mix	ctures Code Nu	mber	
Not regulated. TSCA Section 12(b) Expor Not regulated.	t Notification (4	40 CFR 707, Subpt.	D)
CERCLA (Superfund) reportab	le quantity		
None			
Superfund Amendments and I	Reauthorizatior	n Act of 1986 (SARA)
Hazard categories	Immediate Haz Delayed Hazar Fire Hazard - N Pressure Hazar Reactivity Haza	zard - No d - No No rd - No	-
SARA 302 Extremely hazardous substance	No		
SARA 311/312 Hazardous chemical	No		
Other information	emissions)		t compounds) = $<$ 962 g/L (U.S. requirement, not for anic compounds minus solids)

State regulations

US. Massachusetts RTK - Substance List Not regulated.

US. Pennsylvania RTK - Hazardous Substances Diethylene glycol (CAS 111-46-6)

Listed.

US. Rhode Island RTK

Diethylene glycol (CAS 111-46-6)

16. Other Information		
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0	
NFPA ratings	Health: 1 Flammability: 1 Instability: 0	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparatio of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).	
Issue date	12-Feb-2014	
This data sheet contains changes from the previous version in section(s):	 Product and Company Identification: Alternate Trade Names Hazards Identification: Other hazards Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Other information Ecological Information: Aquatic toxicity 	
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209	

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds