# SAFETY DATA SHEET

# 1. Identification

**Product identifier** C2P19Series Other means of identification Not available. **Recommended use** Inkjet printing **Recommended restrictions** None known. **Issue date** 20-Jun-2014

**Company identification Hewlett-Packard Company** 

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-5020

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. OSHA hazard(s) Not classified.

**Label elements** 

**Hazard symbol** No symbol. Signal word Not available. **Hazard statement** Not available.

**Precautionary statement** 

**Prevention** Not available. Response Not available. Storage Not available. **Disposal** Not available. Hazard(s) not otherwise Not classified.

classified (HNOC)

# 3. Composition/information on ingredients

# **Mixtures**

# **Hazardous components Chemical name**

2-pyrrolidone	616-45-5	< 15
Non-hazardous components Chemical name	CAS number	%
Water	7732-18-5	> 70
Co-Solvent*	Proprietary*	< 10
Carbon Black Colorant	1333-86-4	< 5

# **Composition comments**

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazarc

Communication Standard).

Carbon black is present only in a bound form in this preparation.

Material name: C2P19Series SDS US

%

**CAS** number

4. First-aid measures

**Inhalation** Remove to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye contact**Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Flash point > 230.00 °F (> 110.00 °C) Pensky-Martens Closed Cup

**Suitable extinguishing media** For small (incipient) fires, use media such as foam, sand, dry chemical, or carbon dioxide.

For large fires use very large (flooding) quantities of water and/or foam, applied as a mist or spray.

Unsuitable extinguishing

media

None known.

**Specific hazards arising from** 

the chemical

Not applicable.

Special protective equipment

and precautions for

**Specific methods** 

Not available

firefighters

None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

7. Handling and storage

**Precautions for safe handling** Avoid contact with skin, eyes and clothing.

Conditions for safe storage,

including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls/personal protection

**Occupational exposure limits** 

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 Carbon Black Colorant (CAS
 PEL
 3.5 mg/m3

1333-86-4)

**US. ACGIH Threshold Limit Values** 

ComponentsTypeValueFormCarbon Black Colorant (CASTWA3 mg/m3Inhalable fraction.

1333-86-4)

US. NIOSH: Pocket Guide to Chemical Hazards

ComponentsTypeValueCarbon Black Colorant (CASTWA0.1 mg/m3

1333-86-4)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

**Skin protection** 

Hand protectionNot available.OtherNot available.

Material name: C2P19Series SDS US

11120 Version #: 01 Issue date: 20-Jun-2014

**Respiratory protection** Not available. Thermal hazards Not available.

**General hygiene** considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Appearance** Not available. **Physical state** Liquid. Color Black.

Odor Not available. **Odor threshold** Not available. 7.5 - 9 pН Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point > 230.00 °F (> 110.00 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit upper (%)

**Explosive limit - lower** 

(%)

**Explosive limit - upper** 

(%)

Not available. Not available.

Not available.

Not available. Vapor pressure Solubility(ies) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information For other VOC regulatory data/information see Section 15.

**Oxidizing properties** Not determined VOC (Weight %) < 229 g/L

# 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Material name: C2P19Series SDS US **Respiratory sensitization** Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains

bound within a product matrix, specifically, rubber, ink, or paint.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black Colorant (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity Based on available data, the classification criteria are not met.

- single exposure

Specific target organ toxicity

- repeated exposure

**Aspiration hazard Further information**  Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Guinea pig

6500 mg/kg Rat 6500 mg/kg

Carbon Black Colorant (CAS 1333-86-4)

**Acute** 

Oral

LD50 Rat > 8000 mg/kg

# 12. Ecological information

**Aquatic toxicity** This product has not been tested for ecological effects.

**Ecotoxicity** 

Components **Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

-0.852-pyrrolidone

Mobility in soil Not available. Other adverse effects Not available.

### 13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Hazardous waste code Waste from residues /

Local disposal regulations

unused products

Not regulated. Not available.

Not available.

Contaminated packaging Not available.

Material name: C2P19Series SDS US

11120 Version #: 01 Issue date: 20-Jun-2014

# 14. Transport information

#### DOT

Not regulated as a hazardous material by DOT.

#### **IATA**

Not regulated as a dangerous good.

#### **IMDG**

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL

No information available.

73/78 and the IBC Code

# 15. Regulatory information

#### **US federal regulations**

US TSCA 12(b): Does not contain listed chemicals.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

# **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

**SARA 311/312** No

**Hazardous chemical** 

# Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

**Chemical Code Number** 

(SDWA)

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and

Not listed.

# Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

# **DEA Exempt Chemical Mixtures Code Number**

Not regulated.

**Food and Drug** Not regulated.

**Administration (FDA)** 

# **US state regulations**

### **US. Massachusetts RTK - Substance List**

2-pyrrolidone (CAS 616-45-5)

Carbon Black Colorant (CAS 1333-86-4)

#### **US. New Jersey Worker and Community Right-to-Know Act**

Not regulated.

#### **US. Pennsylvania RTK - Hazardous Substances**

2-pyrrolidone (CAS 616-45-5)

Carbon Black Colorant (CAS 1333-86-4)

#### **US. Rhode Island RTK**

Carbon Black Colorant (CAS 1333-86-4)

# **US. California Proposition 65**

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon Black Colorant (CAS 1333-86-4)

Material name: C2P19Series SDS US **Other information** VOC content (less water, less exempt compounds) = < 884 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other information, including date of preparation or last revision

**Issue date** 20-Jun-2014

Version # 01

**Further information** Not available.

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packarc

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Revision Information** Toxicological information: Carcinogenicity

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

# **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C2P19Series SDS US

11120 Version #: 01 Issue date: 20-Jun-2014