

1. Product and Company Identification

Material name C4844A

Use of the preparation Inkjet printing

Version # 07

Revision date 22-May-2009
CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomerinquiries@hp.com

Date prepared May 21, 2009

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Contact with skin and eyes may result in

irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 2-pyrrolidone

Contact with skin may result in irritation.

Eye contact 2-pyrrolidone

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this

ink

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans).. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Material name C4844A MSDS US

Creation date Apr 30, 2003 Version number 9 1 / 5



Material Safety Data Sheet

Component/substance	CAS number	% by weight
Water	7732-18-5	< 80
2-pyrrolidone	616-45-5	< 10
Carbon black	1333-86-4	< 5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	
4. First Aid Measures		
First aid procedures		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.	
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.	
Inhalation	Move to fresh air. If symptoms persist, get medical attention.	
Ingestion	If ingestion of a large amount does occur, seek medical attention.	
5. Fire Fighting Measures		
Flash point and method	> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup	
Hazardous combustion products	Refer to section 10.	
Flammable properties	None known.	
Extinguishing media		
Suitable extinguishing media	CO2, water, dry chemical, or foam	
Unsuitable extinguishing media	None known.	
Unusual fire and explosion hazard	None known.	
Special firefighting procedures	None established.	
6. Accidental Release Measures		
Personal precautions	Wear appropriate personal protective equipment.	
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.	
Methods for containment	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.	
Methods for cleaning up	Soak up with inert absorbent material.	
Other information	Soak up with inert absorbent material. Slowly other sealed container. Dispose of in complia See also section 13 Disposal considerations.	ance with federal, state, and local regulations.
7. Handling and Storage		
Handling	Avoid contact with skin, eyes and clothing.	
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.	

Material name C4844A MSDS US Creation date Apr 30, 2003 Version number 9 2/5



8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components Type Value

Carbon black (1333-86-4) TWA 3.5 mg/m3

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Skin protection Protected gloves not required under intended use.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Black

Odor thresholdNot available.Physical stateLiquid.pH7.8 - 8.8Melting pointNot available.

Freezing point

Not available.

Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Evaporation rateNot determinedFlammabilityNot available.Flammability limits in air,Not available.

upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Vapor pressureNot determinedVapor density> 1 (air = 1.0)

Specific gravity 1 - 1.2

Relative density

Solubility (water)

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

VOC < 3 % Viscosity > 2 cp

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

carbon dioxide and/or low molecular weight hydroca

Possibility of hazardous

reactions

Will not occur.

Material name C4844A MSDS US

Creation date Apr 30, 2003 Version number 9 3 3 / 5



11. Toxicological Information

Carcinogenicity

IARC Monographs on Occupational Exposures to Chemical Agents: Evidence of carcinogenicity in humans

Carbon black (1333-86-4) Inadequate data.

US ACGIH Threshold Limit Values: A4 carcinogen

Carbon black (1333-86-4) Group A4 Not classifiable as a human carcinogen.

Symptoms and target organs

Target Organs (NIOSH)

Carbon black (1333-86-4) Eyes

Carbon black (1333-86-4) Respiratory system

12. Ecological Information

LC50/96h/Fathead minnows => 750 mg/L Aquatic toxicity

Persistence and degradability Not available.

13. Disposal Considerations

Dispose of in compliance with federal, state, and local regulations. **Disposal instructions**

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine

if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

IATA

Proper shipping name Not applicable **Hazard class** Not applicable

UN number None N/A **Packing group Packaging exceptions** None

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

US federal regulations US TSCA 12(b): Contains tetrahydrofuran (CASRN 109-99-9), subject to export notification

requirements.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

No

chemical

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL),

Australia, Japan, Philippines, South Korea, New Zealand, and China.

Material name C4844A MSDS US Creation date Apr 30, 2003 Version number 9



State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (616-45-5) Listed Carbon black (1333-86-4) Listed

16. Other Information

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0

Instability: 0

Issue date May 21 2009 6:29PM

Revision 7

Replaces sheet dated May 20 2009 4:41PM

Manufacturer information Hewlett-Packard Company 1000 NE Circle Boulevard

Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name C4844A MSDS US

Creation date Apr 30, 2003 Version number 9 5 / 5