

1. Chemical Product and Company Identification

Material name C4951A

Use of the preparation Inkjet printing

Version # 03

Revision date 27-Mar-2008
CAS # Mixture

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Mar 27, 2008

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effectsAny potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation. Substituted phthalocyanine salt #1 Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Aliphatic diol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Material name C4951A MSDS US
Creation date Apr 30, 2003 Version number 3 1 / 6



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Water Aliphatic diol	7732-18-5 Proprietary	> 80 < 10
2-pyrrolidone	616-45-5	< 5
Substituted phthalocyanine salt #1	Proprietary	< 5
Th	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention. **Ingestion** If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point and method

Hazardous combustion

products

Refer to section 10.

Flammable properties None known.

Extinguishing media

Suitable extinguishing

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting

procedures

None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

MSDS US Material name C4951A Creation date Apr 30, 2003 **Version number** 3 2/6



Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure limits

ACGIH

CAS# **TWA STEL** Ceiling Components Substituted phthalocyanine **Proprietary** 0.2 mg/m3 Not established Not established salt #1

OSHA

Components CAS# **TWA STEL** Ceiling Substituted phthalocyanine **Proprietary** 0.1 mg/m3Not established Not established salt #1

Exposure guidelines Exposure limits have not been established for this product.

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Substituted phthalocyanine **Proprietary** 0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists)

salt #1

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)

Substituted phthalocyanine **Proprietary** 0.2 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists, as Cu)

salt #1

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

For use other than intended use (such as in the event of a large spill), goggles and respirators Respiratory protection

may be required.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Cyan

Odor threshold Not available Physical state Liquid. 7 - 8 pН

Not available **Melting point** Not available Freezing point

MSDS US Material name C4951A 3 / 6

Creation date Apr 30, 2003 **Version number** 3



Boiling point Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Evaporation rate Not determined **Flammability** Not available. Not available Flammability limits in air, upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure > 1 (air = 1.0)Vapor density

1 - 1.2 Specific gravity

Relative density Not available Solubility in water Soluble in water **Partition coefficient** Not available (n-octanol/water)

Auto-ignition temperature Not available **Decomposition temperature** Not available VOC < 3 % **Viscosity** > 2 cp

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Substituted phthalocyanine **Proprietary**

salt #1

dusts and mists: respiratory system, skin, liver, kidneys, eyes (increased risk with Wilson"s disease); fume: respiratory system, skin, eyes,

(increased risk with Wilson's disease)

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability Not available

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

Material name C4951A MSDS US Creation date Apr 30, 2003 4/6

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name Not applicable **Hazard class** Not applicable

UN number None **Packing group** N/A Packaging exceptions None

15. Regulatory Information

US federal regulations US EPA TSCA 12(b): Does not contain listed chemicals.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Substituted phthalocyanine **Proprietary**

salt #1

final RQ = 5000 pounds (2270 kg) (no reporting of releases of this

hazardous substance is required if the diameter of the pieces of the solid

metal released is equal to or exceeds 0.004 inches)

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Substituted phthalocyanine

salt #1

Proprietary

form R reporting required for 1.0% de minimis concentration; Chemical Category N100; (does not include copper phthalocyanine compounds

substituted only with hydrogen and/or bromine or chlorine)

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

chemical

No

Section 311 hazardous

Yes

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Substituted phthalocyanine

salt #1

environmental hazard (any compound of this substance is also an **Proprietary**

environmental hazard as well as dust and fume)

U.S. - New Jersey - Right to Know Hazardous Substance List

Proprietary sn 0528 Substituted phthalocyanine

salt #1

16. Other Information

HMIS® ratings Health: 1

> Flammability: 2 Physical hazard: 0

MSDS US Material name C4951A Creation date Apr 30, 2003 **Version number** 3 5 / 6



NFPA ratings Health: 1

Flammability: 2 Instability: 0

Issue date Mar 27 2008 1:58PM

Revision

Replaces sheet dated Jan 9 2006 11:38PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

3. Hazards Identification: Routes of exposure MSDS sections updated

8. Exposure Controls/Personal Protection: Respiratory

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name C4951A MSDS US Creation date Apr 30, 2003 6/6