

## 1. Chemical Product and Company Identification

**Material name** C5062A

Use of the preparation Inkjet printing

Version #

**Revision date** 27-Mar-2008 CAS# Mixture

Manufacturer information **Hewlett-Packard Company** 

> 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

**Hewlett-Packard health effects line** 

(Toll-free within the US) 1-800-457-4209 1-503-494-7199 (Direct)

**General information telephone number** 

**HP Customer Care Line** 1-800-474-6836 (Toll-free) 1-800-474-6836 1-208-323-2551 (Direct) **Date prepared** Mar 26, 2008 **MSDS** number 236940

#### 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation.

**Acute health effects** Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldicarboxylic acid

Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

**Eye contact** 

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldicarboxylic acid

Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted xanthylium salt #1

Contact with eyes may result in mild irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Material name C5062A MSDS US Creation date Apr 30, 2003 1/6

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkyldicarboxylic acid

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

**Ingestion** 

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldicarboxylic acid

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Potential health effects

**Routes of exposure** Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

**Chronic health effects** 

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

#### 3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Water	7732-18-5	> 60
1,5-pentanediol	111-29-5	< 15
2-pyrrolidone	616-45-5	< 7.5
Alkyldicarboxylic acid	Proprietary	< 7.5
Tetraethylene glycol	112-60-7	< 5
Substituted xanthylium salt #1	Proprietary	< 2.5
Composition comments	This ink supply contains an aqueous ink formulation.  This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

#### 4. First Aid Measures

First aid procedures

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) Eye contact

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention. **Ingestion** If ingestion of a large amount does occur, seek medical attention.

# 5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

**Hazardous combustion** 

products

Refer to section 10.

Material name C5062A MSDS US Creation date Apr 30, 2003 Version number 4 2/6



Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

**Unusual fire and explosion** 

hazard

None known.

Special firefighting

procedures

None established.

## 6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Methods for containment** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. Exposure Controls/Personal Protection

**Exposure guidelines** Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

**General hygeine** 

considerations

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical & Chemical Properties

Color Magenta

Odor threshold Not available

**Physical state** Liquid.

3.8 - 4.2Hα

Not available **Melting point** Freezing point Not available

**Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

**Evaporation rate** Not determined Not available. **Flammability** 

Flammability limits in air, upper, % by volume

Not available

MSDS US Material name C5062A Creation date Apr 30, 2003 Version number 4 3 / 6



Flammability limits in air,

lower, % by volume

Not determined

Vapor pressure Not determined Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.2

**Relative density** Not available Solubility in water Soluble in water **Partition coefficient** Not available

(n-octanol/water)

Not available **Auto-ignition temperature Decomposition temperature** Not available VOC < 3 %

#### 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions.

> 2 cp

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

**Viscosity** 

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

**Possibility of hazardous** 

reactions

Will not occur.

## 11. Toxicological Information

Not available

#### 12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows =/< 400 mg/L

> Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Persistence and degradability Not available

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

## 14. Transportation Information

#### **Department of Transportation (DOT) Requirements**

Not regulated as hazardous goods.

Material name C5062A MSDS US Creation date Apr 30, 2003 4/6



#### **IATA**

Proper shipping name Not applicable **Hazard class** Not applicable

**UN** number None **Packing group** N/A **Packaging exceptions** None

## 15. Regulatory Information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

Yes

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

## 16. Other Information

**HMIS®** ratings Health: 1

Flammability: 2 Physical hazard: 0

**NFPA** ratings Health: 1

> Flammability: 2 Instability: 0

Mar 26 2008 7:06PM Issue date

Revision

Replaces sheet dated Jun 14 2007 7:16AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated 3. Hazards Identification: Routes of exposure

Material name C5062A MSDS US Creation date Apr 30, 2003 5 / 6



#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name C5062A MSDS US
Creation date Apr 30, 2003 Version number 4 6 / 6