

1. Chemical Product and Company Identification

Material name C6195A

Use of the preparation Inkjet printing

Version #

Revision date 26-Mar-2008 CAS# Mixture

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 1-503-494-7199 (Direct)

General information telephone number

HP Customer Care Line 1-800-474-6836 (Toll-free) 1-800-474-6836 1-208-323-2551 (Direct) **Date prepared** Mar 26, 2008

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Material name C6195A MSDS US Creation date Apr 30, 2003



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

> tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of

fine dust particles is not expected to occur during normal conditions of use of this ink.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Carcinogenicity

carcinogenic to humans). None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight			
Water	7732-18-5	> 80			
Tetraethylene glycol 2-pyrrolidone	112-60-7 616-45-5	< 7.5 < 5			
Carbon black	1333-86-4	< 5			
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).				

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Hazardous combustion

products

Refer to section 10.

Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting

procedures

None established.

MSDS US Material name C6195A Creation date Apr 30, 2003 **Version number** 3 2/6



6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay,

sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure limits

ACGIH

Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established

OSHA

Components	CAS #	TWA	STEL	Ceiling
Carbon black	1333-86-4	3.5 mg/m3	Not established	Not established

Exposure guidelines Exposure limits have not been established for this product.

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA) Carbon black 1333-86-4 3.5 mg/m3 TWA

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

Carbon black 1333-86-4 3.5 mg/m3 TWA

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators

may be required.

General hygeine

considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Black

Not available **Odor threshold Physical state** Liquid. pН 7.8 - 8.4Not available **Melting point**

Material name C6195A MSDS US Creation date Apr 30, 2003



Freezing point Not available **Boiling point** Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Evaporation rate Not determined Not available. **Flammability** Flammability limits in air, Not available upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.2

Relative density Not available Solubility in water Soluble in water **Partition coefficient** Not available

(n-octanol/water)

Auto-ignition temperature Not available **Decomposition temperature** Not available VOC < 3 %

Viscosity > 2 cp

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Carcinogenicity

U.S. - OSHA - Hazard Communication Carcinogens

Carbon black 1333-86-4 Present

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Carbon black 1333-86-4 respiratory system, eyes (lymphatic cancer in presence of PAHs)

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows =>750 mg/L

Persistence and degradability Not available

MSDS US Material name C6195A Creation date Apr 30, 2003 **Version number** 3 4/6



13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name Not applicable **Hazard class** Not applicable

UN number None **Packing group** N/A **Packaging exceptions** None

15. Regulatory Information

US federal regulations US TSCA 12(b): Contains tetrahydrofuran (CASRN 109-99-9), subject to export notification

requirements.

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

> under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

State regulations

U.S. - California - Proposition 65 - Carcinogens List

Carbon black 1333-86-4 carcinogen, initial date 2/21/03 (airborne, unbound particles of

respirable size)

U.S. - Pennsylvania - RTK (Right to Know) List

616-45-5 Present 2-pyrrolidone

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon black 1333-86-4 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

sn 0342 Carbon black 1333-86-4

MSDS US Material name C6195A 5 / 6

Creation date Apr 30, 2003 **Version number** 3



16. Other Information

HMIS® ratings Health: 1

> Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

> Flammability: 1 Instability: 0

Issue date Mar 26 2008 3:33PM

Revision

Replaces sheet dated Mar 28 2007 12:26PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

3. Hazards Identification: Routes of exposure MSDS sections updated

3. Hazards Identification: Chronic health effects

3. Hazards Identification: Carcinogenicity

8. Exposure Controls/Personal Protection: Respiratory

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

MSDS US Material name C6195A Creation date Apr 30, 2003 6/6