



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8765 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836

(Toll-free) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared Aug 17, 2005

MSDS number 64123

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 10
1,5-pentanediol	111-29-5	< 5
Modified carbon black #6	Proprietary	< 5
Substituted diol	Proprietary	< 2.5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol
Contact with skin may result in irritation.

2-pyrrolidone
Contact with skin may result in irritation.

Substituted diol
Contact with skin may result in irritation.

Eye contact

1,5-pentanediol
Contact with eyes may result in irritation.

2-pyrrolidone
Contact with eyes may result in irritation.

Substituted diol
Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone
Inhalation may result in respiratory irritation.



MATERIAL SAFETY DATA SHEET

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.



MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	Exposure limits have not been established for this product.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7.5 - 8.2
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Black

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows =>750 mg/L.
------------------	--------------------------------------

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
-----------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
---------	---



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
US federal regulations	US TSCA 12(b): Contains sodium nitrite (CASRN 7632-00-0), subject to export notification requirements.	
HMIS ratings	Health:	1
	Flammability:	1
	Physical hazard:	0
NFPA ratings	Health:	1
	Flammability:	1
	Instability:	0
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Section 302 extremely hazardous substance	No	
Section 311 hazardous chemical	No	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 17 2005 3:07PM
Revision	5
Replaces sheet dated	Jul 26 2005 11:21AM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8766 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836

(Toll-free) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared Sep 06, 2005

MSDS number 67322

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/Substance	CAS Number	% By Weight
Cyan ink		
Water	7732-18-5	> 60
1,5-pentanediol	111-29-5	< 10
Ethyl alkylidol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Substituted phthalocyanine salt #1	Proprietary	< 5
Metal nitrate # 2	Proprietary	< 5
Alkylidol ethoxylate	Proprietary	< 2.5
Magenta ink		
Water	7732-18-5	> 60
1,5-pentanediol	111-29-5	< 10
Ethyl alkylidol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Substituted naphthalenesulfonate salt #11	Proprietary	< 5
Metal nitrate # 2	Proprietary	< 5
Alkylidol ethoxylate	Proprietary	< 2.5
Yellow ink		
Water	7732-18-5	> 60
1,5-pentanediol	111-29-5	< 10
Ethyl alkylidol	Proprietary	< 7.5
2-pyrrolidone	616-45-5	< 7.5
Substituted naphthalenesulfonate salt #13	Proprietary	< 7.5
Metal nitrate # 2	Proprietary	< 5
Alkylidol ethoxylate	Proprietary	< 2.5
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).	

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.



MATERIAL SAFETY DATA SHEET

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Substituted naphthalenesulfonate salt #13

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt #11

Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt #13

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Substituted naphthalenesulfonate salt #13

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.



MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

First aid procedures

Skin	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Inhalation	Remove to fresh air. If symptoms persist, get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method	> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup
Hazardous combustion products	Refer to section 10.
Extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
Unusual fire and explosion hazard	None known.
Special firefighting procedures	None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	None established.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	6.2 - 6.8
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)



MATERIAL SAFETY DATA SHEET

Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Cyan, magenta, yellow

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	<i>Cyan ink</i> LC50/96h/Fathead minnows =< 400 mg/L <i>Magenta ink</i> LC50/96h/Fathead minnows =< 400 mg/L <i>Yellow ink</i> LC50/96h/Fathead minnows =< 400 mg/L
------------------	--

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
-----------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
IATA	
Proper shipping name	Not applicable
Hazard class	Not applicable
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.



MATERIAL SAFETY DATA SHEET

HMIS ratings	Health:	1
	Flammability:	1
	Physical hazard:	0
NFPA ratings	Health:	1
	Flammability:	1
	Instability:	0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Hazard categories
Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

Issue date Sep 6 2005 8:58AM

Revision 4

Replaces sheet dated Sep 6 2005 8:34AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds