

1. Chemical Product and Company Identification

Material name C9456A

Use of the preparation Inkjet printing

Version # 02

Revision date 07-Apr-2008

Manufacturer information Hewlett-Packard Company

> 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836 (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551 **Date prepared** Apr 07, 2008

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting

and diarrhea. May cause sensitization of susceptible persons.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Alkvldiol

Contact with skin may result in irritation.

Triethanolamine

Contact with skin may result in irritation. May cause sensitization of susceptible persons by skin

contact.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkvldiol

Contact with eyes may result in irritation.

Triethanolamine

Contact with eyes may result in mild irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkvldiol

Inhalation may result in respiratory irritation.

Triethanolamine

Inhalation may result in respiratory irritation.

Material name C9456A MSDS US Creation date Apr 17, 2006 1/6



Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects No

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 15
Diethylene glycol	111-46-6	< 7.5
Alkyldiol	Proprietary	< 5
Triethanolamine	102-71-6	< 1

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure)

for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Hazardous combustion

products

Refer to section 10.

Flammable properties None known.

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Material nameC9456AMSDS USCreation dateApr 17, 2006Version number 22 / 6



Unusual fire and explosion

hazard

None known.

Special firefighting

procedures

None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or Other information other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from

strong oxidizers.

8. Exposure Controls/Personal Protection

Exposure limits

ACGIH

Components	CAS #	TWA	STEL	Ceiling
Triethanolamine	102-71-6	5 mg/m3	Not established	Not established

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Red

Odor threshold Not available **Physical state** Not available

9.2 Hα

Not available **Melting point** Freezing point Not available Not determined **Boiling point**

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point

Evaporation rate Not determined **Flammability** Not available. Flammability limits in air, Not available upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure

MSDS US Material name C9456A Creation date Apr 17, 2006 **Version number** 2



Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.1

Not available Relative density Solubility in water Soluble in water Not available **Partition coefficient**

(n-octanol/water)

Auto-ignition temperature Not determined **Decomposition temperature** Not available

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen

fluoride, fluorinated hydrocarbons

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Not available

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows => 750mg/L

Persistence and degradability Not available

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name Not applicable **Hazard class** Not applicable

UN number none Packing group N/A Packaging exceptions None

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Material name C9456A MSDS US Creation date Apr 17, 2006 **Version number** 2 4/6



Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

Yes

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other Information

HMIS® ratings Health: 1

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 2 Instability: 0

Issue date Apr 7 2008 12:12PM

Revision 2

Replaces sheet dated Mar 28 2008 9:36AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material nameC9456AMSDS USCreation dateApr 17, 2006Version number 25 / 6



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name C9456A MSDS US Creation date Apr 17, 2006 6/6