

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

HP Color LaserJet CE322A Yellow Print Cartridge
This product is a yellow toner preparation that is used in HP LaserJet Pro CM1415,CP1525 series printers.
01
28-Mar-2012
Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Acute health effects	
Skin contact	Unlikely to cause skin irritation.
Eye contact	May cause transient slight irritation
Inhalation	Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Ingestion	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.
Potential health effects	
Routes of exposure	Potential routes of exposure under normal use conditions are skin and eye contact; and inhalation
	Ingestion is not expected to be a primary route of exposure for this product under normal use conditions.
Chronic health effects	Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.
Carcinogenicity	Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). The IARC classification was based on high concentrations of titanium dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.
Other information	This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended.
	This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

3. Composition / Information on Ingredients

Components	CAS #	Percent
Styrene acrylate copolymer	Trade Secret	< 85
Wax	Trade Secret	< 10
Pigment	Trade Secret	< 5

Amorphous silica	7631-86-9 < 3
Titanium dioxide	13463-67-7 < 1
4. First Aid Measures	
First aid procedures	
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
5. Fire Fighting Measures	
Flammable properties	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
Extinguishing media	
Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
Protection of firefighters	
Protective equipment and precautions for firefighters	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.
Hazardous combustion products	Carbon monoxide and carbon dioxide.
6. Accidental Release Me	asures
Personal precautions	Minimize dust generation and accumulation.
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Other information	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
7. Handling and Storage	
Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
Storage	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers. Store at room temperature.
8. Exposure Controls / Pe	ersonal Protection
Occupational exposure limits	
ACGIH	
Components	Type Value
Titanium dioxide (13463-67-7)	TWA 10.0000 mg/m3

U.S. - OSHA

Components	Туре	Value	Form
Titanium dioxide (13463-67-7)	PEL	15.0000 mg/m3	Total dust.

U.S Tennessee			
Components	Туре	Value	Form
Titanium dioxide (13463-67-7)	TWA	10.0000 mg/m3	Total dust.
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Du	ust), 5 mg/m3 (Respirable I	Fraction)
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Pa	articulate), 3 mg/m3 (Respi	irable Particulate)
	Amorphous silica: USA OSHA (TWA/PEL): mg/m3	20 mppcf 80 (mg/m3)/%Si	O2, ACGIH (TWA/TLV): 10
Engineering controls	Use in a well ventilated area.		
Personal protective equipment			
General	No personal respiratory protective equipment	nt required under normal o	onditions of use.

9. Physical & Chemical Properties

5. Filysical & chemical F	
Appearance	Fine powder
Color	Yellow
Odor	Slight plastic odor
Odor threshold	Not available.
Physical state	Solid
Form	solid
pH	Not applicable
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not flammable
Vapor pressure	Not applicable
Vapor density	Not available.
Specific gravity	1 - 1.2 (H2O = 1)
Relative density	Not available.
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available.
Softening point	176 - 266 °F (80 - 130 °C)
Viscosity	Not applicable
Percent volatile	0 % estimated
VOC	Not available.
Other information	Decomposition temperature: > 200 ° C

Chemical stability	Stable under normal storage conditions.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Informa	ation
Oral toxicity	LD50/oral/rat >2000 mg/kg; (OECD 401); Not harmful Not classified for acute oral toxicity
-	according to EU Directive 67/548/EEC and 1999/45/EC.
Carcinogenicity	Titanium dioxide is classified by the IARC as a Group 2B carcinogen (the substance is possibl carcinogenic to humans). The IARC classification was based on high concentrations of titaniu dioxide particles in animal lungs. Under intended use of this toner product, exposure to titanium dioxide is much lower.
	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.
ACGIH Carcinogens	
•••	I Evaluation of Carcinogenicity
Amorphous silica (CAS 76	
Titanium dioxide (CAS 13 TARC Monographs: Eviden	2B Possibly carcinogenic to humans. Ince of carcinogenicity in humans
Titanium dioxide (CAS 13	
Inhalation toxicity	No information available.
	Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and 1999/45/EC.
Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.
Chronic toxicity	No information available.
Sensitization	Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).
Mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)
Reproductivity	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).
Symptoms and target organs	
Target Organs (NIOSH) Amorphous silica (CAS 76	531-86-9) Eyes
Titanium dioxide (CAS 13	Respiratory system
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.
12. Ecological Information	 on
Ecotoxicity	LC50: > 100 mg/l, Fish, 96.00 Hours
Persistence and degradability	Not available.
13. Disposal Consideration	ons
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, stat and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.
14. Transport Informatio	on
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
15. Regulatory Informati	ion
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.
CERCLA (Superfund) reportabl None	le quantity
Material name: CE322A	MSDS I

Occupational Safety and Heal	Ith Administration (OSHA)
29 CFR 1910.1200 hazardous chemical	No
Superfund Amendments and	Reauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
State regulations	
US - Pennsylvania RTK - I	Hazardous Substances: Listed substance
Titanium dioxide (CAS 1	3463-67-7) Listed.
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
16. Other Information	
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	28-Mar-2012
Manufacturer information	Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIHAmerican Conference of Governmental Industrial HygienistsCASChemical Abstracts ServiceCERCLAComprehensive Environmental Response Compensation and Liability ActCFRCode of Federal Regulations
CERCLA Comprehensive Environmental Response Compensation and Liability Act
Cede et Eederal Degulations
CFR Code of Federal Regulations
Cleveland Open Cup
DOT Department of Transportation
EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC International Agency for Research on Cancer
NIOSH National Institute for Occupational Safety and Health
NTP National Toxicology Program
OSHA Occupational Safety and Health Administration
PEL Permissible Exposure Limit
RCRA Resource Conservation and Recovery Act
REC Recommended
REL Recommended Exposure Limit
SARA Superfund Amendments and Reauthorization Act of 1986
STEL Short-Term Exposure Limit
TCLP Toxicity Characteristics Leaching Procedure
TLV Threshold Limit Value
TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds