

## **MATERIAL SAFETY DATA SHEET**

1. Product and Company	Identification		
Material name	HP Color LaserJet CF302A Yellow Print Cartridge		
Version #	01		
Issue date	08-Nov-2013		
Product use	This product is a yellow toner preparation that is used in HP Color LaserJet Enterprise flow MFI M880 series printers.		
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-5020		
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com		
2. Hazards Identification			
Potential health effects			
Eyes	May cause transient slight irritation		
Skin	Unlikely to cause skin irritation.		
Inhalation	Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Us this product as intended does not result in inhalation of excessive amounts of dust.		
Ingestion	Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.		
Other hazards	This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, as amended. None of the ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP, OSHA or ACGIH.		

## 3. Composition / Information on Ingredients

· · · · · · · · · · · · · · · · · ·		
Non-hazardous components	CAS #	Percent
Styrene acrylate copolymer	Trade Secret	<90
Wax	Trade Secret	<10
Pigment	Trade Secret	<5
Amorphous silica	7631-86-9	<3

4. First Aid Measures		
General advice	No information	
First aid procedures		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for a least 15 minutes or until particles are removed. If irritation persists, consult a physician.	
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.	
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.	
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.	

5. Fire Fighting Measures			
Flammable properties	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.		
Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electrical fire.		
Specific methods	None established.		
Hazardous combustion products	Carbon monoxide and carbon dioxide.		
6. Accidental Release Measu	ures		
Personal precautions	Minimize dust generation and accumulation.		
Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.		
Other information	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.		
7. Handling and Storage			
Handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.		
Storage	Keep out of the reach of children. Keep tightly closed and dry. Store away from strong oxidizers Store at room temperature.		
8. Exposure Controls / Perse	ional Protection		
Occupational exposure limits			
US. NIOSH: Pocket Guide Components	to Chemical Hazards Type Value		
Amorphous silica (CAS 7631-86-9)	TWA 6 mg/m3		
Exposure guidelines	USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)		
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3		
Engineering controls	Use in a well ventilated area.		
Personal protective equipmen General	nt No personal respiratory protective equipment required under normal conditions of use.		
• • •	No personal respiratory protective equipment required under normal conditions of use.		
General	No personal respiratory protective equipment required under normal conditions of use.		
General 9. Physical & Chemical Prop	No personal respiratory protective equipment required under normal conditions of use.		
General 9. Physical & Chemical Prop Appearance	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder		
General 9. Physical & Chemical Prop Appearance Physical state	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder Solid.		
General 9. Physical & Chemical Prop Appearance Physical state Form	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder Solid. solid		
General 9. Physical & Chemical Prop Appearance Physical state Form Color	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder Solid. solid Yellow		
General 9. Physical & Chemical Prop Appearance Physical state Form Color Odor	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder Solid. solid Yellow Slight plastic odor		
General 9. Physical & Chemical Prop Appearance Physical state Form Color Odor pH	No personal respiratory protective equipment required under normal conditions of use. Derties Fine powder Solid. solid Yellow Slight plastic odor Not applicable		

Material name: CF302A

Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Specific gravity	1 - 1.2
Flash point	Not applicable
Viscosity	Not applicable
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
VOC	Not available
Other information	No information available
Other data	
Decomposition temperature	> 392 °F (> 200 °C)
10. Chemical Stability & Re	eactivity Information
Chemical stability	Stable under normal storage conditions.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	Will not occur.
11. Toxicological Informati	on
Toxicological data	

Toxicological data			
Components	Species	Test Results	
Amorphous silica (CAS 7631-86-	9)		
Acute			
Oral			
LD50	Mouse	> 15000 mg/kg	
	Rat	> 22500 mg/kg	
Sensitization	Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and OSHA HCS (US).		
Chronic effects	No information available.		
Carcinogenicity	Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California).		
Serious eye damage/eye irritation	Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU Directive 67/548/EEC and as amended.		
Mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)		
Reproductive effects	Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop. 65, and DFG (Germany).		
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.		

## 12. Ecological Information

Ecotoxicological data Product		Species	Test Results
CF302A			
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Ecotoxicity	LC50: > 100	mg/l, Fish, 96.00 Hours	
Persistence and degradability	Not available		

13. Disposal Considerations			
Disposal instructions	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state and local regulations.		
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.		
14. Transport Information			
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.		
15. Regulatory Information			
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
Chemical Code Number	stration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and		
Not listed. Drug Enforcement Admini	stration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))		
Not regulated.			
DEA Exempt Chemical Mix Not regulated.	ctures Code Number		
-	t Notification (40 CFR 707, Subpt. D)		
Not regulated.			
CERCLA (Superfund) reportab	le quantity		
None			
	Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazardous substance	No		
SARA 311/312 Hazardous chemical	No		
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
State regulations			
US. Massachusetts RTK - S	Substance List		
Not regulated. US. Pennsylvania RTK - Ha	azardous Substances		
Not regulated. US. Rhode Island RTK			
Not regulated.			
16. Other Information			
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0		
NFPA ratings	Health: 1 Flammability: 1 Instability: 0		

Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date Manufacturer information	08-Nov-2013 Hewlett-Packard Company 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

## **Explanation of abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds