1. Product and Company Identification

Material name CH635 Series
Use of the preparation Inkjet printing

Version # 04

Revision date 01-28-2009 CAS # Mixture

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Date preparedJan 27, 2009MSDS number333353

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 1,5-pentanediol

Contact with skin may result in irritation.

Aliphatic diol

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Pyridine azo dye

May cause sensitization by skin contact.

Eye contact 1,5-pentanediol

Contact with eyes may result in irritation.

Aliphatic diol

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Pyridine azo dye

Contact with eyes may result in irritation.

Inhalation Aliphatic diol

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Material name CH635 SERIES Creation date Mar 02, 2005



Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Prolonged or repeated skin contact may cause skin irritation or allergic skin sensitization

reaction.

None of the components present in this formulation at concentrations equal to or greater than Carcinogenicity

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Component/substance	CAS number	% by weight	
Water	7732-18-5	< 80	
Aliphatic diol	Proprietary	< 20	
Metal nitrate # 2	Proprietary	< 10	
Pyridine azo dye	Proprietary	< 10	
1,5-pentanediol	111-29-5	< 2.5	
2-Pyrrolidinone, 1-dodecyl-	2687-96-9	< 2.5	
Ethyl alkyldiol	Proprietary	< 2.5	
Polycyclic Sulfonic Acid, TMA salt	Proprietary	< 2.5	
Composition comments Th	This ink supply contains an adulable ink formulation		

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

5. Fire Fighting Measures

Flash point and method > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Refer to section 10. Hazardous combustion

products

Flammable properties None known.

Extinguishing media

Suitable extinguishing CO2, water, dry chemical, or foam

media

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

None established. Special firefighting procedures

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Material name CH635 SERIES MSDS US Creation date Mar 02, 2005 Version number 4 2/5



Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or Other information

other sealed container. Dispose of in compliance with federal, state, and local regulations.

See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Keep out of the reach of children. Keep away from excessive heat or cold. Storage

8. Exposure Controls / Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye. Handle in accordance with good industrial hygiene and safety practice.

General hygeine considerations

9. Physical & Chemical Properties

Magenta/Red/Purple Color

Odor threshold Not available.

Physical state Liquid. 7.2 - 7.4

Not available. **Melting point** Not available. Freezing point **Boiling point** Not determined

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup Flash point

Evaporation rate Not determined **Flammability** Not available. Not available. Flammability limits in air,

upper, % by volume

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure > 1 (air = 1.0)Vapor density

Specific gravity 1 - 1.2

Not available. Relative density Solubility (water) Soluble in water Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not determined **Decomposition temperature** Not available.

VOC < 3 % **Viscosity** > 2 cp

10. Chemical Stability & Reactivity Information

Stable under recommended storage conditions. Chemical stability Incompatible with strong bases and oxidizing agents. Incompatible materials

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous reactions

Will not occur.

Material name CH635 SERIES MSDS US Creation date Mar 02, 2005 3/5



11. Toxicological Information

Sensitization Did not cause sensitization on laboratory animals. (OECD 429)

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100%

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions HP's Planet Partners (trademark) supplies recycling program enables simple, convenient

recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Dispose of in compliance with federal, state, and local regulations.

14. Transport Information

IATA

Proper shipping name Not applicable Hazard class Not applicable

UN number None
Packing group N/A
Packaging exceptions None
Packaging non bulk None
Labels required None

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. Regulatory Information

US federal regulationsUS TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

16. Other Information

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Issue date Jan 27 2009 6:20PM

Material nameCH635 SERIESMSDS USCreation dateMar 02, 2005Version number 44 / 5

Revision 4

Replaces sheet dated Aug 8 2008 6:37PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name CH635 SERIES Creation date Mar 02, 2005 MSDS US