

1. Product and Co	ompany Identification	

I. Floudet and company	Identification
Identification of the preparation	CN624Series
Product use	Inkjet printing
Version #	00
Revision date	18-Dec-2012
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501
	Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com
2. Hazards Identification	1
Emergency overview	Contact with skin and eyes may result in irritation.
Acute health effects	
	Any potential hazards are presumed to be due to exposure to the components.
Skin contact	<i>2-pyrrolidone</i> Contact with skin may result in irritation.
	<i>Ethyl alkyldiol</i> Contact with skin may result in mild irritation.
	<i>Triethylene glycol</i> Contact causes skin irritation.
Eye contact	<i>2-pyrrolidone</i> Contact with eyes may result in irritation.
	<i>Ethyl alkyldiol</i> Contact with eyes may result in mild irritation. <i>Triethylene glycol</i> Irritating to eyes.
Inhalation	2-pyrrolidone Inhalation may result in respiratory irritation.
	<i>Triethylene glycol</i> Causes respiratory tract irritation.
Ingestion	<i>2-pyrrolidone</i> Ingestion may result in nausea, vomiting and diarrhea.
Potential health effects	
Routes of exposure	Potential routes of overexposure to this product are skin and eye contact
	Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.
	Complete toxicity data are not available for this specific formulation
Chronic health effects	None known.
Carcinogenicity	None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information Components		CAS #	Percent
2-pyrrolidone		616-45-5	< 7.5
Ethyl alkyldiol		Proprietary	< 15
Trade Secret Yellow Pigment		Proprietary	< 5
Triethylene glycol		112-27-6	< 5
Water		7732-18-5	> 60
Composition comments	This ink supply contains an aqueous ink forn This product has been evaluated using criter Communication Standard).		1200 (Hazard
4. First Aid Measures			
First aid procedures			
Eye contact	Do not rub eyes. Immediately flush with large least 15 minutes or until particles are removed the second se		
Skin contact	Wash affected areas thoroughly with mild sc attention.	pap and water. If irritation pe	ersists get medical
Inhalation	Move to fresh air. If symptoms persist, get r	medical attention.	
Ingestion	If ingestion of a large amount does occur, se		
General advice	No additional information		
5. Fire Fighting Measures	5		
Flammable properties	None known.		
Extinguishing media Suitable extinguishing media	CO2, water, dry chemical, or foam		
Unsuitable extinguishing media	None known.		
Specific methods	Wear self contained breathing apparatus for Use a water spray to cool fully closed contai	5 5 ,	
Hazardous combustion products	Refer to section 10.		
6. Accidental Release Me	asures		
Personal precautions	Wear appropriate personal protective equipr	nent.	
Environmental precautions	Do not let product enter drains. Do not flush	n into surface water or sanita	ry sewer system.
Methods for containment	Dike the spilled material, where this is possil or diatomaceous earth, commercial sorbents		ent such as dry clay, san
Methods for cleaning up	Soak up with inert absorbent material.		
Other information	Soak up with inert absorbent material. Slowl sealed container. Dispose of in compliance v section 13 Disposal considerations.		
7. Handling and Storage			
Handling	Avoid contact with skin, eyes and clothing.		
Storage	Keep out of the reach of children. Keep awa	y from excessive heat or col	d.
8. Exposure Controls / P	ersonal Protection		
Exposure guidelines	Exposure limits have not been established for	or this product.	
Engineering controls	Use in a well ventilated area.		
Personal protective equipmen General hygiene	t Handle in accordance with good industrial hy	valene and safety practice	
considerations			
General	Use personal protective equipment to minim	ize exposure to skin and eye	2.

Material name: CN624Series

11696 Version #: 00 Revision date: 18-Dec-2012 Print date: 18-Dec-2012

9. Physical & Chemical Properties

Appearance	Not available.
Color	Yellow
Odor	Not available.
Odor threshold	Not available.
Physical state	Liquid
Form	Not available.
рН	9.5
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not determined
Flash point	230 °F (110 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	Not available.
Specific gravity	1.1
Relative density	Not available.
Solubility (water)	Soluble in water
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
VOC	< 37.26 g/l
Other information	For other VOC regulatory data/information see section 15.
10. Chemical Stability &	Reactivity Information
Chemical stability	Stable under recommended storage conditions.
	· · · · · · · · · · · · · · · · · · ·

11. Toxicological Inform	nation
Possibility of hazardous Will not occur. reactions	
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Chemical stability	Stable under recommended storage conditions.

Serious eye damage/eye irritation	Not available.
Further information	This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity Persistence and degradability	LC50/96h/Fathead minnows =< 750 mg/L Not available.	
13. Disposal Consideration	ons	
Disposal instructions	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service	

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

15. Regulatory Informati	on	
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.	
DEA Exempt Chemical Mixtures Code Number		
Not regulated.		
	stration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))	
Not regulated.	tration (DEA) List 2. Eccentral Chamicals (21 CED 1210 02(b) and 1210 04(6)(2) and	
Chemical Code Number	stration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and	
Not listed.	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA (Superfund) reportabl	o quantity	
None	e quantity	
Occupational Safety and Healt	h Administration (OSHA)	
29 CFR 1910.1200 hazardous chemical	No	
Superfund Amendments and R	eauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No	
	Delayed Hazard - No Fire Hazard - No	
	Pressure Hazard - No	
	Reactivity Hazard - No	
Section 302 extremely hazardous substance	No	
Section 311 hazardous chemical	No	
State regulations		
US. Massachusetts RTK - S	ubstance List	
2-pyrrolidone (CAS 616-4		
-	d Community Right-to-Know Act	
Not regulated.		
US. Pennsylvania RTK - Ha		
2-pyrrolidone (CAS 616-4 Triethylene glycol (CAS 1		
US. Rhode Island RTK		
Triethylene glycol (CAS 1)	12-27-6)	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification	
	under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
Other information	VOC content (less water, less exempt compounds) = $<200 \text{ g/L}$ (U.S. requirement, not for emissions)	
	VOC data based on formulation (Organic compounds minus solids)	

16. Other Information	
Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	18-Dec-2012
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds