

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Identification of the

preparation

CN633Series

**Product use** Inkiet printing

Version # 03

**Revision date** 20-Mar-2011

**Company identification Hewlett-Packard Company** 

> 3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### 2. Hazards Identification

**Emergency overview** Contact with skin and eyes may result in irritation. Indestion may result in nausea, yomiting and

diarrhea. May cause sensitization of susceptible persons.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 2-pyrrolidone

Contact with skin may result in irritation.

Alkvldiol

Contact with skin may result in irritation.

Eye contact 2-pyrrolidone

Contact with eyes may result in irritation.

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

**Potential health effects** 

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Material name: CN633Series MSDS US 1/6

3. Composition / Information on Ingredients		
Components	CAS #	Percent
Water	7732-18-5	70 - 80
2-pyrrolidone	616-45-5	5 - 7.5
Alkyldiol	Proprietary	2.5 - 5
Diethylene glycol	111-46-6	2.5 - 5
Carbon black	1333-86-4	1 - 2.5
Triethanolamine	102-71-6	0 - 1

**Composition comments** 

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

## 4. First Aid Measures

First aid procedures

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Ingestion** If material is ingested, immediately contact a physician or poison control center.

## 5. Fire Fighting Measures

Flammable properties Combustion generates toxic fumes of fluoride/fluorine compounds; aldejydes; ketones; potential

for acetylene.

**Extinguishing media** 

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Specific methods
Hazardous combustion

products

None established. Refer to section 10.

#### 6. Accidental Release Measures

**Personal precautions** 

Wear appropriate personal protective equipment.

**Environmental precautions** 

Other information

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

# 7. Handling and Storage

Handling Storage Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong

oxidizers.

## 8. Exposure Controls / Personal Protection

#### **Occupational exposure limits**

**ACGIH** 

Components	Туре	Value	
Carbon black (1333-86-4)	TWA	3.5000 mg/m3	
Triethanolamine (102-71-6)	TWA	5.0000 mg/m3	

Material name: CN633Series MSDS US

**U.S. - Tennessee** 

 Components
 Type
 Value

 Carbon black (1333-86-4)
 TWA
 3.5000 mg/m3

**U.S. - WEEL** 

ComponentsTypeValueDiethylene glycol (111-46-6)TWA10.0000 mg/m3

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

Personal protective equipment

**Eye / face protection** Not required under intended use.

**Skin protection** Protected gloves not required under intended use.

**Respiratory protection** For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

**General** Use personal protective equipment to minimize exposure to skin and eye.

# 9. Physical & Chemical Properties

**Appearance** Not available.

Color Black.

OdorNot available.Odor thresholdNot available.

Physical state Liquid

Form Not available.

**pH** 9.3

Melting pointNot available.Freezing pointNot available.Boiling pointNot determined

**Flash point** 200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Not determined
Flammability limits in air,
Not available.

upper, % by volume Flammability limits in air,

lower, % by volume

Not determined

Vapor pressureNot determinedVapor densityNot available.

Specific gravity 1

Relative density
Solubility (water)
Auto-ignition temperature
Decomposition temperature
VOC
Not available.
Not determined
Not available.
< 192 q/L

**Other information** VOC content (less water, less exempt compounds) = < 863 g/L (U.S. requirement, not for

emissions)

## 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride,

fluorinated hydrocarbons

Material name: CN633Series MSDS US

**Possibility of hazardous** reactions

Will not occur.

## 11. Toxicological Information

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

#### **ACGIH Carcinogens**

Carbon black (CAS 1333-86-4) A4 Not classifiable as a human carcinogen.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

# IARC Monographs: Evidence of carcinogenicity in humans

Carbon black (CAS 1333-86-4) Inadequate data.

Serious eye damage/eye

Not available.

irritation

Skin sensitization Not available.

Symptoms and target organs Target Organs (NIOSH)

> Carbon black (CAS 1333-86-4) Eves

> > Respiratory system

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

# 12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

> HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport Information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

#### **IATA**

## **Basic shipping requirements:**

Proper shipping name Not applicable **Hazard class** Not applicable

**UN number** None **Packing group** N/A

**Additional information:** 

**Packaging exceptions** None

#### **IMDG**

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

## 15. Regulatory Information

**US federal regulations** US TSCA 12(b): Does not contain listed chemicals.

#### **CERCLA (Superfund) reportable quantity**

None

Material name: CN633Series 4/6

#### Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200

hazardous chemical

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

Yes

chemical

# State regulations

#### US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed. Carbon black (CAS 1333-86-4) Listed. Diethylene glycol (CAS 111-46-6) Listed.

#### **Regulatory information**

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

### 16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

**HMIS®** ratings Health: 1

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 1

> Flammability: 2 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Issue date** 20-Mar-2011

This data sheet contains changes from the previous version in section(s):

14. Transport Information: Further information

**Manufacturer information Hewlett-Packard Company** 

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: CN633Series

## **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

PEL Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA** 

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CN633Series