MATERIAL SAFET	Y DATA SHEET	Stati	c Control C	omponents,		
MAY BE USED TO COM	PLY WITH OSHA'S		P.O. BOX			
HAZARD COMMUNICAT	ION STANDARD	Sanford N	Iorth Caroli	na 27331		
29CFR 1910.1200						
				umber 1-800-356-2728		
		•		1-919-774-3808		
	DATE PREPARED		SIGNATURE	OF PREPARER (OPTIONAL)		
	IICAL PRODUCT / NA		*			
Product/Chemical Na		ng ML-1710 / 17	50			
CAS Number:	Mixture					
Other Designations:	N/A Laser Printer					
General Use:	Laser Printer					
SECTION 2 COMP	POSITION / INFORMA	TION ON INGRE	DIENTS			
		CAS	%	OSHA	ACGIH	OTHER
Ingredient Name:		NUMBER		PEL	TLV	LIMITS
				Toner is regulated under OS		ot
				otherwise reg	julated:	
Polyester		25038-59-9	88 - 92			
Dolymonylono		0002.07.0	2 4			
Polypropylene		9003-07-0	2 - 4			
Carbon Black		1333-86-4	3 - 6			
		1000-00-4	0-0			
Additive		31714-55-3	2			
NDA = NO DATA AVA						
N/A = NOT APPLICAL						
	RDOUS IDENTIFICAT	TION				
Primary Entry Routes	s: Inhalatio	n				HMIS
Target Organs:	N/A					H 1
Acute Effects:	N/A					F 1
Inhalation:	Slight irritation of resp	piratory tract.				R 0
Eye:	Dust may cause irrita	tion by mechanica	l abrasion.			PPE
Skin:	Slight irritation.					Sec.8
Ingestion:	None known.					
Carcinogenicity:	N/A					
Medical Conditions A	Aggravated By Long-Term			of dust in the respiratory syste	m	
Chronic Effects:	If those meterials are used		may cause co	-	ocommonded that	
Smome Enects:			•	e airborne particles (dust), it is r ding to the American Conference		
	Industrial Hygienists (AC					
SECTION 4 FIRST			·/·			
Inhalation:		Treat any irritation	symptomati	cally. Call a physician if con	dition persists.	
Eye Contact:		-		w pressure water for at least		
-	15 minutes. Remove	-				
Skin Contact:	Wash well with soap	-				
Ingestion:	Give water to drink.					
After first	aid, get appropriate in-pl	ant paramedic or o	community n	nedical support		
	sign and symptoms pers	ist.				
Note to Physicians:	N/A					
Special Precautions	/ procedures:	N/A				

Section 5 FIRE FIGHT	TING MEASURES	
	N/A	
	N/A	
Burning Rate:	N/A	
Auto Ignition Temperatu	Jre: > 360 C	
LEL: N/A		
UEL: N/A		
Flammability Classificat	tion:	1 Slight (HMIS, NFPA)
Extinguishing Media:		Water spray, foam, carbon dioxide.
Unusual Fire or explosic	on hazards:	May form flammable dust-air mixture.
Hazardous combustion		Carbon monoxide, carbon dioxide, nitrogen oxide and smoke.
		Under certain conditions some aliphatic aldehydes and carboxylic acids
		may form.
Fire- Fighting Instruction	ns:	Do not release runoff from fire control methods to sewers or waterways.
Fire-Fighting Equipment:		Because fire may produce toxic thermal decomposition products, wear a
		self-contained breathing apparatus (SCBA) with full facepiece operated
		in pressure-demand or positive-pressure mode.
SECTION 6 ACCIDE	NTAL RELEASE ME	
Spill / Leak Procedures:		
•		r disposal, suction up remaining material with high efficiency
	vacuum cleaner.	
Large Spills:	Scoop into container for	r disposal, suction up remaining material with high efficiency
	vacuum cleaner.	
Containment:	For large spills, avoid	suspending particles, collect for later disposal. Do not release
	into sewers or waterw	
	No special requireme	•
REGULATORY REQUIREM		
SECTION 7 HANDLIN	NG AND STORAGE	
	Keep containers closed	at all times. Avoid creating dust. Keep away from ignition sources.
Handling Precautions:		at all times. Avoid creating dust. Keep away from ignition sources. tion. (Below 40 C / 100 F)
Handling Precautions: Storage Requirements:	Store in a cool, dry loca	at all times. Avoid creating dust. Keep away from ignition sources. tion. (Below 40 C / 100 F)
Handling Precautions: Storage Requirements: Regulatory Requirement	Store in a cool, dry loca ts: N/A	tion. (Below 40 C / 100 F)
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUR	Store in a cool, dry loca ts: N/A	
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls:	Store in a cool, dry loca ts: N/A RE CONTROLS / PE	tion. (Below 40 C / 100 F) RSONAL PROTECTION
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or loca	tion. (Below 40 C / 100 F) RSONAL PROTECTION exhaust ventilation systems to maintain airborne concentrations
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or loca below OSHA PELs (sec	tion. (Below 40 C / 100 F) RSONAL PROTECTION L exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or loca below OSHA PELs (see dispersion into the work	tion. (Below 40 C / 100 F) RSONAL PROTECTION exhaust ventilation systems to maintain airborne concentrations
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work :	tion. (Below 40 C / 100 F) RSONAL PROTECTION exhaust ventilation systems to maintain airborne concentrations c.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source.
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or loca below OSHA PELs (see dispersion into the work :: Seek profe	tion. (Below 40 C / 100 F) RSONAL PROTECTION exhaust ventilation systems to maintain airborne concentrations c.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. essional advise prior to respirator selection and use.
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations c.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. I essional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations c.2). Local exhaust ventilation is preferred because it prevents contaminant c area by controlling it at its source. Ressional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations c.2). Local exhaust ventilation is preferred because it prevents contaminant c area by controlling it at its source. Ressional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or loca below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Inssional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Inssional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA.	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant a area by controlling it at its source. Issional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i>
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant a area by controlling it at its source. Assional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> res.
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chem	tion. (Below 40 C / 100 F) RSONAL PROTECTION L exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant a area by controlling it at its source. RSSIN advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear Warning! Air-purified respirators do not protect workers in oxygen-deficient es. nically protective gloves, boots, aprons, and gauntlets to prevent
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chen prolonged	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Essional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> res. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chen prolonged chemical s	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Essional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> res. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher prolonged chemical s (29CFR 19	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Essional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> res. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUF Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chem prolonged chemical s (29CFR 19 protection	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Assional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> es. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 010.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses.
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection: Protective Clothing/Equ Safety Stations:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher prolonged chemical s (29CFR 19 protection Make eme	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant 3. area by controlling it at its source. RSSIONAL advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> res. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area.
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUF Engineering Controls: Ventilation: Administrative Controls Respiratory Protection:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher prolonged chemical s (29CFR 19 protection Make eme nt: Separate of	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant 3. area by controlling it at its source. Ressional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> es. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area. contaminated work clothing from street clothes. Launder before
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUE Engineering Controls: Ventilation: Administrative Controls Respiratory Protection: Protective Clothing/Equ	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher prolonged chemical s (29CFR 19 protection Make eme nt: Separate o re-use. Re	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Ressional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of contamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> tes. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area. contaminated work clothing from street clothes. Launder before move this material from your shoes and clean personal protective
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUF Engineering Controls: Ventilation: Administrative Controls Respiratory Protection: Protective Clothing/Equ Safety Stations: Contaminated Equipment	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher prolonged chemical s (29CFR 19 protection Make eme equipment	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Its solution is prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> tes. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area. contaminated work clothing from street clothes. Launder before move this material from your shoes and clean personal protective
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUF Engineering Controls: Ventilation: Administrative Controls Respiratory Protection: Protective Clothing/Equ Safety Stations: Contaminated Equipment Comments:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chem prolonged chemical s (29CFR 19 protection Make eme equipment Never eat, drink, or smo	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Assional advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> es. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area. contaminated work clothing from street clothes. Launder before move this material from your shoes and clean personal protective bek in work areas. Practice good personal hygiene after using this
Handling Precautions: Storage Requirements: Regulatory Requirement SECTION 8 EXPOSUF Engineering Controls: Ventilation: Administrative Controls Respiratory Protection: Protective Clothing/Equ Safety Stations: Contaminated Equipment Comments:	Store in a cool, dry loca ts: N/A RE CONTROLS / PEI Provide general or local below OSHA PELs (see dispersion into the work : Seek profe Follow OS a MSHA/N to provide airborne co nonroutine an SCBA. atmospher ipment: Wear chem prolonged chemical s (29CFR 19 protection Make eme equipment Never eat, drink, or smo	tion. (Below 40 C / 100 F) RSONAL PROTECTION I exhaust ventilation systems to maintain airborne concentrations 2.2). Local exhaust ventilation is preferred because it prevents contaminant area by controlling it at its source. Its soinal advise prior to respirator selection and use. HA respirator regulations (29 CFR 1910.134) and, if necessary, wear IOSH-approved respirator. select respirator based on its suitability adequate worker protection for given working conditions, level of ontamination, and presence of sufficient oxygen. For emergency or operation (cleaning spills, reactor vessels, or storage tanks), wear <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> tes. nically protective gloves, boots, aprons, and gauntlets to prevent or repeated skin contact. Wear protective eyeglasses or afety goggles, per OSHA eye-and face-protection regulations 10.133). Contact lenses are not eye protective devices. appropriate must be worn instead of, or in conjunction with contact lenses. rgency eyewash stations and washing facilities available in work area. contaminated work clothing from street clothes. Launder before move this material from your shoes and clean personal protective

SECTION 9 PHYSI	CAL AND C	HEMICAL PROPERTIE	S			
Physical State:			Water Sol	ubility:	Insoluble	
Appearance and Odd	or: Black, free	flowing powder, slight odor.	Other Sol	ubilities:	N/A	
Odor Threshold:	N/A		Boiling Po	oint:	N/A	
Vapor Pressure:	N/A		Freezing/I	Melting Point	: 120 C (Melting Point))
Vapor Density(Air=1)): Heavier that	n air.	Viscosity	:	N/A	
Formula Weight:	N/A		Refractive	e Index:	N/A	
Density:	N/A		Surface T	ension:	N/A	
Specific Gravity:	(H ₂ O=1, a	t 4 ⁰ C): 1.1	%Volatile	:	N/A	
pH:	N/A		Evaporati	on Rate:	N/A	
SECTION 10 STAE		REACTIVITY				_
STABILITY:		Stable product.				
POLYMERIZATION:		N/A				
CONDITIONS TO AV		N/A				
HAZARDOUS DECO	-		e nitrogen and carbon oxid	les		
SECTION 11 TOXIC	COLOGICAL	. INFORMATION				
Eye Effects:	N/A		Toxicity Data: *			
					N/A	
Skin Effects:	N/A		Acute Inhalation Effect	cts:		
Skin Effects:	N/A		Acute Inhalation Effect Acute Oral Effects:	cts:	N/A	
Skin Effects:	N/A			sts:		
Skin Effects:	N/A		Acute Oral Effects: Chronic Effects:	cts:	N/A N/A	
Skin Effects:	N/A		Acute Oral Effects: Chronic Effects: Carcinogenicity:	cts:	N/A N/A N/A	2
		loxicitv data.	Acute Oral Effects: Chronic Effects:	:ts:	N/A N/A	e
*See NIOSH, RTEC SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra	S for additional LOGICAL IN adation:	FORMATION N/A N/A N/A	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity:	:ts: 	N/A N/A N/A Ames Test - Negative	e
*See NIOSH, RTEC SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo	S for additional LOGICAL IN adation: bility:	FORMATION N/A N/A N/A N/A	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity:	:ts:	N/A N/A N/A Ames Test - Negative	9
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo	S for additional LOGICAL IN adation: bility: POSAL CON	FORMATION N/A N/A N/A N/A SIDERATIONS	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:	:ts:	N/A N/A N/A Ames Test - Negative	9
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be	FORMATION N/A N/A N/A N/A	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:	:ts:	N/A N/A N/A Ames Test - Negative	9
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under conditionation conditionationation conditionation conditionationation conditionation conditionation conditionation conditionationation conditionation conditionation conditionation conditionation conditionation conditionation conditionation conditionationationationationationationation	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:	:ts:	N/A N/A N/A Ames Test - Negative	9
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:	:ts:	N/A N/A N/A Ames Test - Negative	e
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A : N/A	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:	:ts:	N/A N/A N/A Ames Test - Negative	e
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A : N/A FORMATION	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity:		N/A N/A N/A Ames Test - Negative	e
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A N/A FORMATION R 172.101): Not specified	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: ons which meet ons.		N/A N/A Ames Test - Negative N/A	e
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation Shipping Name:	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal NSPORT IN Data (49 CFI	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A N/A FORMATION R 172.101): Not specified	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: Teratogenicity:	Quantity Li	N/A N/A Ames Test - Negative N/A	e
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol:	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal NSPORT IN Data (49 CFI N/A	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A FORMATION R 172.101): Not specific Packaging a) Exception	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: Teratogenicity:	Quantity Li	N/A N/A Ames Test - Negative N/A	e N/A
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol: Hazard Class:	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal NSPORT IN Data (49 CFI N/A N/A	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A FORMATION R 172.101): Not specifie a) Exception b)Non-bull	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: Teratogenicity:	Quantity Li a) Passeng	N/A N/A Ames Test - Negative N/A	
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol: Hazard Class: ID No.:	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal NSPORT IN Data (49 CFI N/A N/A N/A N/A	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A FORMATION R 172.101): Not specific Packaging a) Exception	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: Teratogenicity:	Quantity Li a) Passeng Railcar:	N/A N/A Ames Test - Negative N/A	
*See NIOSH, RTECS SECTION 12 ECOI Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mo SECTION 13 DISF Disposal: Waste ma all federa Disposal Regulatory Container Cleaning a SECTION 14 TRA DOT Transportation Shipping Name: Shipping Symbol: Hazard Class:	S for additional LOGICAL IN adation: bility: POSAL CON aterial may be I, state and lo Requiremen and Disposal NSPORT IN Data (49 CFI N/A N/A N/A N/A N/A	FORMATION N/A N/A N/A N/A SIDERATIONS incinerated under condition cal environmental regulation ts: N/A FORMATION R 172.101): Not specifie a) Exception b)Non-bull	Acute Oral Effects: Chronic Effects: Carcinogenicity: Mutagenicity: Teratogenicity: Teratogenicity:	Quantity Li a) Passeng Railcar:	N/A N/A Ames Test - Negative N/A	

EPA Regulations: RCRA Hazardous Waste No		FION	
CRA Hazardouis Waste Ni			
	,	R 261.33)	Not Listed
CRA Hazardous Waste Cl		(40 CFR 261):	Not classified
ERCLA Hazardous Substance		I/unlisted specific per RCR	A, sec. 3001;
CWA sec.311 (b)			
WA, Sec. 307(a),CAA,Sec			
ERCLA Reportable Quant	ity(RQ):	Not listed	
ARA 311/312 Codes:		N/A	
ARA Toxic Chemical (40		Not listed	
ARA EHS (Extremely Haz	ardous Substance)	(40 CFR 355):	Not listed, Threshold Planning Quantity (TPQ)
SHA Regulations:			
Air Contaminant (29 CFR			Particulates not otherwise regulated.
tate Regulations: Ch	neck your states reg	ulations that may speci	fically list copy machine toner.
ECTION 16 OTHER IN	FORMATION		
epared By:	N/A		
evision Notes:	N/A		
dditional Hazard Rating S	ystem: N/A		
-	-		
			OURCES WHICH WE BELIEVE
ARE RELIABLE.	HOWEVER, THE INF	ORMATION IS PROVIDE	D WITHOUT ANY WARRANTY
EXPRESS OR IN	IPLIED, REGARDING	IT'S CORRECTNESS.	
THE CONDITION	NS OR METHODS OF	HANDLING, STORAGE, U	JSE AND DISPOSAL OF THE
PRODUCT ARE	BEYOND OUR CONT	ROL AND MAY BE BEYO	ND OUR KNOWLEDGE.
FOR THIS AND	OTHER REASONS, W	E DO NOT ASSUME RES	PONSIBILITY AND EXPRESSLY
DISCLAIM LIABI	LITY FOR LOSS, DAM	AGE OR EXPENSE ARIS	SING OUT OF OR IN ANY WAY
CONNECTED W	ITH THE HANDLING,	STORAGE, USE OR DISF	POSAL OF THE PRODUCT.