

Date Issued :Oct.1.2005 MSDS No. F-01396

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : MX-27NTCA/MX-27GTCA/MX-27FTCA (Cyan Toner)

Supplier Identification : Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

Area	(Country)	(Name and Telephone	Number)
	U.S.A.	Sharp Electronics Corporation	
		Sharp Plaza, Mahwah, NJ	
North		Telephone number for information	: 1-800-237-4277
America		Emergency telephone number	: 1-800-255-3924
America	Canada	Sharp Electronics of Canada Ltd.	
		Telephone number for information	: 905-890-2100
		Emergency telephone number	: 1-800-255-3924
	Australia	Sharp Corporation of Australia PTY. Ltd	
Oceania		No1 Huntingwood Drive Huntingwood	
		Telephone number for information	: 1300-13-50-22
	Germany	Sharp Electronics (Europe) GMBH	
		Sonninstrasse 3, 20097 Hamburg	
		Telephone number to access MSDS	: 040-2376-2185
		For more information	: 040-2376-2613
	United	Sharp Electronics (U. K.) Ltd.	
	Kingdom	Telephone number for information	: 08705-274-277
	France	Sharp Electronics France S.A.	
		Telephone number for information	: 01-49-90-34-00
	Austria	Sharp Electronics GMBH	
Europe		Telephone number for information	: 01-727-19-0
Europe	Italy	Sharp Electronics (Italy) S.P.A.	
		Telephone number for information	: 02895951
	Spain	Sharp Electronics (Espana) S.A.	
		Telephone number for information	: 93-581-97-00
	Netherlands	Sharp Electronics Benelux B.V.	
		Telephone number for information	: 30-6359500
	Sweden	Sharp Electronics Nordic AB	
	-	Telephone number for information	: 08-634-36-00
	Switzerland	Sharp Electronics(Schweiz)AG	
		Telephone number for information	: 01-846-6111
Middle	U.A.E.	Sharp Middle East FZE	
East		P.O.Box 17115 Jebel Ali, Dubai	
Luot		Telephone number for information	: 04-815311

2. COMPOSITION/INFORMATION ON INGREDIENTS Substance[] Preparation[X]

Ingredient CAS No. Proportion **OSHA PEL ACGIH TLV MAK-TWA NOHSC-TWA** Polyester grafted Confidential 30-40% Not listed Not listed Not listed Not listed resin Polyester resin Confidential 40-50% Not listed Organic pigment Confidential 5-10% Paraffin wax Confidential 5-10% Not listed Not listed Not listed Not listed 80mg/m^3 $2mg/m^3$ Amorphous silica 68909-20-6 1-5% Not listed Not listed



Page:2/4

Date Issued :Oct.1.2005 MSDS No. F-01396

					MSDS No. F-01396		
3.	HAZARDS IDENTIFIC						
	Most Important Hazards and Effects of the Products						
	Human Health Effects : There are no anticipated carcinogenic effects from exposure based on animal tests						
		perfo	med using toner. When used	as intended according to	instructions, studies do not		
		indica	te any symptoms of fibrosis w	ill occur.			
	Environmental Effects	s:Not to:	tic to aquatic organisms				
	Specific hazards :	Dust explo	sion (like most finely divided o	organic powders)			
	Directive 1999/45/EC(E	Europe)	: Not classified as dangero	us			
1	FIRST-AID MEASURE						
. .	Route(s) of Entry : In		Skin?	Ingestion?			
	10000(3) 01 Entry : <u>III</u>	Yes		ossible but very unusual.			
		103					
	Inhalation : Remove	e to fresh a	ir. If symptoms occur, consul	t medical personnel			
			nd water for 15 minutes or un				
			cur, consult medical personne	•			
			ately with water for 15 minutes		consult medical personnel		
	•		nd drink several glasses of wa		•		
	•		•		ion does occur, consult		
	medical	l personne					
5.	FIRE -FIGHTING MEA	ASURES					
•.	Extinguishing Media		: Water , CO ₂ , foam and dry				
		rocedure	-				
	Special Fire fighting Procedures : None Fire and Explosion Hazards : Toner material, like most finely divided organic powders, may form an explo				ers may form an explosive		
		24140	mixture.	ory arriada organio porrac	ne, may form an explosive		
6.	ACCIDENTAL RELEA	SE MEAS	SURES				
	Personal Precautions		: None				
	Environmental Precau	itions	: None				
	Methods for Cleaning Up		: Wipe off with paper or cloth. Do not use vacuum cleaner when a large amount is				
			released. It, like most finel	y divided organic powder	s, is capable of creating a		
			dust explosion.				
7.	HANDLING AND STO	RAGE					
	Handling						
	Technical Measures	: None					
	Precautions	: None					
			dust mask is recommended y	when handling a large qua	ntity of toner or during long		
	-		dust mask is recommended when handling a large quantity of toner or during long posure, as with any non-toxic dust. Try not to disperse the particles.				
	Storage						
	Technical Measures	: None					
	Storage Conditions : Keep con		ntainer closed and Store in a cool and dry place.				
	Keep ou		ut of the reach of children.				
	Incompatible Products	•					
	,						



Page:3/4

Date Issued :Oct.1.2005 MSDS No. F-01396

8 EXPOSURE CONTROL	S/PERSONAL PROTECTION							
B. EXPOSURE CONTROLS/PERSONAL PROTECTION								
Engineering Measures Ventilation : Not required under intended use. Exposure limit values								
OSHA-PEL(USA)	: 15mg/m ³ (Total Dust) , 5mg/m ³ (Respirable Dust)							
ACGIH-TLV(USA)	: 10mg/m ³ (Total Dust) , 3mg/m ³ (Respirable Dust)							
Personal Protective Eq								
Respiratory Protection	: None required when used as intended in Sharp equipment.							
Hand Protection								
Eye Protection	: None required when used as intended in Sharp equipment.							
Skin Protection								
	Other Protective Equipment : Use of a dust mask and goggles are recommended when handling a large quantity							
Other Protective Equipment : Use of a dust mask and goggles are recommended when handling a large quar toner or during long term exposure, as with any non-toxic dust.								
9. PHYSICAL AND CHEM								
Appearance Physical Ph								
Boiling/Melting Point	: Not applicable							
Softening Point(°C)	: Not applicable : 100 - 130							
Flash Point(°C)								
Ignition Point(°C)	: Not applicable : No data							
Explosion Properties : No data								
Density(g/cm ³)	: Approx. 1.1 (bulk density : Approx. 0.4)							
Solubility in water	: Negligible							
10. STABILITY AND REA								
Stability	: Stable							
Hazardous Reactions	: Dust explosion, like most finely divided organic powders.							
Conditions to Avoid	: Electric discharge, throwing into fire.							
Materials to Avoid : Oxidizing Materials								
-	ition Products : CO, CO ₂ and NO _X							
Further Information	: None							
11. TOXICOLOGICAL INF	ORMATION							
Acute Toxicity								
Ingestion(oral)	: LD ₅₀ >2000mg/kg							
Dermal	: LD ₅₀ >2000mg/kg							
Inhalation	: LC ₅₀ >5.00mg/I (Rat,4hr)							
Eye irritation	: Not an irritant							
Skin irritation	: Not an irritant							
Skin sensitizer	: Not sensitized							
	gative(Ames Test)							
Carcinogenicity :	NTP? IARC Monographs? OHSA Regulated?							
	No No No							

12. ECOLOGICAL INFORMATION

Ecotoxicity

On available data, toner is not harmful to aquatic organisms



Page:4/4

Date Issued :Oct.1.2005 MSDS No. F-01396

13.	DISPOSAL CO	NSIDERAT	IONS				
	Waste from res	idues :	Waste mate	erial may be dumped or incinerated under conditions which meet all federal,			
			state and lo	ocal environmental regulations.			
	Contaminated Packaging: Waste may			be disposed or incinerated under conditions which meet all federal, state			
			and local environmental regulations.				
14.	TRANSPORT I	NFORMAT	ION				
	UN Classification	า	: None				
	Land	DOT(USA)	: None				
	Sea	IMDG	: None				
	Air	ICAO-TI	: None				
15.	REGULATORY						
	US Information						
	TSCA(Toxic Substances Control Act) :						
	All chemical	substances	in this produ	uct comply with all applicable rules or order under TSCA.			
	SARA(Superfur	nd Amendm	ents and Re	eauthorization Act) Title III			
	302 Extreme Hazardous Substance : None						
	311/312 Hazard Classification			: None			
	EU Information						
	1999/45/EC a	and 67/548/	EEC				
	Symbol & Indication			: Not required			
	R-Phrase			: Not required			
	76/769/EEC			: All chemical substances in this product comply with all applicable rules or			
				order under 76/769/EEC.			
16.	OTHER INFOR	MATION					

NFPA Rating (USA): Health=1 Flammability=1 Reactivity=0WHMIS Legislation (Canada): This product is not a controlled product.

The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. However, all materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards which exist.