

Page:1/4

Date Issued :Apr.2.2006 MSDS No. F-01421

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : MX-70NTBA/MX-70GTBA/MX-70FTBA (Black Toner)

Supplier Identification : Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

Area	(Country)	(Name and Telephone Number)				
	U.S.A.	Sharp Electronics Corporation				
		Sharp Plaza, Mahwah, NJ				
North		Telephone number for information	: 1-800-237-4277			
America		Emergency telephone number	: 1-800-255-3924			
America	Canada	Sharp Electronics of Canada Ltd.				
		Telephone number for information	: 905-890-2100			
		Emergency telephone number	: 1-800-255-3924			
	Australia	Sharp Corporation of Australia PTY. Ltd.				
Oceania		No1 Huntingwood Drive Huntingwood	Blacktown N.S.W.			
		Telephone number for information	: 1300-13-50-22			
	Germany	Sharp Electronics (Europe) GMBH				
	-	Sonninstrasse 3, 20097 Hamburg				
		Telephone number to access MSDS	: 040-2376-2185			
		For more information	: 040-2376-2613			
	United	Sharp Electronics (U. K.) Ltd.				
	Kingdom	Telephone number for information	: 08705-274-277			
	France	Sharp Electronics France S.A.				
		Telephone number for information	: 01-49-90-34-00			
	Austria	Sharp Electronics GMBH				
Europo		Telephone number for information	: 01-727-19-0			
Europe	Italy	Sharp Electronics (Italy) S.P.A.				
	-	Telephone number for information	: 02895951			
	Spain	Sharp Electronics (Espana) S.A.				
		Telephone number for information	: 93-581-97-00			
	Netherlands	Sharp Electronics Benelux B.V.				
		Telephone number for information	: 30-6359500			
	Sweden	Sharp Electronics Nordic AB				
		Telephone number for information	: 08-634-36-00			
	Switzerland	Sharp Electronics(Schweiz)AG				
		Telephone number for information	: 01-846-6111			
Middle	U.A.E.	Sharp Middle East FZE				
Middle		P.O.Box 17115 Jebel Ali, Dubai				
East		Telephone number for information	: 04-815311			
		• •				

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance[] Preparation[X]

<u>Ingredient</u> Polyester grafted resin	CAS No. Confidential	Proportion 30-40%	OSHA PEL Not listed	ACGIH TLV Not listed	MAK-TWA Not listed	Not listed
Polyester resin	Confidential	50-60%	Not listed	Not listed	Not listed	Not listed
Carbon black	1333-86-4	5-10%	3.5mg/m ³	3.5mg/m ³	Not listed	3mg/m ³
Paraffin wax	Confidential	1-5%	Not listed	Not listed	Not listed	Not listed



Page:2/4

Date Issued :Apr.2.2006 MSDS No. F-01421

			MSDS No. F-01421
3.	HAZARDS IDENTIFIC	ATION	
	Most Important Hazard	Is and Eff	fects of the Products
	Human Health Effects		are no anticipated carcinogenic effects from exposure based on animal tests
		•	rmed using toner. When used as intended according to instructions, studies do not
			ate any symptoms of fibrosis will occur.
	Environmental Effects		xic to aquatic organisms
	• • • • • •		ated from the other product containing similar material]
	•		osion (like most finely divided organic powders)
	Directive 1999/45/EC(E	urope)	: Not classified as dangerous
4.	FIRST-AID MEASURE	S	
	Route(s) of Entry : In	halation?	Skin? Ingestion?
		Yes	No Possible but very unusual.
	Inhelation Domour	to fread a	
			air. If symptoms occur, consult medical personnel.
			and water for 15 minutes or until particle is removed. ccur, consult medical personnel.
			iately with water for 15 minutes. If irritation does occur, consult medical personnel.
			and drink several glasses of water . If irritation or discomfort does occur, consult
	•	personne	C
	modical	percentic	
5.	FIRE -FIGHTING MEA	SURES	
	Extinguishing Media		: Water, CO ₂ , foam and dry chemicals
	Special Fire fighting P	rocedure	•
	Fire and Explosion Ha		: Toner material, like most finely divided organic powders, may form an explosive
	-		mixture.
6.	ACCIDENTAL RELEA	SE MEAS	
	Personal Precautions		: None
	Environmental Precau		: None
	Methods for Cleaning	Up	: Wipe off with paper or cloth. Do not use vacuum cleaner when a large amount is
			released. It, like most finely divided organic powders, is capable of creating a
			dust explosion.
7.	HANDLING AND STO	RAGE	
	Handling		
	Technical Measures	: None	
	Precautions	: None	
	Safe Handling Advice	: Use of a	a dust mask is recommended when handling a large quantity of toner or during long
		term ex	posure, as with any non-toxic dust. Try not to disperse the particles.
	Storage		
	-		
	Technical Measures	: None	
	-	: Keep co	ontainer closed and Store in a cool and dry place.
	Technical Measures	: Keep co Keep o	ontainer closed and Store in a cool and dry place. ut of the reach of children.



Page:3/4

Data laguad

	MSDS No. F-01421
3. EXPOSURE CC	ONTROLS/PERSONAL PROTECTION
	asures Ventilation : Not required under intended use.
Exposure limit v	
OSHA-PEL(US/	
ACGIH-TLV(US	
Personal Protec	•••
Respiratory Pro	
Hand Protection	
Eye Protection	: None required when used as intended in Sharp equipment.
Skin Protection	: None required when used as intended in Sharp equipment.
Other Protective	e Equipment : Use of a dust mask and goggles are recommended when handling a large quantity c
	toner or during long term exposure, as with any non-toxic dust.
	D CHEMICAL PROPERTIES
Appearance F	Physical State : Solid Form: Powder Color: Black Odor: odorless
Ph	: Not applicable
Boiling/Melting	
Softening Point	
Flash Point(°C)	
Ignition Point(°C	•
Explosion Prop	erties : No data
Density(g/cm ³)	: Approx. 1.1 (bulk density : Approx. 0.4)
Solubility in wat	ter : Negligible
10. STABILITY AN	ID REACTIVITY
Stability	
Stability	: Stable
Hazardous Rea	
-	actions : Dust explosion, like most finely divided organic powders.
Hazardous Rea	actions: Dust explosion, like most finely divided organic powders.Avoid: Electric discharge, throwing into fire.
Hazardous Rea Conditions to A Materials to Av	actions: Dust explosion, like most finely divided organic powders.Avoid: Electric discharge, throwing into fire.
Hazardous Rea Conditions to A Materials to Av	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO ₂ and NO _X
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO ₂ and NO _X
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO ₂ and NO _x ation : None
Hazardous Rea Conditions to A Materials to Av Hazardous Deo Further Informa	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Deo Further Informa 11. TOXICOLOGIO Acute Toxicity Ingestion(oral Dermal	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO ₂ and NO _x ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa I1. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin irritation	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO ₂ and NO _X ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin irritation Skin sensitize	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOX ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LC ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOX ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LC ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material]
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOx ation : None CAL INFORMATION I) : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible huma)
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOX ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible huma carcinogen)
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOx ation : None CAL INFORMATION I) : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LC50>5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible huma carcinogen). This classification is given to chemicals for which there is inadequate huma evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. Th
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. roid : Oxidizing Materials composition Products : CO, CO2 and NOx ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated carbon black as a Group 2B carcinogen (possible huma carcinogen). This classification is given to chemicals for which there is inadequate huma evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. Th classification is based upon the development of lung tumors in
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO2 and NOX ation : None CAL INFORMATION I) : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >2000mg/kg [Estimated from the other product containing similar material] : LD ₅₀ >5.00mg/l (Rat,4hr) [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible huma carcinogen). This classification is given to chemicals for which there is inadequate huma evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. Th classificatin is based upon the development of lung tumors in rats
Hazardous Rea Conditions to A Materials to Av Hazardous Dec Further Informa 11. TOXICOLOGIC Acute Toxicity Ingestion(oral Dermal Inhalation Eye irritation Skin sensitize Mutagenicity	actions : Dust explosion, like most finely divided organic powders. Avoid : Electric discharge, throwing into fire. void : Oxidizing Materials composition Products : CO, CO2 and NOx ation : None CAL INFORMATION I) : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : LD50>2000mg/kg [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not an irritant [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Not sensitized [Estimated from the other product containing similar material] : Negative(Ames Test) [Estimated from the other product containing similar material] : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible huma carcinogen). This classification is given to chemicals for which there is inadequate huma evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. Th classification is based upon the development of lung tumors in rats receiving chro



Page:4/4

Date Issued :Apr.2.2006 MSDS No. F-01421

	MSDS No. F-01421
Chronic Effect	: In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate
	degree of lung fibrosis was observed in 92% of the rats in the high concentration
	(16mg/m ³) exposure group, and a minimal to mild degree of fibrosis was noted in22% of
	the animals in the middle (4mg/m^3) exposure group, but no pulmonary change was
	reported in the lowest $(1 mg/m^3)$ exposure group, the most relevant level to potential human
	exposures.
2. ECOLOGICAL IN	FORMATION
Ecotoxicity	
On available dat	a, toner is not harmful to aquatic organisms
[Estimated from	the other product containing similar material]
13. DISPOSAL CON	SIDERATIONS
Waste from resid	ues : Waste material may be dumped or incinerated under conditions which meet all federal,
	state and local environmental regulations.
Contaminated Pa	ckaging: Waste may be disposed or incinerated under conditions which meet all federal, state
	and local environmental regulations.
14. TRANSPORT INF	ORMATION
UN Classification	: None
Not classified as ha	azardous for transport.
15. REGULATORY I	IFORMATION
US Information	
TSCA(Toxic Subs	tances Control Act) :
All chemical su	ostances in this product comply with all applicable rules or order under TSCA.
SARA(Superfund	Amendments and Reauthorization Act) Title III
302 Extreme H	azardous Substance : None
311/312 Hazaro	Classification : None
EU Information	
1999/45/EC an	1 67/548/EEC
Symbol & Inc	lication : Not required
R-Phrase	: Not required
76/769/EEC	: All chemical substances in this product comply with all applicable rules or order under 76/769/EEC.
16. OTHER INFORM	ATION
NFPA Rating (US	A) :Health=1 Flammability=1 Reactivity=0
WHMIS Legislation	(Canada) : This product is not a controlled product.
Defenses	

References

 IARC(1996): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 65, Printing Process And Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261
 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr,
 S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats.

Fundamental and Applied Toxicology 17, pp.280-299.

The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. However, all materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards which exist.